

[AppKit](#) / [NSAccessibilityProtocol](#) / `isAccessibilityElement()`

Instance Method

isAccessibilityElement()

Returns a Boolean value that determines whether the accessibility element participates in the accessibility hierarchy.

macOS 10.10+

```
func isAccessibilityElement() -> Bool
```

Required

See Also

Configuring accessibility

```
func setAccessibilityElement(Bool)
```

Sets a Boolean value that determines whether the accessibility element participates in the accessibility hierarchy.

Required

```
func isAccessibilityEnabled() -> Bool
```

Returns a Boolean value that determines whether the accessibility element responds to user events.

Required

```
func setAccessibilityEnabled(Bool)
```

Sets a Boolean value that determines whether the accessibility element responds to user events.

Required

```
func accessibilityFrame() -> NSRect
```

Returns the accessibility element's frame in screen coordinates.

Required

```
func setAccessibilityFrame(NSRect)
```

Sets the accessibility element's frame in screen coordinates.

Required

```
func accessibilityHelp() -> String?
```

Returns the help text for the accessibility element.

Required

```
func setAccessibilityHelp(String?)
```

Sets the help text for the accessibility element.

Required

```
func accessibilityLabel() -> String?
```

Returns a short description of the accessibility element.

Required

```
func setAccessibilityLabel(String?)
```

Sets a short description of the accessibility element.

Required

```
func accessibilityTitle() -> String?
```

Returns the title of the accessibility element—for example, a button's visible text.

Required

```
func setAccessibilityTitle(String?)
```

Sets the title of the accessibility element.

Required

```
func accessibilityValue() -> Any?
```

Returns the accessibility element's value.

Required

```
func setAccessibilityValue(Any?)
```

Sets the accessibility element's value.

Required

```
func isAccessibilitySelectorAllowed(Selector) -> Bool
```

Returns a Boolean value that indicates whether assistive apps can invoke the specified selector on the accessibility element.

