

[FinanceKit](#) / TransactionStatus

## Enumeration

# TransactionStatus

Values that describe the status of a transaction.

iOS 17.4+ | iPadOS 17.4+

```
enum TransactionStatus
```

## Topics

### Enumeration Cases

`case authorized`

The transaction is in an authorized state.

`case booked`

The transaction is in a booked state.

`case memo`

A memo that provides information about the transaction.

`case pending`

The transaction is in a pending state.

`case rejected`

The transaction is in a rejected state.

---

# Relationships

## Conforms To

CaseIterable  
Copyable  
Decodable  
Encodable  
Equatable  
Hashable  
RawRepresentable  
Sendable  
SendableMetatype

---

## See Also

## Transactions

```
func transactionHistory(forAccountID: UUID, since: FinanceStore.HistoryToken?, isMonitoring: Bool) -> FinanceStore.History<Transaction>
```

Returns the transactions for the specified account ID, optional starting time, and monitoring indicator for long running transaction queries.

```
func transactions(query: TransactionQuery) async throws -> [Transaction]
```

Returns transactions that match the provided transaction query.

```
struct AccountQuery
```

A structure that defines an account query.

```
struct AccountCreditInformation
```

A structure that describes the credit information associated with an account.

```
struct CurrencyAmount
```

A structure that describes a monetary amount and its currency.

```
struct Transaction
```

A structure that represents a transaction relating to a specific financial account.

```
struct TransactionQuery
```

A structure that describes the parameters to use for a transaction query.

```
enum TransactionType
```

Values that describe kinds of transactions.