

[Video Subscriber Account](#) / [VSUserAccountManager](#) / VSUserAccountManager.AutoSignInTokenUpdateContext

Structure


VSUserAccountManager.AutoSignInTokenUpdateContext

An object that contains information about a person's choice in the Automatic Sign-In prompt.

iOS 26.0+ | iPadOS 26.0+ | tvOS 26.0+

```
struct AutoSignInTokenUpdateContext
```

Mentioned in

 Signing people in to their media accounts automatically

Overview

The framework returns an instance of this structure when your app calls `requestAutoSignInAuthorization()` to prompt a person for approval to opt in to Automatic Sign-In.

Check the `authorization` property of this structure to determine the person's answer to the prompt. If the value is `VSUserAccountManager.AutoSignInAuthorization.granted`, generate a sign in token and pass the instance of this structure and the newly-generated token to the framework using the `updateAutoSignInToken(_:updateContext:)` method.

Topics

Determining status

`var authorization: VSUserAccountManager.AutoSignInAuthorization`

A state that represents a person's approval of Automatic Sign-In.

See Also

Signing people in automatically

`struct AutoSignInToken`

A value that represents a person's account and their consent to Automatic Sign-In.

`enum AutoSignInAuthorization`

The possible states the framework sets for Automatic Sign-In.

`var autoSignInToken: VSUserAccountManager.AutoSignInToken`

The current Automatic Sign-In token.

`func deleteAutoSignInToken() async throws`

Deletes the value of the current Automatic Sign-In token.

`func requestAutoSignInAuthorization() async throws -> VSUserAccountManager.AutoSignInTokenUpdateContext`

Presents a modal sheet that offers a person to opt in to Automatic Sign-In.

`func updateAutoSignInToken(String, updateContext: VSUserAccountManager.AutoSignInTokenUpdateContext) async throws`

Sets the current Automatic Sign-In token.