(wafer1,0,0,-1,-1,3,4) Characteristics

• Cell Size: 10um


Times Accessed: 8

Last Measurement: 2022/March/01 at 02:48:28PM

Summary

Cycle #	Set Icc (µA)	Set Voltage (V)	R_on (Ω)	R2
1	20.0	2.75	805.88	1.000
2	20.0	1.65	1250.56	1.000
3	20.0	2.85	633.14	1.000
4	20.0	2.85	745.53	0.998
5	20.0	2.85	528.37	1.000





form

• Time: 02:37:34PM


• **Icc**: 20.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 1

• Set Voltage: 2.75 V

Form at 2.8 V



• Time: 02:39:18PM


• **Icc:** 5.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -1.283 V/s*

• Cycle: 1

Resistance: 805.88 Ω
Linear Fit R2: 1.000

Reset at -1.9 V or -2.75 V, hard to say. Asymptotic towards reset condition in between those two points.



set

• **Time:** 02:41:03PM


• **Icc**: 20.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 2

• Set Voltage: 1.65 V

Set at 1.7 V



• Time: 02:42:07PM


• **Icc:** 5.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -1.083 V/s*

• **Cycle:** 2

Resistance: 1250.56 Ω
Linear Fit R2: 1.000

Reset at -0.65 V



set

• **Time:** 02:44:46PM


• **Icc**: 20.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 3

• Set Voltage: 2.85 V

Set at 2.95 V



• Time: 02:46:39PM


• **Icc:** 5.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -1.351 V/s*

• **Cycle:** 3

Resistance: 633.14 Ω
Linear Fit R2: 1.000

Failed reset



• Time: 02:47:45PM


• **Icc:** 8.0mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -1.252 V/s*

• Cycle: 4

Resistance: 745.53 Ω
Linear Fit R2: 0.998

Failed reset.



• Time: 02:48:28PM

• **Icc:** 10.0mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -1.429 V/s*

• **Cycle:** 5

Resistance: 528.37 Ω
Linear Fit R2: 1.000

Reset at -4.55 V

