(wafer2,0,8,-1,-1,1,1) Characteristics


• Cell Size: 10um

Times Accessed: 44

Last Measurement: 2022/April/03 at 02:06:25PM

Summary

| Cycle # | Set Icc (μA) | Set Voltage (V) | R_on (Ω) | R2 |
|---------|--------------|-----------------|-------------------|-------|
| 1 | 35.0 | 4.90 | 268.69 | 1.000 |
| 2 | 35.0 | 4.90 | 274.27 | 1.000 |
| 3 | 35.0 | 3.00 | 510.61 | 1.000 |
| 4 | 35.0 | 4.45 | 673.37 | 1.000 |
| 5 | 40.0 | 3.60 | 750.59 | 1.000 |
| 6 | 45.0 | 3.70 | 426.16 | 1.000 |
| 7 | 50.0 | 3.85 | 690.75 | 1.000 |
| 8 | 55.0 | 3.75 | 393.53 | 1.000 |
| 9 | 60.0 | 3.65 | 683.58 | 1.000 |
| 10 | 65.0 | 3.45 | 694.76 | 1.000 |
| 11 | 70.0 | 3.85 | 397.61 | 1.000 |
| 12 | 75.0 | 3.40 | 688.05 | 1.000 |
| 13 | 80.0 | 3.30 | 401.91 | 1.000 |
| 14 | 30.0 | 3.00 | 408.94 | 1.000 |
| 15 | 25.0 | 2.75 | 406.93 | 1.000 |
| 16 | 20.0 | 3.30 | 411.57 | 1.000 |
| 17 | 15.0 | 2.80 | 729.75 | 1.000 |
| 18 | 10.0 | 2.40 | 784.61 | 1.000 |
| 19 | 5.0 | 2.85 | 363.50 | 1.000 |
| 20 | 35.0 | 3.15 | 207.09 | 1.000 |
| 21 | 35.0 | 3.15 | 208.09 | 1.000 |
| | | | | |



• Time: 12:42:45PM


• **Icc:** 10.5mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• Cycle: 1

Resistance: 268.69 Ω
Linear Fit R2: 1.000

Did not reset



form

• Time: 12:45:28PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 1

• Set Voltage: 4.90 V

Formed 4.95V



• Time: 12:46:52PM


• **lcc:** 10.5mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• **Cycle:** 2

Resistance: 274.27 Ω
Linear Fit R2: 1.000

Did reset (also good)



• **Time:** 12:49:27PM


• **Icc:** 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 3

• Set Voltage: 3.00 V

set at 3.05V



• Time: 12:50:03PM


• **Icc:** 10.5mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.743 V/s*

• **Cycle:** 3

Resistance: 510.61 Ω
Linear Fit R2: 1.000

Did reset



• **Time:** 12:50:31PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 4

• Set Voltage: 4.45 V

set at 4.5V



• Time: 12:51:05PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.693 V/s*

• Cycle: 4

Resistance: 673.37 Ω
Linear Fit R2: 1.000

REset



• **Time:** 12:52:21PM


• **Icc:** 40.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 5

• Set Voltage: 3.60 V

set at 3.7V




• Time: 12:52:44PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.676 V/s*

• **Cycle:** 5

Resistance: 750.59 Ω
Linear Fit R2: 1.000



• Time: 12:53:28PM


• **Icc:** 45.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 6

• Set Voltage: 3.70 V

set at 3.75V




• Time: 12:53:53PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.776 V/s*

• **Cycle**: 6

Resistance: 426.16 Ω
Linear Fit R2: 1.000



• **Time:** 12:54:47PM


• **Icc**: 50.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 7

• Set Voltage: 3.85 V

set at 3.85V




• Time: 12:55:18PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.685 V/s*

• Cycle: 7

Resistance: 690.75 Ω
Linear Fit R2: 1.000



• Time: 12:55:55PM


• **Icc**: 55.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 8

• Set Voltage: 3.75 V

set at 3.8V




• Time: 12:56:35PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 8

Resistance: 393.53 Ω
Linear Fit R2: 1.000



• Time: 12:57:23PM


• **Icc:** 60.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle**: 9

• Set Voltage: 3.65 V

set at 3.7V




• Time: 12:57:43PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.693 V/s*

• **Cycle:** 9

Resistance: 683.58 Ω
Linear Fit R2: 1.000



• **Time:** 12:58:53PM


• **Icc:** 65.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 10

• Set Voltage: 3.45 V

set at 3.5V




• Time: 12:59:13PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.685 V/s*

• **Cycle:** 10

Resistance: 694.76 Ω
Linear Fit R2: 1.000



• Time: 01:00:09PM


• **Icc:** 70.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 11

• Set Voltage: 3.85 V

set at 3.9V




• Time: 01:00:36PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• Cycle: 11

Resistance: 397.61 Ω
Linear Fit R2: 1.000



• Time: 01:01:21PM


• **Icc**: 75.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 12

• Set Voltage: 3.40 V

set at 3.45V




• Time: 01:01:44PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.694 V/s*

• **Cycle:** 12

Resistance: 688.05 Ω
Linear Fit R2: 1.000



• Time: 01:02:21PM


• **Icc:** 80.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 13

• Set Voltage: 3.30 V

set at 3.35V




• Time: 01:02:52PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 13

• Resistance: 401.91Ω • Linear Fit R2: 1.000



• Time: 01:03:30PM


• **Icc:** 30.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 14

• Set Voltage: 3.00 V

set at 3.05V




• Time: 01:03:56PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• Cycle: 14

Resistance: 408.94 Ω
Linear Fit R2: 1.000



• Time: 01:04:36PM


• **Icc**: 25.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 15

• Set Voltage: 2.75 V

set at 2.8V




• Time: 01:04:59PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 15

Resistance: 406.93 Ω
Linear Fit R2: 1.000



• **Time:** 01:06:37PM


• **Icc**: 20.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle**: 16

• Set Voltage: 3.30 V

set at 3.35V



• Time: 01:06:58PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s

• True Ramp Rate: -0.776 V/s*

• **Cycle:** 16

Resistance: 411.57 Ω
Linear Fit R2: 1.000



• **Time:** 01:07:43PM


• **Icc**: 15.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 17

• Set Voltage: 2.80 V

set at 2.85V




• Time: 01:08:11PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.676 V/s*

• Cycle: 17

Resistance: 729.75 Ω
Linear Fit R2: 1.000



• Time: 01:08:59PM


• **Icc**: 10.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 18

• Set Voltage: 2.40 V

set at 2.45V




• Time: 01:09:25PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.658 V/s*

• **Cycle:** 18

Resistance: 784.61 Ω
Linear Fit R2: 1.000



• **Time:** 01:10:09PM


• **Icc:** 5.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 19

• Set Voltage: 2.85 V

set at 2.9V




• Time: 01:10:37PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.800 V/s*

• **Cycle:** 19

Resistance: 363.50 Ω
Linear Fit R2: 1.000



• Time: 01:12:16PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 20

• Set Voltage: 3.15 V

set at 3.2V



• Time: 02:06:02PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• Cycle: 20

Resistance: 207.09 Ω
Linear Fit R2: 1.000

No set, Ohmic slope



• Time: 02:06:25PM

• **Icc:** 10.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• Cycle: 21

Resistance: 208.09 Ω
Linear Fit R2: 1.000
GND probe, won't reset

