Introduction to NEURON(90 Mins):

Contents

Why use NEURON (5-10 mins)	2
Basics of NEURON (20-25 mins)	7
Exercises (45 mins)	28
Wrap Up (10 mins)	29
(Many thanks to David Sterratt (Uni of Edinburgh) for allowinges)	wing the use of his tutorials and

Why use NEURON (5-10 mins)

From the NEURON website (my bold type):

- is a flexible and powerful simulator of neurons and networks
- has important advantages over general-purpose simulators helps users focus on important biological issues rather than purely computational concerns
- has a convenient user interface
- has a user-extendable library of biophysical mechanisms
- has many enhancements for efficient network modeling
- offers customizable initialization and simulation flow control
- is widely used in neuroscience research by experimentalists and theoreticians
- is well-documented and actively supported
- is free, open source, and runs on (almost) everything

Use-cases - What does it do? I

- Modelling of multicompartmental neurons in which membrane voltage is calculated from ion flows across the membranes
- Connections between cells through synapses (chemical & electrical)
- If you are interested in large networks of 'simple', single compartement neurons, there are other options.

Use-cases - What does it do? II

- For a single compartment cell with simple HH dynamics, you can probably write your own solver using ODE solvers in matlab/python.
- As your models develop more complexity:
 - Current dependancies e.g. intracellular Ca dependant K channels
 - Incoorperation of the cable equations for multicompartmental neurons
 - Connections via synapses (synaptic delays)
- You may find that you are reimplementing lots of mathematical solving, which has been already been done efficiently in NEURON.
- MOD files provide a standard for exchanging channel descriptions (e.g. modeldb)
- NEURON is highly parallelisable (e.g. BBP) for large networks
- There is a python interface

What do i need to use it?

- It runs on most operating systems (Windows/Linux/Mac). On the NEURON website: Windows installer Mac package Linux .deb, .rpm package
- Eilif Muller has precompiled binaries including Python support http://neuralensemble.org/people/eilifmuller/software.html

Resources

- Active questions board
- ModelDB
- The NEURON Book

Basics of NEURON (20-25 mins)

Overview

- NEURON is complex (I will cover a lot of material in the next slides, don't worry
 if you don't remember all the details its the concepts that are important)
- NEURON is old (& built on even older software)
- (These are positives and negatives)

2 Parts: HOC and NMODL files


- Two main types of language:
 - Interpreted languages (Python/matlab) are interactive, but slow
 - Compiled languages (Fortran/C/C++/...) are fast, but not interactive
- NEURON uses both:
 - 'HOC' which controls the 'structure' of the simulation
 - 'NMODL' a compiled language for specifying the dynamics of channels/synapses (e.g. Hodgkin-Huxley type channels). We will not cover NMODL in this tutorial.

HOC Interpreter

- HOC is an interactive interpreter which controls the 'structure' of the simulation:
 - creating morphologies
 - choosing which channels to apply and where, changing certain parameters (channel densities)
 - connecting cells together with synapses
 - creating stimuli: current clamps, voltage clamps
 - defining what you want to record: voltages, internal states
 - setting simulation parameters: stimulation time-steps,
 - running the simulation

Example simulation: Soma + Axon, HH Channels, with current injection

 We will walk through the steps required to simulate a neuron, which has a soma and an axon, stimulate it with a current clamp, and visualise the somatic membrane voltage.



HOC - Graphical User Interface

NEURON has a graphical user interface:

```
$ nrngui
oc>
```




Or NEURON can be used entirely from the commandline and with 'scripts':

```
$ nrnoc
oc>
```

Morphologies I (Overview)

• Neuron morphologies are represented as a tree of *unbranched cylinders* called **Sections** which describe the *gross* morphology of the neuron.

• e.g.



Morphology II (Building & Connecting Sections)


- Sections are created with the create < section-name > command
- Length and diameter of the sections are set as properties for each section.

```
// Create 3 Sections:
oc> create soma
oc> create axon_proximal
oc> create axon distal
// Setup the sizes of each Section:
oc> soma L = 12.3
oc> soma diam = 12.3
oc> axon proximal diam = 1.0
oc> axon proximal L = 50
oc> axon distal diam = 0.5
oc> axon distal L = 20
```

Morphology II (Building & Connecting Sections)

- **Sections** are connected together with the *connect* function.
- '0' defines one end of the **Section**, '1' defines the other.

```
// Setup the connections:
oc> connect soma(1.0), axon_proximal(0.0)
oc> connect axon_proximal(1.0), axon_distal(0.0)
```



Morphologies III (Segments)

- To solve simulations for better spatial accuracy, Sections can be subdivided into segments.
- Each segment has its own voltage and state variables
- (Hines & Carnevale recommend using an odd number of **segments**)

```
oc> axon_proximal nseg = 11
oc> axon_distal nseg = 3
```

HOC: psection()


```
oc>forall psection()
soma { nseq=1 L=12.3 Ra=35.4
    axon proximal connect soma (1), 0
    /* First segment only */
    insert morphology { diam=12.3}
    insert capacitance { cm=1}
axon proximal { nseq=11 L=50 Ra=35.4
    axon distal connect axon proximal (1), 0
    /* First segment only */
    insert morphology { diam=1.0}
    insert capacitance { cm=1}
axon_distal { nseg=3 L=20 Ra=35.4
    /*location 0 attached to cell 0*/
    /* First segment only */
    insert morphology { diam=0.5}
    insert capacitance { cm=1}
```

}

Channels I (Overview)

- Neurons are interesting because of their active membrane channels
- Channels define the currents flowing across the membrane (e.g. sodium, potassium, leak)
- NEURON covers common use-cases:
 - it is possible to define your own using NMODL files (not covered here)
 - it comes with some predefined channel definitions.
- NEURON automatically inserts a membrane capacitance and an axial resistance

Channels II (Segments)



Channels III (Using channels)

- Channels are inserted into each Section
- Channels can have parameters that can be changed in HOC, (e.g. conduction density)
- E.g.

```
// Insert the channel into the soma Section
oc> soma insert hh

// View and change some properties:
oc> soma.gnabar_hh
    0.12
oc>soma.gnabar_hh = 0.2
// (in S/cm2)
```

Channels IV (Summary):

```
oc> soma psection()
soma { nseg=1 L=12.3 Ra=35.4
   axon_proximal connect soma (1), 0
   /* First segment only */
   insert morphology { diam=12.3}
   insert capacitance { cm=1}
   insert hh { gnabar_hh=0.2 gkbar_hh=0.036 gl_hh=0.0003 el_hh=-54.3}
   insert na_ion { ena=50}
   insert k_ion { ek=-77}
}
```

Stimuli (Overview)

- NEURON is very flexible in the stimulation protocols that can be used
- Most commonly used are:
 - Current Clamp (IClamp)
 - Voltage Clamp (SEClamp, VClamp)

Stimuli (Current Clamp)

• For example, a current clamp called 'stim' at the centre of the soma:


```
oc> objref stim
oc> soma stim = new IClamp(0.5)
oc> stim.del = 100
oc> stim.dur = 100
oc> stim.amp = 0.1
```

Running the simulation

- NEURON simulations are run:
 - with the 'run()' command from .hoc
 - clicking 'Init & Run' from the GUI
- By default, running the simulation will not plot anything....

Plotting the results

- We want to plot the internal states of the simulation (e.g. membrane voltage, current flows, state variables)
- This is easiest done by using the NEURON GUI
- (It is also possible to save results to file using code)



Exercises (45 mins)

- We will work through the tutorial from David Sterratt and Andrew Gillies.
- Section A: investigates a single compartment neuron containing HH channels, stimulated with a current clamp
- Section **B**: extending this to a multicompartmental neuron
- These can be found at: http://www.anc.ed.ac.uk/school/neuron/

Wrap Up (10 mins)

Useful things to know about NEURON

- NEURON is contains an 'adaptive-timestep' integrator, which can dramatically improve simulation time in some circumstances. This is enabled simply by adding cvode_active(1) before calling run()
- NEURON has a python interface. This allows you to use the hoc Interpreter from within Python, use objects and access stored data as numpy-arrays.
 HOWEVER! There are limitations on 'clearing-the-workspace'

'Competitors' to NEURON

• GENESIS, MOOSE

Other Tools in the ecosystem

- morphforge
- NeuroML & neuroConstruct
- NineML
- neuronvisio

Any Questions

??

Who am I

- I am not a NEURON guru
- 3rd year Ph.D student (4 years using NEURON for modelling work)
- Teaching-Assistant for Neural-Computation course at Edinburgh Uni
- One of the developers of NineML (incl. NEURON interface)
- Author of morphforge a high-level interface to NEURON in python