Proposal: Image Captioning of Earth Observation Imagery

Dora Qian, Fanli Zhou, James Huang and Mike Chen

MDS Mentor: Varada Kolhatkar

MDA Partners: Andrew Westwell-Roper, Shun Chi

Executive Summary

MDA is a Canadian aerospace company, manufacturing equipment for space applications, specializing in space surveillance, space robotics, and satellite systems. MDA has access to a vast database of uncaptioned overhead satellite images, and they are interested in assigning captions to these images for image indexing. In this project, we aim to create deep learning models that generate captions for overhead satellite photos, and manages and updates a database of these image-caption pairs. We will also create an interactive visualization tool that displays captions generated for images and their respective evaluation scores.

Introduction

In contrast with image classification – which aims to classify images as predetermined classes established by the training set – image captioning is more dynamic; it aims to generate sentences describing objects and actions in the image. Image captions can be useful in a variety of applications, such as image indexing for querying images and evaluating image similarity, and describing images to the visually impaired. Most image captioning models currently available are trained on traditional ImageNet type images; due to the fundamentally different nature of satellite images, transfer learning will be less effective as we are working on a different domain. MDA currently has no existing solution to this problem, so our work will be novel to the company.

To break the problem down, we will be working with public captioned datasets first. We will clean and organize the data into a database, and run the initial training and validation process on that data. We have access to several different datasets, and those will be used to test cross dataset performance. Once we are satisfied with the performance on the captioned datasets, the model will be tested on the MDA dataset.

Final Data Product Description

The final data product is a complete image captioning pipeline consisting of three independent modules: a database, a deep learning model and an interactive visualization and database updating tool.




Figure 1. Final data product

First, the non-relational database will be used to store all the remote sensing images, associated captions and evaluation scores. We will start by creating three separate folders storing these data for ease of extraction. Both the human-annotated and machine-generated data will be stored in this database.

Second, the deep learning model will be capable of loading data from the database, as well as train and predict on data. The model will be designed to be easily maintain and update. PyTorch will be used for modelling and AWS P2 or P3 instances will be used for cloud computing.

Lastly, a Dash-based visualization will allow users to get predicted captions from the model and update new image-caption pairs in the database. Users will have two options, either to select one or multiple images from the database or upload any new ones outside the database. The images, machine-generated captions, human-annotated captions and evaluation scores will be displayed as outputs. For existing images, the evaluation metrics will be BLEU and other ones based on semantic similarity. For new images, a model confidence score will be displayed.




Figure 2. Visualization and database updating tool. Remote sensing images are adapted from RSICD dataset (Lu et al. 2018).

Data Description

In order to train our model, we have three labelled datasets: UCM-captions (Qu et al. 2016), RSICD (Lu et al. 2018) and Sydney-captions (Qu et al. 2016). All of the three datasets include captions and images. There are up to 5 different captions that accompany each image in the datasets. In a single dataset, the file format and size of the images are the same, but across datasets they differ. Which is why we must first standardize all images across the three datasets, before applying data science techniques.

The UCM-captions dataset is based on the "University of California Merced's Land Use Dataset". It contains land-uses satellite images. There are 21 different classes of images. (2100 images)

The Sydney-captions dataset is extracted from a large 18000 X 14000 pixel image of Sydney taken from Google Earth. Each of the images in the dataset are selected and cropped from the original much larger Google Earth image. There are 7 different classes of images in this dataset, comprised of residential, airport, river, oceans, meadow, industrial and runway images. (613 images)

The RSICD dataset (Remote Sensing Imaging Captioning Dataset) is the state of the art dataset, the images are sourced from BaiduMaps, GoogleMaps and Tianditu. The captions are sourced from volunteers, and every image will include different captions, from different volunteers to ensure diversity of the caption. (10,922 images)

Data Science Techniques Description

We will combine all three datasets and split the combined dataset into training (64%), validation (16%), and test (20%) datasets. Stick to the golden rule, we will train and tune models with the training and validation datasets only. We decided to focus on the encoder-decoder model as it is the most common method for images captioning. Here are the three encoder-decoder models we will try:

1. Our baseline model is a CNN + LSTM encoder-decoder model, which uses heavy transfer learning (Figure 3). Given an image, a feature vector is extracted using the pre-trained InceptionV3 model, a CNN trained on ImageNet. For LSTM, we use an embedding layer and initialize embedding weights with pre-trained GloVe embeddings. At each time step during generation, we combine the LSTM output with the image feature vector and pass the result through a dense layer and an output layer to generate the next word, which is fed back as input to the LSTM layer in the next time step. Our current model is trained with only 800 training examples (source code, written in TensorFlow). In figure 3, B shows a good caption (BLEU score = 0.7) and C shows a bad caption (BLEU score = 0) generated by the model. We see that the baseline model does not do well on some images. The problem could be that unlike natural images, remote sensing images usually have strange views and many objects, and thus require detailed captions to capture all objects (Zhang 2019). So we need to improve the model.




Figure 3. The baseline model architecture and example outputs. A is adapted from (Lu et al. 2018).

2. The second model will have an attention structure on top of the baseline model (Figure 4). The attention structure takes image features from the CNN convolutional layer and assigns weights to those features. Overall, it could act as moving the focus across the image so that the model can capture more features or objects and produce a better caption (Xu et al. 2015; Zhang 2019). We will try this architecture and expect this model to produce better captions compared to the baseline.




Figure 4. The second model architecture (adapted from (Zhang 2019)).

3. As an extension of the second model, the third model will contain three attention structures on top of the baseline model (Figure 5). This multi-level attention model better mimics human attention mechanisms and act as moving the focus between the image and the word context to help generate better captions (Li 2020). We are going to implement this architecture and expect this model to produce captions of the best quality.




Figure 5. The third model architecture (adapted from (Li 2020)).

If time permits, we could explore other model architectures and try fine-tuning pre-trained cross-modal models. To assess those models, we can use some evaluation metrics suggested in this paper (Li 2020), including BLEU, Meteor, ROUGE_L, CIDEr, and SPICE. We will first test our models with the BLEU score, which compares sentences based on n-grams. However, in this project, we want to focus on the semantic similarity other than the syntactic similarity. So we will then move to metrics that measure semantic similarity instead. Finally, we will test our best model with the test dataset and evaluate the results.

Timeline and Evaluation

The length of our capstone project is two months, starting from May 4th, 2020 to June 30th, 2020. During these eight weeks, the following five milestones are expected to be achieved: proposal, EDA and database design, model development, visualization tool design and polish. The first two weeks were used for the proposal: we have delivered both a presentation and a written report. Meanwhile, we will start exploratory data analysis, data pre-processing, and database design. The next four weeks will be used for data product development. The three intermediate stages would be run in parallel during this period. Both the database and tool design will take about two weeks while the deep model development will run for four weeks. Three milestones will be achieved by the end of this data product development stage. The last two weeks will be used to improve and polish the final product based on feedback from our mentor, and our partners. We will deliver the final presentation, final written report and final data products to both our MDS mentor and our MDA partners by June 29th, 2020.




Figure 6. Project timeline

References

Li, S.; Jiao, Y.; Fang. 2020. "A Multi-Level Attention Model for Remote Sensing Image Captions." *Remote Sens.* 12 (6): 939. https://doi.org/10.3390/rs12060939.

Lu, Xiaoqiang, Binqiang Wang, Xiangtao Zheng, and Xuelong Li. 2018. "Exploring Models and Data for Remote Sensing Image Caption Generation." *IEEE Transactions on Geoscience and Remote Sensing* 56 (4). Institute of Electrical; Electronics Engineers (IEEE): 2183–95. https://doi.org/10.1109/tgrs.2017.2776321.

Lu, X., B. Wang, X. Zheng, and X. Li. 2018. "Exploring Models and Data for Remote Sensing Image Caption Generation." *IEEE Transactions on Geoscience and Remote Sensing* 56 (4): 2183–95.

Qu, B., X. Li, D. Tao, and X. Lu. 2016. "Deep Semantic Understanding of High Resolution Remote Sensing Image." In 2016 International Conference on Computer, Information and Telecommunication Systems (Cits), 1–5.

Xu, Kelvin, Jimmy Ba, Ryan Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard Zemel, and Yoshua Bengio. 2015. "Show, Attend and Tell: Neural Image Caption Generation with Visual Attention."

Zhang, X.; Tang, X.; Wang. 2019. "Description Generation for Remote Sensing Images Using Attribute Attention Mechanism." Remote Sens. 11 (6): 612. https://doi.org/10.3390/rs11060612.