



test

**MILANCE** 

type

doc date [[doc-company-url]]

Document Number: [[doc-id]] Version: [[doc-version]] Release Date: [[release-date]]



# **Document History**

Author Name: [[doc-author]]
Author Contact: [[doc-author-email]]

## **Document Revision**

Version Number	Release Date	Status	<b>Change Description</b>	Author
[[doc-version]]	[[doc-release-date]]	Draft	[[change-description]]	[[doc-author-name]]

# **Intellectual Property Rights**

This document is exclusive property of doc date and all rights are reserved.



Table of Contents
Introduction 4
References 4
Markdown1-2 6
PUZZLES CLOUD MARKDOWN FILE HEADING 1 6 Welcome to the puzzles cloud md file HEADING 2 6 Let's start with stupid jokes HEADING 3 6 Let me tell you stupid joke on German: HEADING4 6 Let's switch to the Czech language HEADING 4 6 Real Czech language HEADING 5 6
Longest Serbian word he he HEADING 1 6 Serbian literature HEADING 2 6
It's enough, lets start with some smart things HEADING 1 6
Markdown1 8  PUZZLES CLOUD MARKDOWN FILE HEADING 1 8  Welcome to the puzzles cloud md file HEADING 2 8  Let's start with stupid jokes HEADING 3 8  Let me tell you stupid joke on German: HEADING4 8  Let's switch to the Czech language HEADING 4 8  Real Czech language HEADING 5 8  Longest Serbian word he he HEADING 1 8  Serbian literature HEADING 2 8  It's enough, lets start with some smart things HEADING 1 8
Just checking tables - heading 1 10
Tables are under heading 2 10
Table of Tables Table 1: Document references 4



# 1 Introduction

## 1.1 References

Referenced documents in creation of this document are listed in the Table 1.

Document Reference	Document Title	Version	Filename
[1]	[[ reference-doc-title ]]		[[ reference-doc-filename ]]
[2]			
[3]			
[4]			
[5]			
[6]			
[7]			
[8]			

Table 1: Document references





#### 2 Markdown1-2

#### 2.1 PUZZLES CLOUD MARKDOWN FILE HEADING 1

- 2.1.1 Welcome to the puzzles cloud md file HEADING 2
- 2.1.1.1 Let's start with stupid jokes HEADING 3
- 2.1.1.1.1 Let me tell you stupid joke on German: HEADING4
  - # "Hey Philipp, wie war denn der Urlaub?"
  - # "Gräßlich! Im Hotel hatte ich Zimmernummer hundert. Und vom Türschild ist die Eins abgefallen!"

#### ÜÜÜÜÜÜ- that was stupid

- 2.1.1.1.2 Let's switch to the Czech language HEADING 4
  - # "Co r##óobi trak##óto##r u f##ry###zjera?"
  - # War##kocze.

#### #####ó###!!!!

Just kidding, that was Poland language u fool, let's switch to the Czech for real 2.1.1.1.2.1 Real Czech language HEADING 5

#### ýžá##é#í#ó#š#ú#

- # Jak #íkáte albínskému muži z Prahy?
- # Prázdný #ech.

#### 2.2 Longest Serbian word he he HEADING 1


#### 2.2.1 Serbian literature HEADING 2

#### 2.3 It's enough, lets start with some smart things HEADING 1

1.

#### PLAY THIS VIDEO AND THANKS ME LATER!

#### **HIT THAT PLAY**



Yep, it's a picture, fool... lol Here you go, CLICK IT:





#### 3 output

#### 3.1 Markdown1

- 3.1.1 PUZZLES CLOUD MARKDOWN FILE HEADING 1
- 3.1.1.1 Welcome to the puzzles cloud md file HEADING 2
- 3.1.1.1.1 Let's start with stupid jokes HEADING 3
- 3.1.1.1.1.1 Let me tell you stupid joke on German: HEADING4
  - # "Hey Philipp, wie war denn der Urlaub?"
  - # "Gräßlich! Im Hotel hatte ich Zimmernummer hundert. Und vom Türschild ist die Eins abgefallen!"

#### ÜÜÜÜÜÜÜ- that was stupid

- 3.1.1.1.1.2 Let's switch to the Czech language HEADING 4
  - # "Co r##óobi trak##óto##r u f##ry###zjera?"
  - # War##kocze.

#### #####6###!!!!

Just kidding, that was Poland language u fool, let's switch to the Czech for real

3.1.1.1.2.1 Real Czech language HEADING 5

#### ýžá##é#í#ó#š#ú#

- # Jak #íkáte albínskému muži z Prahy?
- # Prázdný #ech.
- 3.1.2 Longest Serbian word he he HEADING 1


#### 3.1.2.1 Serbian literature HEADING 2

3.1.3 It's enough, lets start with some smart things HEADING 1

1.

#### PLAY THIS VIDEO AND THANKS ME LATER!

#### **HIT THAT PLAY**



**BUTTON** 



# Yep, it's a picture, fool... lol Here you go, CLICK IT:



# 4 Just checking tables - heading 14.1 Tables are under heading 2

1.1	ici neuding 2					
field name	type	constrains		description	example	
id	UUID	globally unique		globally unique UUID	c91feaf3-5968-4b60- aa5b-62fe7fdd905c	
type	string	n/a		type of request, must be "voucher-order", "voucher-order"		
voucher-code	string	n/a		code of the voucher gathered from voucher list	"VODADE15"	
payment-method	string	n/a		on of the allowed methods for the voucher, denoted in voucher list response	"Wirecard VISA"	
notification-type	string	currently only "email" is supported		type of the notification target	"email"	
notification-target	string	n/a		target adress	"[me@my- email.com] (mailto:me@my- email.com)"	
order-success- redirect-url	string	valid URL		Where the wirecard should redirect if payment was successfull	protect	
order-failed-redirect- url	string	valid URL		Where the wirecard should redirect if payment fails	protect	
order-canceled- redirect-url	string	valid URL		Where the wirecard should redirect if payment was canceled	protect	
Option			Description			
data			path to data files to supply the data that will be passed into templates.			
engine			engine to be used for processing templates. Handlebars is the default. \\			
ext			extension	to be used for dest files.		





Figure 1: Last Page