

Beamer Feature Showcase

Comprehensive Reference for Automated slides

System Reference

January 11, 2026

This reference covers structure, content, visuals, and animation.

Table of Contents

- 1 Structure & Layout
- 2 Rich Content
- 3 Visuals & Navigation
- 4 Animation

Structure & Layout

Incremental Reveals

To keep the video engaging, reveal content step-by-step using <+>.

- **Step 1:** Introduce the concept.

Incremental Reveals

To keep the video engaging, reveal content step-by-step using <+>.

- **Step 1:** Introduce the concept.
- **Step 2:** Expand on details.

Incremental Reveals

To keep the video engaging, reveal content step-by-step using <+>.

- **Step 1:** Introduce the concept.
- **Step 2:** Expand on details.
- **Step 3:** Conclude the point.

Comparing Approaches (Columns)

Use columns to compare side-by-side.

Approach A

```
1 def fib(n):  
2     if n <= 1: return n  
3     return fib(n-1) + fib(n-2)  
4
```

Approach B

```
1 def fib(n):  
2     a, b = 0, 1  
3     for _ in range(n):  
4         a, b = b, a + b  
5     return a  
6
```

Organize information using standard Beamer environment blocks.

Standard Block

This is a normal block for general information.

Organize information using standard Beamer environment blocks.

Standard Block

This is a normal block for general information.

Alert Block

Use this for warnings or critical points.

Beamer Blocks

Organize information using standard Beamer environment blocks.

Standard Block

This is a normal block for general information.

Alert Block

Use this for warnings or critical points.

Examples

This is an example block, useful for case studies.

Rich Content

Beamer handles complex math gracefully.

- Inline Math: $e^{i\pi} + 1 = 0$
- Block Equations with overlays:

Beamer handles complex math gracefully.

- Inline Math: $e^{i\pi} + 1 = 0$
- Block Equations with overlays:

$$f(x) = x^2 + 2x + 1$$

Beamer handles complex math gracefully.

- Inline Math: $e^{i\pi} + 1 = 0$
- Block Equations with overlays:

$$\begin{aligned} f(x) &= x^2 + 2x + 1 \\ &= (x + 1)^2 \end{aligned}$$

Code Evolution

We can simulate "Magic Move" by showing code changes across overlays.

```
1 def calculate_area(radius):  
2     pi = 3.14  
3     return pi * radius * radius  
4
```

Initial State

We can simulate "Magic Move" by showing code changes across overlays.

```
1 import math
2
3 def calculate_area(radius):
4     return math.pi * radius * radius
5
```

Refactored (Import Math)

Styled Components

Use `tcolorbox` to simulate modern UI components.

Info Card

This box mimics a standardized component style.

Styled Components

Use `tcolorbox` to simulate modern UI components.

Info Card


This box mimics a standardized component style.

Alert Component


Warning: This is an important alert.

Visuals & Navigation

Digrams (TikZ)



Digrams (TikZ)



Navigation Buttons

Beamer supports interactive buttons.

Jump to Transitions

► Go to Transitions

Navigation Buttons

Beamer supports interactive buttons.

Jump to Transitions

► Go to Transitions

Animation

This slide used a dissolve transition to appear.

Other standard transitions:

- `transblindshorizontal`
- `transboxin`
- `transglitter`