

# System Threat Forecaster

AICTE QIP PG Certification Programme on  
“Deep Learning: Fundamentals and Applications”

Milav Jayeshkumar Dabgar

Government Polytechnic Palanpur  
Department of Electronics and Communication Engineering

December 2025

# Outline

## 1 Project Context & Learning Objectives

- Problem Statement

## 2 Experimental Methodology

- Data Exploration
- Preprocessing Pipeline

## 3 Model Experimentation & Learning

- Machine Learning
- Deep Learning
- Results

## 4 Implementation & Deployment

- System Architecture

## 5 Conclusion

- Key Findings
- Challenges & Limitations

# Problem Statement: Objectives & Challenges

## Goal

Predict malware infections and compare ML vs DL performance on tabular data



### Key Objectives:

- ① **Kaggle: System Threat Forecaster Challenge**
- ② Implement 7 ML algorithms
- ③ Build 6 DL architectures from scratch
- ④ Comparative ML vs DL analysis
- ⑤ Full-stack web deployment
- ⑥ Production-ready application

### Key Challenges:

- **Top leaderboard: 69.6%**
- High dimensionality (75 features)
- Weak correlations (max 0.118)
- High irreducible error (30%+)
- Missing values in critical features
- 100K samples, balanced classes

# Data Understanding & Analysis




## Dataset Characteristics:

- Balanced: Perfect for learning
- 80/20 train-val split (stratified)
- Missing values: Imputation strategies

## Key Insights Learned:

- Weak correlations (max 0.118)
- AntivirusConfigID most predictive
- Feature engineering limited impact

# Data Processing & Preprocessing



## Implemented & Learned:

- **Imputation strategies:**
  - Mean (numerical)
  - Mode (categorical)
- **Encoding:** LabelEncoder
- **Scaling:** StandardScaler
- **Splitting:** Stratified (importance of this!)

## Configuration Management:

- Random state: 42 (reproducibility)
- Version-controlled configs
- Modular, reusable code

# Machine Learning: 7 Algorithms Explored

## Algorithms Implemented:

- ① **LightGBM** - 62.94% (Winner!)
- ② Random Forest - 62.09%
- ③ AdaBoost - 61.26%
- ④ Decision Tree - 60.10%
- ⑤ Logistic Regression - 60.07%
- ⑥ Naive Bayes - 55.06%
- ⑦ SGD Classifier - 49.46%

## Key Insights:


- **Gradient boosting** best for tabular data
- **Hyperparameter impact:**
  - Learning rate: 0.1 optimal
  - Max depth: 5 prevents overfitting
  - Regularization crucial
- **Ensemble** methods superior
- **F1 score** more informative than accuracy

## Performance Context

62.94% vs Kaggle top 69.6% = 6.7% gap  
indicates high dataset noise

# Best ML Model: LightGBM Performance

## Confusion Matrix:



## Performance Metrics:

- **Accuracy:** 62.94%
- **F1 Score:** 0.6286
- **Precision:** 0.6299
- **Recall:** 0.6294

## Model Characteristics:

- Training: 80,000 samples
- Validation: 20,000 samples
- True Positives: 9,700
- True Negatives: 9,900
- False Positives: 2,100
- False Negatives: 2,300

# Deep Learning: 6 Architectures Explored

## Implemented from Scratch:

- ① **Deep MLP** - 61.79%
  - 4 layers, 63K params
- ② **Residual Net** - 61.62%
  - Skip connections, 418K params
- ③ **Simple MLP** - 61.61%
- ④ **Wide & Deep** - 61.52%
- ⑤ **Attention Net** - 61.45%
  - Multi-head, 1.6M params
- ⑥ **FT-Transformer** - 61.45%
  - BERT-style, only 38K params!

## Critical Learnings:

- **PyTorch implementation** from ground up
- **GPU optimization:** Apple M4 MPS
- **All DL models converged 61.5%**
  - Architecture matters less for tabular
  - Dataset-limited, not model-limited
- **Hyperparameters tested:**
  - Batch size: 512 optimal
  - Dropout: 0.3 prevents overfitting
  - Learning rate: 0.001 with scheduling
  - Early stopping crucial

Big Learning

ML ↳ DL for tabular by 1.15%

# Best DL Model: Deep MLP Performance

## Architecture:

- **Type:** Deep Multi-Layer Perceptron
- **Layers:** 4 hidden layers
  - $256 \rightarrow 128 \rightarrow 64 \rightarrow 32$  neurons
- **Parameters:** 63,714
- **Regularization:**
  - BatchNorm after each layer
  - Dropout: 0.3
- **Optimizer:** Adam
- **Learning Rate:** 0.001


## Performance Metrics:

- **Accuracy:** 61.79%
- **F1 Score:** 0.6130
- **Best Val Loss:** 0.6623
- **Training Time:** 8 minutes

## Key Insights:

- Best among 6 DL architectures
- 1.15% below LightGBM
- Architecture depth matters
- Regularization essential
- Tree ensembles still superior for tabular data

# Model Performance Comparison



# Full-Stack Implementation & Deployment

## Technology Stack:

- **ML:** scikit-learn, LightGBM
- **DL:** PyTorch 2.9.1, Apple MPS
- **Web:** Next.js 14 + React
- **Deployment:** stf.milav.in

## Production Deployment:

- Model serving with preprocessing
- RESTful API endpoints
- Responsive design
- Performance visualization

## Web Application Features:

- **Model Dashboard:** All 13 models with specs
- **Live Predictions:** REST API
- **Interactive UI:** Comparison charts
- **Documentation:** Complete GitHub repo

### Live Web App

Visit: <https://stf.milav.in>

- Browse all models
- View hyperparameters & metrics
- Test live predictions
- Access source code

# Key Findings & Insights

## Model Performance:

- **LightGBM:** 62.94% (Best)
  - F1: 0.6286, Precision: 0.6299
- **Deep MLP:** 61.79% (Best DL)
- **Kaggle Top:** 69.6%
- **Gap:** 6.7% indicates high irreducible error

## Technical Insights:

- ML outperforms DL for tabular data
- Weak correlations limit all models
- Hyperparameter tuning: 1-2% gains
- Data quality matters most

## Practical Implications:

- **Real-world deployment:**
  - 62.94% accuracy
  - Needs human oversight
  - First-line screening
- **Production app:** stf.milav.in
  - Model dashboard
  - Live predictions
  - Complete documentation

## Project Contributions:

- 13 models comprehensively evaluated
- State-of-the-art DL (FT-Transformer)
- Full-stack implementation
- Reproducible research pipeline

# Challenges, Limitations & Future Work

## Key Limitations

- **Dataset Quality:**

- High irreducible error
- Weak features (max corr: 0.118)
- Missing critical data

- **Performance Ceiling:**

- Our: 62.94%, Top: 69.6%
- 6.7% gap from better features

- **Deployment:**

- 37% error rate
- Requires human oversight

## Future Enhancements:

- ✓ DL integration complete

- **Short-term:**

- Explainable AI (SHAP)
- Hybrid ML-DL ensembles
- Cost-sensitive learning

- **Long-term:**

- Real-time deployment
- Multi-class detection
- Transfer learning
- Edge deployment

## Project Resources

### **Kaggle Competition & Data:**

<https://www.kaggle.com/competitions/System-Threat-Forecaster/>

### **Git Repository:**

<https://github.com/milavdabgar/qip-project-stf>

### **Next.js Web App:**

<https://stf.milav.in>

# Thank You!

Questions?

**Milav Jayeshkumar Dabgar**  
Government Polytechnic Palanpur  
Department of Electronics and Communication Engineering