ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Smoking and Tobacco Use

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Smoking and Tobacco Use

SEQN	Responde	nt sequence number			
Location:	1-5 (width:	5; decimal: 0)			
Variable Type:	numeric				
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:			tions:	
SMQ020	Smoked at least 100 cigarettes in life				
Location:	6-8 (width:	3; decimal: 0)			
Variable Type:	numeric				
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: These next questions are about cigarette smoking other tobacco use. {Have you/ Has SP} smoked at least 100 cigarettes in {your/his/her} entire English Instructions:				
	Value	Label	Unweighted Frequency	%	

Value	Label	Unweighted Frequency	%
1	Yes	2596	48.0 %
2	No SMQ10	2801	51.8 %
7	Refused SMQ120	4	0.1 %
9	Don't know SMQ120	6	0.1 %
. (M)	-	4	0.1 %

SMD030 Age started smoking cigarets regularly

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} first started to smoke cigarettes fairly regularly? English Instructions: ENTER AGE IN YEARS

Value Label Unweighted % Frequency 0 Never smoked cigarettes regularly 147 2.7 % 7 0.2 % 10 8 6 0.1 % 9 10 0.2 % 0.4 % 23 11 24 0.4 % 12 99 1.8 % 2.1 % 13 115 14 155 2.9 % 15 255 4.7 % 5.5 % 295 16 17 239 4.4 % 7.0 % 18 377 152 2.8 % 19

- Study 25502 -

Value	Label	Unweighted Frequency	%
20	-	192	3.5 %
21	-	120	2.2 %
22	-	72	1.3 %
23	-	40	0.7 %
24	-	29	0.5 %
25	-	64	1.2 %
26	-	20	0.4 %
27	-	8	0.1 %
28	-	17	0.3 %
29	-	10	0.2 %
30	-	36	0.7 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	3	0.1 %
34	-	4	0.1 %
35	-	15	0.3 %
36	-	2	0.0 %
37	-	4	0.1 %
38	-	2	0.0 %
40	-	9	0.2 %
41	-	2	0.0 %
43	-	4	0.1 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
65	-	1	0.0 %
72	-	1	0.0 %
999	Don't know	21	0.4 %
. (M)	-	2815	52.0 %

SMQ040 Do you now smoke cigarettes

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} now smoke cigarettes . . English

Instructions:

Value	Label	Unweighted Frequency	%
1	Every day, SMD070	951	17.6 %
2	Some days, or SMD080	220	4.1 %
3	Not at all?	1424	26.3 %
9	Don't know SMQ120	1	0.0 %
. (M)	-	2815	52.0 %

SMQ050Q

How long since quit smoking cigarettes

Location: 15-19 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How long has it been since {you/SP} quit smoking cigarettes? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value Label Unweighted % Frequency 1 0.8 % 45 2 88 1.6 % 3 70 1.3 % 4 53 1.0 % 5 1.1 % 57 1.0 % 6 56 7 32 0.6 % 0.8 % 8 45 9 18 0.3 % 10 82 1.5 % 0.2 % 11 13 12 47 0.9 % 13 24 0.4 % 21 0.4 % 14 88 1.6 % 15 22 16 0.4 % 17 15 0.3 % 18 30 0.6 % 19 11 0.2 % 1.9 % 20 103 21 18 0.3 % 0.5 % 22 26 0.3 % 23 16 24 18 0.3 % 25 69 1.3 % 26 11 0.2 % 27 13 0.2 % 28 13 0.2 %

Value	Label	Unweighted Frequency	9
29	-	10	0.2 %
30	-	71	1.3 %
31	-	14	0.3 %
32	-	21	0.4 %
33	-	9	0.2 %
34	-	11	0.2 %
35	-	20	0.4 %
36	-	6	0.1 %
37	-	6	0.1 %
38	-	8	0.1 %
39	-	9	0.2 %
40	-	38	0.7 %
41	-	7	0.1 %
42	-	3	0.1 %
43	-	6	0.1 %
44	-	6	0.1 %
45	-	5	0.1 %
46	-	2	0.0 %
47	-	6	0.1 %
48	-	3	0.1 %
49	-	4	0.1 %
50	-	19	0.4 %
51	-	1	0.0 %
52	-	2	0.0 %
53	-	5	0.1 %
54	_	4	0.1 %
55	-	2	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
60	-	3	0.1 %
61	_	2	0.0 %
66	-	1	0.0 %
67	-	1	0.0 %
70	_	1	0.0 %
75		1	0.0 %
99999	Don't know	10	0.2 %
. (M)	-	3987	73.7 %

SMQ050U

Unit of measure (day/week/month/year)

Location: 20-22 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: UNIT OF MEASURE English Instructions: ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	11	0.2 %
2	Weeks	20	0.4 %
3	Months	129	2.4 %
4	Years	1254	23.2 %
. (M)	-	3997	73.9 %

SMD055

Age last smoked cigarettes regularly

Location:

23-25 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} last smoked cigarettes {fairly regularly}? English Instructions: CAPI INSTRUCTION: DISPLAY "FAIRLY REGULARLY" EXCEPT WHEN SMD.030 = 0 (NEVER SMOKED CIGARETTES REGULARLY). ENTER AGE IN YEARS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
10	-	1	0.0 %
13	-	2	0.0 %
15	-	5	0.1 %
16	-	8	0.1 %
17	-	17	0.3 %
18	-	23	0.4 %
19	-	20	0.4 %
20	-	42	0.8 %
21	-	38	0.7 %
22	-	39	0.7 %
23	-	24	0.4 %
24	-	23	0.4 %
25	-	41	0.8 %
26	-	19	0.4 %
27	-	39	0.7 %
28	-	29	0.5 %
29	-	25	0.5 %
30	-	46	0.9 %
31	-	21	0.4 %
32	-	31	0.6 %
33	-	29	0.5 %
34	-	28	0.5 %
35	-	24	0.4 %

Value	Label	Unweighted Frequency	%
36	-	19	0.4 %
37	-	15	0.3 %
38	-	30	0.6 %
39	-	12	0.2 %
40	-	46	0.9 %
41	-	21	0.4 %
42	-	27	0.5 %
43	-	22	0.4 %
44	-	17	0.3 %
45	-	32	0.6 %
46	-	25	0.5 %
47	-	21	0.4 %
48	-	18	0.3 %
49	-	12	0.2 %
50	-	29	0.5 %
51	-	11	0.2 %
52	-	18	0.3 %
53	-	22	0.4 %
54	-	17	0.3 %
55	-	28	0.5 %
56	-	22	0.4 %
57	-	21	0.4 %
58	-	13	0.2 %
59	-	15	0.3 %
60	-	20	0.4 %
61	-	14	0.3 %
62	-	20	0.4 %
63	-	5	0.1 %
64	-	4	0.1 %
65	-	14	0.3 %
66	-	11	0.2 %
67	-	8	0.1 %
68	-	7	0.1 %
69	-	11	0.2 %
70	-	10	0.2 %
71	-	3	0.1 %
72	-	10	0.2 %
73	-	6	0.1 %
74	-	7	0.1 %
75	-	6	0.1 %

Value	Label	Unweighted Frequency	%
76	-	6	0.1 %
77	-	3	0.1 %
78	-	4	0.1 %
79	-	3	0.1 %
82	-	1	0.0 %
83	-	1	0.0 %
84	-	3	0.1 %
86	-	1	0.0 %
92	-	1	0.0 %
999	Don't know	4	0.1 %
. (M)	-	4140	76.5 %

SMD057

Question:

cigarettes smoked per day when quit

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

Target: B(20 Yrs. to 150 Yrs.) English Text: At that time, about how many cigarettes did {you/SP} usually smoke per day? English Instructions: 1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES).

Value	Label	Unweighted Frequency	%
1	-	79	1.5 %
2	-	63	1.2 %
3	-	52	1.0 %
4	-	55	1.0 %
5	-	75	1.4 %
6	-	23	0.4 %
7	-	14	0.3 %
8	-	15	0.3 %
9	-	2	0.0 %
10	-	202	3.7 %
11	-	2	0.0 %
12	-	10	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	45	0.8 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	8	0.1 %
20	-	335	6.2 %
24	-	2	0.0 %
25	-	8	0.1 %

Value	Label	Unweighted Frequency	%
30	-	62	1.1 %
35	-	4	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	120	2.2 %
42	-	1	0.0 %
45	-	4	0.1 %
50	-	13	0.2 %
55	-	1	0.0 %
60	-	38	0.7 %
70	-	2	0.0 %
80	-	12	0.2 %
90	-	2	0.0 %
95	-	4	0.1 %
999	Don't know	11	0.2 %
. (M)	-	4140	76.5 %

SMD070

cigarettes smoked per day now

Location: 29-3

29-31 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: On average, how many cigarettes {do you/does SP} now smoke per day? English Instructions: 1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES) (PER DAY).

Value	Label	Unweighted Frequency	%
1	-	27	0.5 %
2	-	24	0.4 %
3	-	32	0.6 %
4	-	31	0.6 %
5	-	49	0.9 %
6	-	29	0.5 %
7	-	20	0.4 %
8	-	21	0.4 %
9	-	4	0.1 %
10	-	186	3.4 %
11	-	2	0.0 %
12	-	12	0.2 %
13	-	3	0.1 %
14	-	2	0.0 %
15	-	71	1.3 %

Value	Label	Unweighted Frequency	%
16	-	4	0.1 %
17	-	6	0.1 %
18	-	6	0.1 %
20	-	312	5.8 %
22	-	3	0.1 %
23	-	1	0.0 %
25	-	11	0.2 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	55	1.0 %
35	-	3	0.1 %
40	-	28	0.5 %
45	-	1	0.0 %
50	-	3	0.1 %
60	-	2	0.0 %
65	-	1	0.0 %
. (M)	-	4460	82.4 %

SMD075

How many years smoked this amount

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: For about how many years {have you/has SP} smoked this amount? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER (OF YEARS).

Value	Label	Unweighted Frequency	%
1	-	112	2.1 %
2	-	50	0.9 %
3	-	59	1.1 %
4	-	37	0.7 %
5	-	54	1.0 %
6	-	25	0.5 %
7	-	16	0.3 %
8	-	27	0.5 %
9	-	8	0.1 %
10	-	96	1.8 %
11	-	11	0.2 %
12	-	27	0.5 %
13	-	10	0.2 %
14	-	10	0.2 %
15	-	46	0.9 %
16	-	3	0.1 %

Value	Label	Unweighted Frequency	%
17	-	7	0.1 %
18	-	15	0.3 %
19	-	2	0.0 %
20	-	83	1.5 %
21	-	8	0.1 %
22	-	5	0.1 %
23	-	10	0.2 %
24	-	3	0.1 %
25	-	18	0.3 %
26	-	5	0.1 %
27	-	10	0.2 %
28	-	5	0.1 %
29	-	5	0.1 %
30	-	59	1.1 %
31	-	4	0.1 %
32	-	7	0.1 %
33	-	3	0.1 %
34	-	2	0.0 %
35	-	13	0.2 %
36	-	2	0.0 %
37	-	8	0.1 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	14	0.3 %
41	-	4	0.1 %
42	-	2	0.0 %
43	-	4	0.1 %
45	-	9	0.2 %
46	-	2	0.0 %
47	-	3	0.1 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	6	0.1 %
51	-	2	0.0 %
52	-	4	0.1 %
55	-	2	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
60	-	5	0.1 %

Value	Label	Unweighted Frequency	%
61	-	1	0.0 %
65	-	1	0.0 %
70	-	1	0.0 %
999	Don't know	16	0.3 %
. (M)	-	4460	82.4 %

SMQ077 How soon after waking do you smoke

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: How soon after you wake up do you smoke? Would you

say... English Instructions:

Value	Label	Unweighted Frequency	%
1	Within 5 minutes,	287	5.3 %
2	From 6 to 30 minutes,	239	4.4 %
3	From more than 0 minutes to one hour, or	196	3.6 %
4	More than one hour?	229	4.2 %
. (M)	-	4460	82.4 %

SMD080 # days smoked cigs during past 30 days

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: On how many of the past 30 days did {you/SP} smoke

a cigarette? English Instructions: ENTER NUMBER (OF DAYS)

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
1	-	20	0.4 %
2	-	18	0.3 %
3	-	12	0.2 %
4	-	12	0.2 %
5	-	13	0.2 %
6	-	8	0.1 %
7	-	9	0.2 %
8	-	10	0.2 %
10	-	26	0.5 %
12	-	5	0.1 %
14	-	2	0.0 %
15	-	39	0.7 %
16	-	2	0.0 %
18	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20	-	47	0.9 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	14	0.3 %
26	-	1	0.0 %
27	-	4	0.1 %
28	-	7	0.1 %
29	-	4	0.1 %
30	-	906	16.7 %
. (M)	-	4240	78.4 %

SMD090

Avg # cigarettes/day during past 30 days

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: During the past 30 days, on the days that {you/SP} smoked, about how many cigarettes did {you/s/he} smoke per day? English Instructions: 1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES) (PER DAY).

Value	Label	Unweighted Frequency	%
1	-	72	1.3 %
2	-	74	1.4 %
3	-	63	1.2 %
4	-	43	0.8 %
5	-	76	1.4 %
6	-	40	0.7 %
7	-	21	0.4 %
8	-	25	0.5 %
9	-	5	0.1 %
10	-	194	3.6 %
11	-	1	0.0 %
12	-	16	0.3 %
13	-	4	0.1 %
14	-	2	0.0 %
15	-	71	1.3 %
16	-	4	0.1 %
17	-	4	0.1 %
18	-	5	0.1 %
20	-	321	5.9 %

Value	Label	Unweighted Frequency	%
22	-	3	0.1 %
23	-	1	0.0 %
25	-	14	0.3 %
26	-	2	0.0 %
30	-	68	1.3 %
33	-	1	0.0 %
35	-	3	0.1 %
40	-	29	0.5 %
45	-	1	0.0 %
50	-	4	0.1 %
60	-	3	0.1 %
90	-	1	0.0 %
. (M)	-	4240	78.4 %

SMD092 May I please see the pack of cigarettes

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: May I please see the pack for the brand of cigarettes

{you usually smoke/SP usually smokes}. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	832	15.4 %
2	No SMD100BR	318	5.9 %
3	No usual brand SMQ120	10	0.2 %
4	Rolls own SMD100BR	11	0.2 %
. (M)	-	4240	78.4 %

SMDUPCA Cig 12-digit Universal Product Code-UPC

Location: 47-58 (width: 12; decimal: 0)

Variable Type: character

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Cigarette 12-digit Universal Product Code (UPC) English

Instructions:

SMD100BR Cigarette Brand/sub-brand

Location: 59-108 (width: 50; decimal: 0)

Variable Type: character

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Cigarette Brand/sub-brand English Instructions: BRAND

OF CIGARETTES SMOKED BY SP (SUB-BRAND INCLUDED IF APPLICABLE AND AVAILABLE)

SMD100FL Filter type

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: Filter type English Instructions: CIGARETTE PRODUCT FILTERED OR NON-FILTERED

Value	Label	Unweighted Frequency	%
0	Non-filter	24	0.4 %
1	Filter	1120	20.7 %
. (M)	-	4267	78.9 %

SMD100MN Menthol indicator

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: CIGARETTE PRODUCT MENTHOLATED OR

NON-MENTHOLATED English Instructions:

Value	Label	Unweighted Frequency	%
0	Non-menthol	802	14.8 %
1	Menthol	342	6.3 %
. (M)	-	4267	78.9 %

SMD100LN Length in Millimeters

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Length in Millimeters English Instructions: CIGARETTE

PRODUCT LENGTH IN MILLIMETERS

Value	Unweighted Frequency	%
70	14	0.3 %
72	1	0.0 %
79	4	0.1 %
80	79	1.5 %
85	573	10.6 %
94	1	0.0 %
100	449	8.3 %
120	21	0.4 %
. (M)	4269	78.9 %

SMD100TR FTC Tar Content

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: FTC Tar Content English Instructions: CIGARETTE TAR

CONTENT

Value	Unweighted Frequency	%
1	1	0.0 %

- Study 25502 -

Value	Unweighted Frequency	%
2	5	0.1 %
3	2	0.0 %
4	7	0.1 %
5	42	0.8 %
6	43	0.8 %
7	3	0.1 %
8	23	0.4 %
9	30	0.6 %
10	154	2.8 %
11	144	2.7 %
12	21	0.4 %
13	12	0.2 %
14	48	0.9 %
15	97	1.8 %
16	213	3.9 %
17	78	1.4 %
18	31	0.6 %
19	22	0.4 %
20	1	0.0 %
23	2	0.0 %
24	9	0.2 %
25	4	0.1 %
. (M)	4419	81.7 %

SMD100NI

FTC Nicotine Content

Location:

121-124 (width: 4; decimal: 1)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: FTC Nicotine Content English Instructions: CIGARETTE NICOTINE CONTENT

Value	Unweighted Frequency	%
0.2	5	0.1 %
0.3	5	0.1 %
0.4	13	0.2 %
0.5	75	1.4 %
0.6	20	0.4 %
0.7	62	1.1 %
0.8	278	5.1 %
0.9	45	0.8 %
1.0	58	1.1 %
1.1	191	3.5 %

Value	Unweighted Frequency	%
1.2	173	3.2 %
1.3	7	0.1 %
1.4	45	0.8 %
1.5	1	0.0 %
1.6	6	0.1 %
1.7	5	0.1 %
. (M)	4422	81.7 %

SMD100CO

FTC Carbon Monoxide Content

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: FTC Carbon Monoxide Content English Instructions: CIGARETTE CARBON MONOXIDE CONTENT

Value	Unweighted Frequency	%
2	3	0.1 %
3	1	0.0 %
4	5	0.1 %
5	5	0.1 %
6	17	0.3 %
7	50	0.9 %
8	19	0.4 %
9	8	0.1 %
10	24	0.4 %
11	94	1.7 %
12	158	2.9 %
13	79	1.5 %
14	143	2.6 %
15	153	2.8 %
16	77	1.4 %
17	71	1.3 %
18	36	0.7 %
19	27	0.5 %
20	3	0.1 %
21	1	0.0 %
22	7	0.1 %
. (M)	4430	81.9 %

SMQ120

Smoked a pipe at least 20 times in life

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} smoked a pipe at least 20 times in {your/his/her} entire life? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	458	8.5 %
2	No SMQ150	4941	91.3 %
7	Refused SMQ150	4	0.1 %
9	Don't know SMQ150	4	0.1 %
. (M)	-	4	0.1 %

SMD130

Age started pipe smoking regularly

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} first started to smoke a pipe fairly regularly? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
0	Never smoked a pipe regularly SMQ15	176	3.3 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	8	0.1 %
15	-	3	0.1 %
16	-	8	0.1 %
17	-	9	0.2 %
18	-	22	0.4 %
19	-	15	0.3 %
20	-	26	0.5 %
21	-	11	0.2 %
22	-	15	0.3 %
23	-	12	0.2 %
24	-	10	0.2 %
25	-	26	0.5 %
26	-	5	0.1 %
27	-	4	0.1 %
28	-	8	0.1 %
30	-	33	0.6 %
32	-	4	0.1 %
33	-	3	0.1 %
34	-	1	0.0 %
35	-	17	0.3 %
36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
37	-	3	0.1 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	7	0.1 %
42	-	2	0.0 %
45	-	6	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	5	0.1 %
51	-	1	0.0 %
58	-	1	0.0 %
79	-	1	0.0 %
999	Don't know SMQ150	5	0.1 %
. (M)	-	4953	91.5 %

SMQ140 Do you now smoke a pipe...

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} now smoke a pipe . . . English

Instructions:

Value	Label	Unweighted Frequency	%
1	Every day,	6	0.1 %
2	Some days, or SMQ150	17	0.3 %
3	Not at all? SMQ150	254	4.7 %
. (M)	-	5134	94.9 %

SMQ143 # pipefuls of tobacco smoked per day

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How many pipefuls of tobacco {do you/does SP} smoke

per day? English Instructions: IF LESS THAN 1 PER DAY, ENTER 1. ENTER NUMBER OF

PIPEFULS.

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
4	-	2	0.0 %
6	-	2	0.0 %
15	-	1	0.0 %
. (M)	-	5405	99.9 %

SMQ145 # years smoked this amount of pipes

Location: 140-144 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: For about how many years {have you/has SP} smoked

this amount? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER OF YEARS.

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
10	-	1	0.0 %
21	-	1	0.0 %
30	-	1	0.0 %
48	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	5405	99.9 %

SMQ150 Smoked cigars at least 20 times in life

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} smoked a cigar at least 20 times in

{your/his/her} entire life? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	647	12.0 %
2	No SMQ180	4752	87.8 %
7	Refused SMQ180	4	0.1 %
9	Don't know SMQ180	4	0.1 %
. (M)	-	4	0.1 %

SMD160 Age started cigar smoking regularly

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} first started

to smoke a cigar fairly regularly? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
0	Never smoked cigars regularly SMQ18	339	6.3 %
7	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	7	0.1 %
16	-	18	0.3 %
17	-	11	0.2 %

Value	Label	Unweighted Frequency	%
18	-	24	0.4 %
19	-	10	0.2 %
20	-	21	0.4 %
21	-	16	0.3 %
22	-	14	0.3 %
23	-	12	0.2 %
24	-	8	0.1 %
25	-	19	0.4 %
26	-	6	0.1 %
27	-	5	0.1 %
28	-	5	0.1 %
29	-	2	0.0 %
30	-	32	0.6 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	20	0.4 %
36	-	2	0.0 %
38	-	4	0.1 %
39	-	3	0.1 %
40	-	12	0.2 %
41	-	1	0.0 %
42	-	4	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	4	0.1 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	8	0.1 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
65	-	5	0.1 %

Value	Label	Unweighted Frequency	%
67	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
84	-	1	0.0 %
999	Don't know SMQ180	3	0.1 %
. (M)	-	4764	88.0 %

SMQ170 Do you now smoke cigars

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} now smoke a cigar . . . English

Instructions:

Value	Label	Unweighted Frequency	%
1	Every day,	27	0.5 %
2	Some days, or SMQ180	70	1.3 %
3	Not at all? SMQ180	208	3.8 %
. (M)	-	5106	94.4 %

SMQ173 # cigars smokes per day

Location: 154-156 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How many cigars {do you/does SP} smoke per day? English Instructions: IF LESS THAN 1 PER DAY, ENTER 1. ENTER NUMBER (OF CIGARS).

Value Label Unweighted % Frequency 1 0.1 % 2 4 0.1 % 3 3 0.1 % 1 4 0.0 % 5 4 0.1 % 2 6 0.0 % 12 0.0 % 20 7 0.1 % 30 0.0 % 1 5384 99.5 % . (M)

SMQ175 # years smoked this amount of cigars

Location: 157-161 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: For about how many years {have you/has SP} smoked

this amount? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	6	0.1 %
3	-	4	0.1 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
20	-	1	0.0 %
27	-	1	0.0 %
39	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	5384	99.5 %

SMQ180 Used snuff at least 20 times in life

Location: 162-164 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} used snuff, such as Skoal, Skoal Bandit, or Copenhagen at least 20 times in {your/his/her} entire life? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	207	3.8 %
2	No SMQ10	5190	95.9 %
7	Refused SMQ210	5	0.1 %
9	Don't know SMQ210	5	0.1 %
. (M)	-	4	0.1 %

SMD190 Age started using snuff regularly

Location: 165-167 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} first started

to use snuff fairly regularly? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
0	Never used snuff regularly	35	0.6 %
7	-	3	0.1 %
8	-	3	0.1 %
9	-	2	0.0 %

Value	Label	Unweighted Frequency	%
10	-	4	0.1 %
11	-	3	0.1 %
12	-	8	0.1 %
13	-	5	0.1 %
14	-	7	0.1 %
15	-	11	0.2 %
16	-	18	0.3 %
17	-	14	0.3 %
18	-	15	0.3 %
19	-	4	0.1 %
20	-	12	0.2 %
21	-	4	0.1 %
22	-	2	0.0 %
23	-	3	0.1 %
24	-	3	0.1 %
25	-	5	0.1 %
26	-	1	0.0 %
27	-	4	0.1 %
28	-	4	0.1 %
30	-	9	0.2 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	3	0.1 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	5	0.1 %
43	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
67	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
76	-	1	0.0 %
999	Don't know SMQ210	3	0.1 %
. (M)	-	5204	96.2 %

SMQ200

Do you now use snuff ...

168-170 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} now use snuff... English Instructions:

Value	Label	Unweighted Frequency	%
1	Every day,	37	0.7 %
2	Some days, or SMQ10	23	0.4 %
3	Not at all? SMQ210	109	2.0 %
. (M)	-	5242	96.9 %

SMD203 # snuff pinches/dips/rubs per day

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How many "pinches", "dips" or "rubs" of snuff (do you/does SP} use per day? English Instructions: IF LESS THAN 1 PER DAY, ENTER 1. ENTER NUMBER

OF PINCHES, DIPS OR RUBS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	4	0.1 %
3	-	6	0.1 %
4	-	5	0.1 %
5	-	5	0.1 %
6	-	2	0.0 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	1	0.0 %
12	-	2	0.0 %
15	-	1	0.0 %
20	-	2	0.0 %
777	Refused	1	0.0 %
. (M)	-	5374	99.3 %

SMQ205 # years used this amount of snuff

Location: 174-176 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: For about how many years {have you/has SP} used this

amount? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
4	=	1	0.0 %
5	=	1	0.0 %
6	-	1	0.0 %
8	-	2	0.0 %
10	=	5	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
18	-	2	0.0 %
20	-	4	0.1 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
52	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
85	-	1	0.0 %
. (M)	-	5374	99.3 %

SMQ210

Used chewing tobacco 20 times in life

Location: 177-179 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} used chewing tobacco, such as Redman, Levi Garrett or Beechnut at least 20 times in {your/his/her} entire life? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	241	4.5 %
2	No	5160	95.4 %
7	Refused	4	0.1 %
9	Don't know	2	0.0 %
. (M)	-	4	0.1 %

SMD220

Age started chewing tobacco regularly

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} first started to use chewing tobacco fairly regularly? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
0	Never used chewing tobacco regularly	72	1.3 %
7	-	3	0.1 %
8	-	2	0.0 %
9	-	4	0.1 %
10	-	3	0.1 %
11	-	4	0.1 %
12	-	7	0.1 %
13	-	4	0.1 %
14	-	5	0.1 %
15	-	15	0.3 %
16	-	14	0.3 %
17	-	7	0.1 %
18	-	19	0.4 %
19	-	9	0.2 %
20	-	15	0.3 %
21	-	5	0.1 %
22	-	3	0.1 %
23	-	4	0.1 %
24	-	1	0.0 %
25	-	4	0.1 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	4	0.1 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	5	0.1 %
45	-	4	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
55	-	2	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
77	-	1	0.0 %
84	-	1	0.0 %
999	Don't know	2	0.0 %
. (M)	-	5170	95.5 %

SMQ230 Do you now use chewing tobacco...

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} now use chewing tobacco . . . English

Instructions:

Value	Label	Unweighted Frequency	%
1	Every day,	21	0.4 %
2	Some days, or	19	0.4 %
3	Not at all?	127	2.3 %
. (M)	-	5244	96.9 %

SMD233 # chewing plugs/wads/chaws per day

Location: 186-188 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How many "plugs", "wads" or "chaws" of chewing tobacco

 $\label{lem:condition} \mbox{ \{do you/does SP\} use per day? English Instructions: IF LESS THAN 1 PER DAY, ENTER 1. ENTER \mbox{ (approximately approximately approximatel$

NUMBER OF PLUGS, WADS OR CHAWS.

Value	Label	Unweighted Frequency	%
1	-	5	0.1 %
2	-	1	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	3	0.1 %
6	-	1	0.0 %
8	-	2	0.0 %
10	-	4	0.1 %
11	-	1	0.0 %
15	-	1	0.0 %
. (M)	-	5390	99.6 %

SMD235 # years used this chewing tobacco amount

Location: 189-191 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: For about how many years {have you/has SP} used this amount? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	2	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
8	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
52	-	1	0.0 %
60	-	1	0.0 %
. (M)	-	5390	99.6 %

SDDSRVYR Data Release Number

Location: 192-194 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	5411	100.0 %

RIDSTATR Interview/Examination Status

Location: 195-197 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	384	7.1 %
2	Both Interviewed and MEC examined	5027	92.9 %

RIDEXMON Six month time period

Location: 198-200 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	2366	43.7 %
2	May 1 through October 31	2661	49.2 %
. (M)	-	384	7.1 %

RIAGENDR Gender

Location: 201-203 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2536	46.9 %
2	Female	2875	53.1 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 204-206 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
20	-	105	1.9 %
21	-	116	2.1 %
22	-	110	2.0 %
23	-	103	1.9 %
24	-	99	1.8 %
25	-	95	1.8 %
26	-	118	2.2 %
27	-	89	1.6 %
28	-	89	1.6 %
29	-	94	1.7 %
30	-	114	2.1 %
31	-	77	1.4 %
32	-	95	1.8 %
33	-	76	1.4 %
34	-	96	1.8 %
35	-	86	1.6 %
36	-	84	1.6 %
37	-	103	1.9 %
38	-	81	1.5 %

Value	Label	Unweighted Frequency	%
39	-	95	1.8 %
40	-	101	1.9 %
41	-	97	1.8 %
42	-	94	1.7 %
43	-	84	1.6 %
44	-	107	2.0 %
45	-	100	1.8 %
46	-	95	1.8 %
47	-	84	1.6 %
48	-	77	1.4 %
49	-	84	1.6 %
50	-	81	1.5 %
51	-	83	1.5 %
52	-	82	1.5 %
53	-	81	1.5 %
54	-	79	1.5 %
55	-	68	1.3 %
56	-	58	1.1 %
57	-	61	1.1 %
58	-	53	1.0 %
59	-	45	0.8 %
60	-	85	1.6 %
61	-	84	1.6 %
62	-	88	1.6 %
63	-	77	1.4 %
64	-	75	1.4 %
65	-	63	1.2 %
66	-	74	1.4 %
67	-	72	1.3 %
68	-	65	1.2 %
69	-	57	1.1 %
70	-	72	1.3 %
71	-	69	1.3 %
72	-	71	1.3 %
73	-	61	1.1 %
74	-	64	1.2 %
75	-	62	1.1 %
76	-	60	1.1 %
77	-	53	1.0 %
78	-	47	0.9 %

Value	Label	Unweighted Frequency	%
79	-	31	0.6 %
80	-	65	1.2 %
81	-	86	1.6 %
82	-	54	1.0 %
83	-	40	0.7 %
84	-	61	1.1 %
85	>= 85 years of age	236	4.4 %

RIDAGEMN Age in Months - Recode

Location: 207-210 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 211-214 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1113	20.6 %
2	Other Hispanic	237	4.4 %
3	Non-Hispanic White	2858	52.8 %
4	Non-Hispanic Black	1012	18.7 %
5	Other Race - Including Multi-Racial	191	3.5 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	2878	53.2 %
2	Non-Hispanic Black	1026	19.0 %
3	Mexican American	1113	20.6 %
4	Other Race - Including Multi-Racial	157	2.9 %

Value	Label	Unweighted Frequency	%
5	Other Hispanic	237	4.4 %

DMQMILIT Veteran/Military Status

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	835	15.4 %
2	No	4567	84.4 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.1 %

DMDBORN Country of Birth - Recode

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4291	79.3 %
2	Born in Mexico	665	12.3 %
3	Born Elsewhere	446	8.2 %
7	Refused	4	0.1 %
. (M)	-	5	0.1 %

DMDCITZN Citizenship Status

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	4702	86.9 %
2	Not a citizen of the US	699	12.9 %
7	Refused	6	0.1 %
. (M)	-	4	0.1 %

DMDYRSUS Length of time in US

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	75	1.4 %
2	1 yr., less than 5 yrs.	179	3.3 %
3	5 yrs., less than 10 yrs.	148	2.7 %
4	10 yrs., less than 15 yrs.	137	2.5 %
5	15 yrs., less than 20 yrs.	114	2.1 %
6	20 yrs., less than 30 yrs.	219	4.0 %
7	30 yrs., less than 40 yrs.	112	2.1 %
8	40 yrs., less than 50 yrs.	46	0.9 %
9	50 years or more	60	1.1 %
77	Refused	8	0.1 %
88	Could not determine	3	0.1 %
99	Don't know	10	0.2 %
. (M)	-	4300	79.5 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
. (M)	-	5411	100.0 %

DMDEDUC2 Education Level - Adults 20+

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	797	14.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	16.1 %
3	High School Grad/GED or Equivalent	1265	23.4 %
4	Some College or AA degree	1379	25.5 %
5	College Graduate or above	1079	19.9 %

Value	Label	Unweighted Frequency	%
7	Refused	5	0.1 %
9	Don't Know	12	0.2 %
. (M)	-	4	0.1 %

DMDEDUC Education - Recode (old version)

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	1667	30.8 %
2	High School Diploma (including GED)	1265	23.4 %
3	More Than High School	2458	45.4 %
7	Refused	5	0.1 %
9	Don't know	12	0.2 %
. (M)	-	4	0.1 %

DMDSCHOL Now attending school?

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%	
. (M)	-	5411	100.0 %	

DMDMARTL Marital Status

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3045	56.3 %
2	Widowed	611	11.3 %
3	Divorced	454	8.4 %
4	Separated	168	3.1 %
5	Never married	824	15.2 %
6	Living with partner	301	5.6 %
77	Refused	4	0.1 %
. (M)	-	4	0.1 %

DMDHHSIZ Total number of people in the Household

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	829	15.3 %
2	-	1641	30.3 %
3	-	982	18.1 %
4	-	853	15.8 %
5	-	526	9.7 %
6	-	203	3.8 %
7	7 or more people in the household	377	7.0 %

INDHHINC Annual Household Income

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	91	1.7 %
2	\$ 5,000 to \$ 9,999	277	5.1 %
3	\$10,000 to \$14,999	398	7.4 %
4	\$15,000 to \$19,999	424	7.8 %
5	\$20,000 to \$24,999	389	7.2 %
6	\$25,000 to \$34,999	627	11.6 %
7	\$35,000 to \$44,999	508	9.4 %
8	\$45,000 to \$54,999	460	8.5 %
9	\$55,000 to \$64,999	366	6.8 %
10	\$65,000 to \$74,999	246	4.5 %
11	\$75,000 and Over	1062	19.6 %
12	Over \$20,000	5	0.1 %
13	Under \$20,000	3	0.1 %
77	Refused	4	0.1 %
99	Don't know	7	0.1 %
. (M)	-	544	10.1 %

INDFMINC Annual Family Income

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	200	3.7 %
2	\$ 5,000 to \$ 9,999	383	7.1 %
3	\$10,000 to \$14,999	539	10.0 %
4	\$15,000 to \$19,999	449	8.3 %
5	\$20,000 to \$24,999	468	8.6 %
6	\$25,000 to \$34,999	610	11.3 %
7	\$35,000 to \$44,999	481	8.9 %
8	\$45,000 to \$54,999	419	7.7 %
9	\$55,000 to \$64,999	311	5.7 %
10	\$65,000 to \$74,999	230	4.3 %
11	\$75,000 and Over	885	16.4 %
12	Over \$20,000	152	2.8 %
13	Under \$20,000	83	1.5 %
77	Refused	53	1.0 %
99	Don't know	48	0.9 %
. (M)	=	100	1.8 %

nily PIR

Location: 257-261 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 262-264 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	317	5.9 %
2	SP not pregnant at exam	1413	26.1 %
3	Cannot ascertain if SP is pregnant at exam	164	3.0 %
. (M)	-	3517	65.0 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 265-267 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	344	6.4 %
2	SP not pregnant	1453	26.9 %
9	Cannot ascertain if SP is pregnant at exam	97	1.8 %
. (M)	-	3517	65.0 %

DMDHRGND HH Ref Person Gender

Location: 268-270 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3286	60.7 %
2	Female	2123	39.2 %
. (M)	-	2	0.0 %

DMDHRAGE HH Ref Person Age

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	7	0.1 %
19	-	16	0.3 %
20	-	56	1.0 %
21	-	49	0.9 %
22	-	64	1.2 %
23	-	67	1.2 %
24	-	55	1.0 %
25	-	89	1.6 %
26	-	92	1.7 %
27	-	63	1.2 %
28	-	68	1.3 %
29	-	74	1.4 %
30	-	127	2.3 %
31	-	80	1.5 %
32	-	93	1.7 %
33	-	97	1.8 %

Value	Label	Unweighted Frequency	%
34	-	100	1.8 %
35	-	90	1.7 %
36	-	82	1.5 %
37	-	114	2.1 %
38	-	85	1.6 %
39	-	104	1.9 %
40	-	115	2.1 %
41	-	100	1.8 %
42	-	98	1.8 %
43	-	100	1.8 %
44	-	137	2.5 %
45	-	121	2.2 %
46	-	103	1.9 %
47	-	87	1.6 %
48	-	93	1.7 %
49	-	86	1.6 %
50	-	104	1.9 %
51	-	111	2.1 %
52	-	90	1.7 %
53	-	94	1.7 %
54	-	118	2.2 %
55	-	82	1.5 %
56	-	61	1.1 %
57	-	61	1.1 %
58	-	75	1.4 %
59	-	55	1.0 %
60	-	64	1.2 %
61	-	75	1.4 %
62	-	96	1.8 %
63	-	73	1.3 %
64	-	78	1.4 %
65	-	65	1.2 %
66	-	77	1.4 %
67	-	75	1.4 %
68	-	75	1.4 %
69	-	50	0.9 %
70	-	69	1.3 %
71	-	63	1.2 %
72	-	63	1.2 %
73	_	63	1.2 %

Value	Label	Unweighted Frequency	%
74	-	74	1.4 %
75	-	69	1.3 %
76	-	68	1.3 %
77	-	54	1.0 %
78	-	46	0.9 %
79	-	33	0.6 %
80	-	68	1.3 %
81	-	77	1.4 %
82	-	47	0.9 %
83	-	35	0.6 %
84	-	63	1.2 %
85	>= 85 years of age	226	4.2 %
. (M)	-	2	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4165	77.0 %
2	Born in Mexico	655	12.1 %
3	Born Elsewhere	441	8.2 %
7	Refused	3	0.1 %
. (M)	-	147	2.7 %

DMDHREDU

HH Ref Person Education Level

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	762	14.1 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	840	15.5 %
3	High School Grad/GED or equivalent	1213	22.4 %
4	Some College or AA degree	1313	24.3 %
5	College Graduate or above	1110	20.5 %
7	Refused	7	0.1 %
9	Don't know	19	0.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	147	2.7 %

DMDHRMAR HH Ref Person Marital Status

Location: 280-282 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3199	59.1 %
2	Widowed	599	11.1 %
3	Divorced	470	8.7 %
4	Separated	185	3.4 %
5	Never married	586	10.8 %
6	Living with partner	274	5.1 %
77	Refused	5	0.1 %
99	Don't know	2	0.0 %
. (M)	-	91	1.7 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 283-285 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	398	7.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	364	6.7 %
3	High School Grad/GED or equivalent	640	11.8 %
4	Some College or AA degree	749	13.8 %
5	College Graduate or above	606	11.2 %
7	Refused	3	0.1 %
9	Don't know	5	0.1 %
. (M)	-	2646	48.9 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 286-299 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 300-312 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 313-326 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 327-340 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 2730
 50.5 %

 2
 2681
 49.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
14	330	6.1 %
15	379	7.0 %
16	330	6.1 %
17	422	7.8 %
18	351	6.5 %
19	410	7.6 %
20	340	6.3 %
21	376	6.9 %
22	377	7.0 %
23	476	8.8 %
24	326	6.0 %
25	304	5.6 %
26	365	6.7 %

Value	Unweighted Frequency	%
27	385	7.1 %
28	240	4.4 %