ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Alcohol Use

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Alcohol Use

SEQN	Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

ALD100 Had at least 12 alcohol drinks/1 yr?

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: The next questions are about drinking alcoholic beverages. Included are liquor (such as whiskey or gin), beer, wine, wine coolers, and any other type of alcoholic

beverage. In any one year, {have you/has SP} had at least 12 drinks of any type of alcoholic beverage? By a drink, I mean a 12 oz. beer, a 4 oz. glass of wine, or an ounce of liquor. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes ALQ20Q	3138	62.4 %
2	No	1481	29.5 %
9	Don't know	1	0.0 %
. (M)	-	407	8.1 %

ALQ110 Had at least 12 alcohol drinks/lifetime?

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: In {your/SP's} entire life, {have you/has he/ has she} had

at least 12 drinks of any type of alcoholic beverage? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	758	15.1 %
2	No	721	14.3 %
9	Don't know	3	0.1 %
. (M)	-	3545	70.5 %

ALQ120Q How often drink alcohol over past 12 mos

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: In the past 12 months, how often did {you/SP} drink any

type of alcoholic beverage? PROBE: How many days per week, per month, or per year did {you/SP}

drink? English Instructions: ENTER '0' FOR NEVER. ENTER QUANTITY.

Value	Label	Unweighted Frequency	%
0	-	915	18.2 %
1	-	893	17.8 %

Value	Label	Unweighted Frequency	%
2	-	719	14.3 %
3	-	386	7.7 %
4	-	223	4.4 %
5	-	175	3.5 %
6	-	140	2.8 %
7	-	224	4.5 %
8	-	25	0.5 %
9	-	3	0.1 %
10	-	36	0.7 %
11	-	2	0.0 %
12	-	26	0.5 %
13	-	1	0.0 %
14	-	5	0.1 %
15	-	20	0.4 %
16	-	2	0.0 %
18	-	4	0.1 %
20	-	16	0.3 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	3	0.1 %
26	-	2	0.0 %
28	-	2	0.0 %
30	-	14	0.3 %
32	-	1	0.0 %
35	-	3	0.1 %
36	-	2	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
75	-	1	0.0 %
90	-	4	0.1 %
96	-	1	0.0 %
100	-	1	0.0 %
110	-	1	0.0 %
120	-	2	0.0 %
150	-	2	0.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
152	-	1	0.0 %
165	-	1	0.0 %
180	-	1	0.0 %
200	-	1	0.0 %
212	-	1	0.0 %
240	-	2	0.0 %
295	-	1	0.0 %
300	-	1	0.0 %
315	-	1	0.0 %
320	-	1	0.0 %
325	-	1	0.0 %
355	-	1	0.0 %
360	-	1	0.0 %
365	-	16	0.3 %
999	Don't know	2	0.0 %
. (M)	-	1131	22.5 %

ALQ120U

days drink alcohol per wk, mo, yr

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: UNIT OF MEASURE. English Instructions: ENTER UNIT.

Value	Label	Unweighted Frequency	%
1	Week	1231	24.5 %
2	Month	717	14.3 %
3	Year	1031	20.5 %
. (M)	-	2048	40.7 %

ALQ130

Avg # alcoholic drinks/day -past 12 mos

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: In the past 12 months, on those days that {you/SP} drank alcoholic beverages, on the average, how many drinks did {you/he/she} have? English Instructions: IF LESS THAN 1 DRINK, ENTER '1'. IF 95 DRINKS OR MORE, ENTER '95'. ENTER # OF DRINKS.

Value	Label	Unweighted Frequency	%
1	-	1109	22.1 %
2	-	815	16.2 %
3	-	382	7.6 %
4	-	207	4.1 %
5	-	118	2.3 %

Value	Label	Unweighted Frequency	%
6	-	152	3.0 %
7	-	25	0.5 %
8	-	43	0.9 %
9	-	5	0.1 %
10	-	35	0.7 %
11	-	2	0.0 %
12	-	55	1.1 %
14	-	2	0.0 %
15	-	8	0.2 %
16	-	3	0.1 %
18	-	3	0.1 %
20	-	8	0.2 %
24	-	3	0.1 %
30	-	1	0.0 %
44	-	1	0.0 %
99	Don't know	4	0.1 %
. (M)	-	2046	40.7 %

ALQ140Q

#days have 5 or more drinks/past 12 mos

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: In the past 12 months, on how many days did {you/SP} have 5 or more drinks of any alcoholic beverage? PROBE: How many days per week, per month, or per year did {you/SP} have 5 or more drinks in a single day? English Instructions: ENTER '0' FOR NONE. ENTER QUANTITY.

Value	Label	Unweighted Frequency	%
0	-	1858	37.0 %
1	-	301	6.0 %
2	-	204	4.1 %
3	-	105	2.1 %
4	-	59	1.2 %
5	-	85	1.7 %
6	-	42	0.8 %
7	-	32	0.6 %
8	-	8	0.2 %
9	-	2	0.0 %
10	-	67	1.3 %
11	-	1	0.0 %
12	-	18	0.4 %
14	-	3	0.1 %

Value		nweighted equency	%
15	-	15	0.3 %
16	-	1	0.0 %
20	-	17	0.3 %
24	-	5	0.1 %
25	-	3	0.1 %
30	-	21	0.4 %
33	-	1	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
40	-	4	0.1 %
45	-	1	0.0 %
48	-	3	0.1 %
50	-	5	0.1 %
52	-	23	0.5 %
60	-	5	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
70	-	3	0.1 %
72	-	1	0.0 %
75	-	2	0.0 %
80	-	4	0.1 %
90	-	2	0.0 %
100	-	18	0.4 %
104	-	10	0.2 %
110	-	1	0.0 %
121	-	1	0.0 %
148	-	1	0.0 %
150	-	2	0.0 %
152	-	1	0.0 %
156	-	1	0.0 %
165	-	1	0.0 %
175	-	2	0.0 %
180	-	2	0.0 %
200	-	5	0.1 %
240	-	2	0.0 %
250	-	2	0.0 %
261	-	1	0.0 %
270	-	1	0.0 %
300	-	5	0.1 %
320	-	1	0.0 %

Value	Label	Unweighted Frequency	%
325	-	1	0.0 %
350	-	1	0.0 %
360	-	2	0.0 %
365	-	8	0.2 %
999	Don't know	5	0.1 %
. (M)	-	2046	40.7 %

ALQ140U # days per week, month, year?

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: UNIT OF MEASURE. English Instructions: ENTER UNIT.

Value	Label	Unweighted Frequency	%
1	Week	229	4.6 %
2	Month	151	3.0 %
3	Year	738	14.7 %
. (M)	-	3909	77.8 %

ALQ150 Ever have 5 or more drinks every day?

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Was there ever a time or times in {your/SP's} life when

{you/he/she} drank 5 or more drinks of any kind of alcoholic beverage almost every day? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	614	12.2 %
2	No	3281	65.3 %
9	Don't know	1	0.0 %
. (M)	-	1131	22.5 %

SDDSRVYR Data Release Number

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	5027	100.0 %

RIDSTATR Interview/Examination Status

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. **English Instructions:**

Value	Label	Unweighted Frequency	%
2	Both Interviewed and MEC examined	5027	100.0 %

RIDEXMON Six month time period

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	2366	47.1 %
2	May 1 through October 31	2661	52.9 %

RIAGENDR Gender

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2386	47.5 %
2	Female	2641	52.5 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
20	-	105	2.1 %
21	-	111	2.2 %
22	-	101	2.0 %
23	-	100	2.0 %
24	-	97	1.9 %
25	-	89	1.8 %
26	-	112	2.2 %
27	-	86	1.7 %
28	-	84	1.7 %
29	-	87	1.7 %
30	-	106	2.1 %
31	-	71	1.4 %

Value	Label	Unweighted Frequency	%
32	-	88	1.8 %
33	-	73	1.5 %
34	-	92	1.8 %
35	-	86	1.7 %
36	-	80	1.6 %
37	-	101	2.0 %
38	-	81	1.6 %
39	-	93	1.9 %
40	-	98	1.9 %
41	-	91	1.8 %
42	-	91	1.8 %
43	-	82	1.6 %
44	-	104	2.1 %
45	-	97	1.9 %
46	-	93	1.9 %
47	-	82	1.6 %
48	-	72	1.4 %
49	-	81	1.6 %
50	-	78	1.6 %
51	-	80	1.6 %
52	-	81	1.6 %
53	-	79	1.6 %
54	-	75	1.5 %
55	-	63	1.3 %
56	-	55	1.1 %
57	-	61	1.2 %
58	-	50	1.0 %
59	-	43	0.9 %
60	-	83	1.7 %
61	-	78	1.6 %
62	-	82	1.6 %
63	-	71	1.4 %
64	-	72	1.4 %
65	-	60	1.2 %
66	-	71	1.4 %
67	-	63	1.3 %
68	-	63	1.3 %
69	-	52	1.0 %
70	-	68	1.4 %
71	-	62	1.2 %

Value	Label	Unweighted Frequency	%
72	-	66	1.3 %
73	-	56	1.1 %
74	-	56	1.1 %
75	-	56	1.1 %
76	-	55	1.1 %
77	-	48	1.0 %
78	-	37	0.7 %
79	-	27	0.5 %
80	-	49	1.0 %
81	-	65	1.3 %
82	-	46	0.9 %
83	-	32	0.6 %
84	-	47	0.9 %
85	>= 85 years of age	163	3.2 %

RIDAGEMN Age in Months - Recode

Location: 45-48 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 49-52 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1057	21.0 %
2	Other Hispanic	215	4.3 %
3	Non-Hispanic White	2621	52.1 %
4	Non-Hispanic Black	965	19.2 %
5	Other Race - Including Multi-Racial	169	3.4 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	2638	52.5 %
2	Non-Hispanic Black	976	19.4 %
3	Mexican American	1057	21.0 %
4	Other Race - Including Multi-Racial	141	2.8 %
5	Other Hispanic	215	4.3 %

DMQMILIT Veteran/Military Status

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	776	15.4 %
2	No	4249	84.5 %
7	Refused	1	0.0 %
. (M)	-	1	0.0 %

DMDBORN Country of Birth - Recode

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3983	79.2 %
2	Born in Mexico	635	12.6 %
3	Born Elsewhere	407	8.1 %
. (M)	-	2	0.0 %

DMDCITZN Citizenship Status

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	4364	86.8 %

Value	Label	Unweighted Frequency	%
2	Not a citizen of the US	661	13.1 %
7	Refused	1	0.0 %
. (M)	-	1	0.0 %

DMDYRSUS

Length of time in US

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	72	1.4 %
2	1 yr., less than 5 yrs.	171	3.4 %
3	5 yrs., less than 10 yrs.	138	2.7 %
4	10 yrs., less than 15 yrs.	132	2.6 %
5	15 yrs., less than 20 yrs.	107	2.1 %
6	20 yrs., less than 30 yrs.	210	4.2 %
7	30 yrs., less than 40 yrs.	105	2.1 %
8	40 yrs., less than 50 yrs.	37	0.7 %
9	50 years or more	49	1.0 %
77	Refused	4	0.1 %
88	Could not determine	3	0.1 %
99	Don't know	8	0.2 %
. (M)	-	3991	79.4 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
. (M)	-	5027	100.0 %

DMDEDUC2

Education Level - Adults 20+

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	714	14.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	815	16.2 %
3	High School Grad/GED or Equivalent	1171	23.3 %
4	Some College or AA degree	1310	26.1 %
5	College Graduate or above	1009	20.1 %
7	Refused	1	0.0 %
9	Don't Know	6	0.1 %
. (M)	-	1	0.0 %

DMDEDUC Education - Recode (old version)

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	1529	30.4 %
2	High School Diploma (including GED)	1171	23.3 %
3	More Than High School	2319	46.1 %
7	Refused	1	0.0 %
9	Don't know	6	0.1 %
. (M)	-	1	0.0 %

DMDSCHOL Now attending school?

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
(NA)		5027	100 0 0/
. (M)	-	5027	100.0 %

DMDMARTL Marital Status

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2877	57.2 %
2	Widowed	491	9.8 %
3	Divorced	424	8.4 %
4	Separated	160	3.2 %

Value	Label	Unweighted Frequency	%
5	Never married	781	15.5 %
6	Living with partner	291	5.8 %
77	Refused	2	0.0 %
. (M)	-	1	0.0 %

DMDHHSIZ

Total number of people in the Household

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	706	14.0 %
2	-	1515	30.1 %
3	-	927	18.4 %
4	-	814	16.2 %
5	-	504	10.0 %
6	-	198	3.9 %
7	7 or more people in the household	363	7.2 %

INDHHINC

Annual Household Income

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	85	1.7 %
2	\$ 5,000 to \$ 9,999	251	5.0 %
3	\$10,000 to \$14,999	359	7.1 %
4	\$15,000 to \$19,999	388	7.7 %
5	\$20,000 to \$24,999	365	7.3 %
6	\$25,000 to \$34,999	600	11.9 %
7	\$35,000 to \$44,999	483	9.6 %
8	\$45,000 to \$54,999	437	8.7 %
9	\$55,000 to \$64,999	353	7.0 %
10	\$65,000 to \$74,999	236	4.7 %
11	\$75,000 and Over	995	19.8 %
12	Over \$20,000	4	0.1 %
13	Under \$20,000	3	0.1 %
77	Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
99	Don't know	5	0.1 %
. (M)	-	460	9.2 %

INDFMINC Annual Family Income

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	190	3.8 %
2	\$ 5,000 to \$ 9,999	349	6.9 %
3	\$10,000 to \$14,999	496	9.9 %
4	\$15,000 to \$19,999	414	8.2 %
5	\$20,000 to \$24,999	441	8.8 %
6	\$25,000 to \$34,999	582	11.6 %
7	\$35,000 to \$44,999	456	9.1 %
8	\$45,000 to \$54,999	398	7.9 %
9	\$55,000 to \$64,999	301	6.0 %
10	\$65,000 to \$74,999	220	4.4 %
11	\$75,000 and Over	828	16.5 %
12	Over \$20,000	136	2.7 %
13	Under \$20,000	71	1.4 %
77	Refused	36	0.7 %
99	Don't know	37	0.7 %
. (M)	-	72	1.4 %

INDFMPIR	Family PIR

Location: 95-99 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	296	5.9 %
2	SP not pregnant at exam	1413	28.1 %
3	Cannot ascertain if SP is pregnant at exam	106	2.1 %
. (M)	-	3212	63.9 %

RIDPREG Pregnancy Status - Recode (old version)

103-105 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	323	6.4 %
2	SP not pregnant	1453	28.9 %
9	Cannot ascertain if SP is pregnant at exam	39	0.8 %
. (M)	-	3212	63.9 %

DMDHRGND HH Ref Person Gender

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3092	61.5 %
2	Female	1934	38.5 %
. (M)	-	1	0.0 %

DMDHRAGE HH Ref Person Age

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the

time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	7	0.1 %
19	-	16	0.3 %
20	-	51	1.0 %
21	-	45	0.9 %
22	-	60	1.2 %
23	-	64	1.3 %

Value	Label	Unweighted Frequency	%
24	-	55	1.1 %
25	-	83	1.7 %
26	-	88	1.8 %
27	-	59	1.2 %
28	-	62	1.2 %
29	-	68	1.4 %
30	-	120	2.4 %
31	-	76	1.5 %
32	-	88	1.8 %
33	-	95	1.9 %
34	-	96	1.9 %
35	-	89	1.8 %
36	-	78	1.6 %
37	-	111	2.2 %
38	-	83	1.7 %
39	-	103	2.0 %
40	-	110	2.2 %
41	-	94	1.9 %
42	-	96	1.9 %
43	-	96	1.9 %
44	-	133	2.6 %
45	-	119	2.4 %
46	-	101	2.0 %
47	-	83	1.7 %
48	-	88	1.8 %
49	-	82	1.6 %
50	-	93	1.9 %
51	-	107	2.1 %
52	-	87	1.7 %
53	-	93	1.9 %
54	-	112	2.2 %
55	-	77	1.5 %
56	-	57	1.1 %
57	-	58	1.2 %
58	-	69	1.4 %
59	-	50	1.0 %
60	-	62	1.2 %
61	-	72	1.4 %
62	-	90	1.8 %
63	-	66	1.3 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
64	-	76	1.5 %
65	-	62	1.2 %
66	-	70	1.4 %
67	-	66	1.3 %
68	-	72	1.4 %
69	-	46	0.9 %
70	-	65	1.3 %
71	-	59	1.2 %
72	-	59	1.2 %
73	-	57	1.1 %
74	-	67	1.3 %
75	-	64	1.3 %
76	-	63	1.3 %
77	-	50	1.0 %
78	-	37	0.7 %
79	-	30	0.6 %
80	-	51	1.0 %
81	-	58	1.2 %
82	-	43	0.9 %
83	-	29	0.6 %
84	-	48	1.0 %
85	>= 85 years of age	162	3.2 %
. (M)	-	1	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3875	77.1 %
2	Born in Mexico	630	12.5 %
3	Born Elsewhere	401	8.0 %
7	Refused	1	0.0 %
. (M)	-	120	2.4 %

DMDHREDU HH Ref Person Education Level

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	693	13.8 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	785	15.6 %
3	High School Grad/GED or equivalent	1128	22.4 %
4	Some College or AA degree	1242	24.7 %
5	College Graduate or above	1043	20.7 %
7	Refused	3	0.1 %
9	Don't know	13	0.3 %
. (M)	-	120	2.4 %

DMDHRMAR

HH Ref Person Marital Status

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3015	60.0 %
2	Widowed	498	9.9 %
3	Divorced	440	8.8 %
4	Separated	180	3.6 %
5	Never married	544	10.8 %
6	Living with partner	265	5.3 %
77	Refused	4	0.1 %
99	Don't know	2	0.0 %
. (M)	-	79	1.6 %

DMDHSEDU

HH Ref Person's Spouse Education Level

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	379	7.5 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	349	6.9 %
3	High School Grad/GED or equivalent	599	11.9 %
4	Some College or AA degree	710	14.1 %
5	College Graduate or above	578	11.5 %

Value	Label	Unweighted Frequency	%
9	Don't know	5	0.1 %
. (M)	-	2407	47.9 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 124-137 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 138-150 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 151-164 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 165-178 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%	
1	2542	50.6 %	
2	2485	49.4 %	

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
14	297	5.9 %
15	345	6.9 %

Value	Unweighted Frequency	%
16	308	6.1 %
17	387	7.7 %
18	321	6.4 %
19	389	7.7 %
20	312	6.2 %
21	339	6.7 %
22	358	7.1 %
23	450	9.0 %
24	310	6.2 %
25	276	5.5 %
26	340	6.8 %
27	368	7.3 %
28	227	4.5 %