ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Weight History

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Weight History

SEQN	Respondent sequence number
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:
WHD010	Current Self-reported height (inches)
Location:	6-9 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: These next questions ask about {your/SP's} height and weight at different times in {your/his/her} life. How tall {are you/is SP} without shoes? English Instructions: ENTER HEIGHT IN FEET AND INCHES OR METERS AND CENTIMETERS

% Value Unweighted Label Frequency 41 _ 3 0.0 % 43 1 0.0 % 0.0 % 48 2 0.0 % 49 1 2 0.0 % 50 0.1 % 51 4 52 1 0.0 % 0.1 % 53 6 5 54 0.1 % 14 0.2 % 56 57 18 0.3 % 0.6 % 58 41 107 1.6 % 59 60 243 3.7 % 270 4.1 % 62 474 7.1 % 63 473 7.1 % 64 587 8.8 % 65 551 8.3 % 591 8.9 % 66 67 565 8.5 % 489 7.4 % 68 69 431 6.5 % 70 435 6.6 % 71 370 5.6 % 72 321 4.8 %

Value	Label	Unweighted Frequency	%
73	-	187	2.8 %
74	-	137	2.1 %
75	-	79	1.2 %
76	-	37	0.6 %
77	-	17	0.3 %
78	-	7	0.1 %
79	-	2	0.0 %
81	-	1	0.0 %
7777	Refused	5	0.1 %
9999	Don't know	132	2.0 %
. (M)	-	25	0.4 %

WHD020 Current Self-reported weight (pounds)

Location: 10-13 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How much {do you/does SP} weigh without clothes or

shoes? {If currently pregnant, how much did you weight before your pregnancy?} English Instructions:

ENTER WEIGHT IN POUNDS OR KILOGRAMS.

Value	Label
7777	Refused
9999	Don't know

^{*} Frequencies not displayed for this variable.

WHQ030 How do you consider your weight

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} consider {your/his/her}self now to be

... English Instructions:

Value	Label	Unweighted Frequency	%
1	Overweight,	3154	47.5 %
2	Underweight, or	441	6.6 %
3	About the right weight?	3013	45.4 %
7	Refused	5	0.1 %
9	Don't know	17	0.3 %
. (M)	-	4	0.1 %

WHQ040 Like to weigh more, less or same

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: Would {you/SP} like to weigh . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	More,	606	9.1 %
2	Less, or	3557	53.6 %
3	Stay about the same?	2456	37.0 %
7	Refused	5	0.1 %
9	Don't know	6	0.1 %
. (M)	-	4	0.1 %

WHD050 Self-reported weight-1 yr ago (pounds)

Location: 20-23 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How much did {you/SP} weigh a year ago? English

Instructions: ENTER WEIGHT IN POUNDS OR KILOGRAMS. IF PREGNANT, ASK FOR WEIGHT

BEFORE PREGNANCY.

Value	Label
7777	Refused
9999	Don't know

^{*} Frequencies not displayed for this variable.

WHQ060 Weight change intentional

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: Was the change between {your/SP's} current weight and

{your/his/her} weight a year ago intentional? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes WHD080A	577	8.7 %
2	No	467	7.0 %
. (M)	-	5590	84.3 %

WHQ070 Tried to lose weight in past year

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: During the past 12 months, {have you/has SP} tried to

lose weight? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1757	26.5 %
2	No WHQ090	4287	64.6 %
7	Refused WHQ090	4	0.1 %
9	Don't know WHQ00	5	0.1 %
. (M)	-	581	8.8 %

WHD080A Ate less food

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
10	Ate less food (amount)	1518	22.9 %
99	Don't know	2	0.0 %
. (M)	-	5114	77.1 %

WHD080B Switched to foods with lower calories

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

ValueLabelUnweighted Frequency%11Switched to foods with lower calories80512.1 %. (M)-582987.9 %

WHD080C Ate less fat

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
12	Ate less fat	980	14.8 %
. (M)	-	5654	85.2 %

WHD080D Exercised

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
13	Exercised	1396	21.0 %
. (M)	-	5238	79.0 %

WHD080E Skipped meals

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
14	Skipped meals	417	6.3 %
. (M)	-	6217	93.7 %

WHD080F Ate diet foods or products

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
15	Ate diet foods or products	236	3.6 %
. (M)	-	6398	96.4 %

WHD080G Used a liquid diet formula

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
16	Used a liquid diet formula such as Slimfast or Optifast	224	3.4 %
. (M)	-	6410	96.6 %

WHD080H Joined a weight loss program

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
17	Joined weight loss program like Weight Watchers, Jenny Craig	114	1.7 %
. (M)	-	6520	98.3 %

WHD080I Took prescription diet pills

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
31	Took diet pills prescribed by a doctor	72	1.1 %
. (M)	-	6562	98.9 %

WHD080J Took non-prescription diet pills

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
32	Took pills/meds/herbs/supplements, do not need prescription	242	3.6 %
. (M)	-	6392	96.4 %

WHD080K Took laxatives or vomited

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1, CODE ALL THAT APPLY.

 Value
 Label
 Unweighted Frequency
 %

 33
 Took laxatives or vomited
 55
 0.8 %

 . (M)
 6579
 99.2 %

WHD080L Other

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

 Value
 Label
 Unweighted Frequency
 %

 40
 Other
 75
 1.1 %

 . (M)
 6559
 98.9 %

WHD080M Drank a lot of water

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

 Value
 Label
 Unweighted Frequency
 %

 34
 Drank a lot of water
 643
 9.7 %

 . (M)
 5991
 90.3 %

WHD080N Followed a special diet

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How did {you/SP} try to lose weight? English Instructions:

HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
30	Followed a special diet such as Dr. Atkins, etc	125	1.9 %
. (M)	-	6509	98.1 %

WHQ090 Tried not to gain weight in past year

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: During the past 12 months, {have you/has SP} done

anything to keep from gaining weight? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2283	34.4 %
2	No WHD110	4339	65.4 %
7	Refused WHD110	4	0.1 %
9	Don't know WHD110	4	0.1 %
. (M)	-	4	0.1 %

WHD100A Ate less food

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
10	Ate less food (amount)	1377	20.8 %
99	Don't know	2	0.0 %
. (M)	-	5255	79.2 %

WHD100B Switched to foods with lower calories

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value		Unweighted Frequency	%	
11	Switched to foods with lower calories	718	10.8 %	
. (M)	-	5916	89.2 %	

WHD100C Ate less fat

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
12	Ate less fat	897	13.5 %
. (M)	-	5737	86.5 %

WHD100D Exercised

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
13	Exercised	1266	19.1 %
. (M)	-	5368	80.9 %

WHD100E Skipped meals

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
14	Skipped meals	275	4.1 %
. (M)	-	6359	95.9 %

WHD100F Ate diet foods or products

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
15	Ate diet foods or products	149	2.2 %
. (M)	-	6485	97.8 %

WHD100G Used a liquid diet formula

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
16	Used a liquid diet formula such as Slimfast or Optifast	115	1.7 %
. (M)	-	6519	98.3 %

WHD100H Joined a weight loss program

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
17	Joined weight loss program like Weight Watchers, Jenny Craig	76	1.1 %
. (M)	-	6558	98.9 %

WHD100I Took prescription diet pills

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
31	Took diet pills prescribed by a doctor	39	0.6 %
. (M)	-	6595	99.4 %

WHD100J Took non-prescription diet pills

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
32	Took pills/meds/herbs/supplements, do not need prescription	131	2.0 %
. (M)	-	6503	98.0 %

WHD100K Took laxatives or vomited

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%	
33	Took laxatives or vomited	36	0.5 %	
. (M)	-	6598	99.5 %	

WHD100L Other

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
40	Other	69	1.0 %
. (M)	-	6565	99.0 %

WHD100M Drank a lot of water

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
34	Drank a lot of water	466	7.0 %
. (M)	-	6168	93.0 %

WHD100N Followed a special diet

114-116 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What did {you/SP} do to keep from gaining weight?

English Instructions: HAND CARD WHQ1. CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
30	Followed a special diet such as Dr. Atkins, etc	64	1.0 %
. (M)	-	6570	99.0 %

WHD110 Self-reported weight-10 yrs ago (pounds)

Location: 117-120 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(36 Yrs. to 150 Yrs.) English Text: How much did {you/SP} weigh 10 years ago? [If you

don't know {your/his/her} exact weight, please make your best guess.] English Instructions: ENTER WEIGHT IN POUNDS OR KILOGRAMS. IF PREGNANT, ASK FOR WEIGHT BEFORE PREGNANCY.

Value	Label
7777	Refused
9999	Don't know

^{*} Frequencies not displayed for this variable.

WHD120 Self-reported weight - age 25 (pounds)

Location: 121-124 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(27 Yrs. to 150 Yrs.) English Text: How much did {you/SP} weigh at age 25? [If you don't

know (your/his/her) exact weight, please make your best guess.] English Instructions: ENTER WEIGHT IN POUNDS OR KILOGRAMS. IF PREGNANT, ASK FOR WEIGHT BEFORE PREGNANCY.

1/-1...

Value	Label
7777	Refused
9999	Don't know

* Frequencies not displayed for this variable.

WHD130 Self-reported height - age 25 (inches)

Location: 125-128 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How tall {were you/was SP} at age 25? [If you don't know {your/his/her} exact height, please make your best guess.] English Instructions: ENTER HEIGHT IN

FEET AND INCHES OR METERS AND CENTIMETERS

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
56	-	6	0.1 %
57	-	4	0.1 %
58	-	10	0.2 %
59	-	28	0.4 %
60	-	61	0.9 %
61	-	98	1.5 %
62	-	205	3.1 %
63	-	161	2.4 %
64	-	227	3.4 %
65	-	241	3.6 %
66	-	230	3.5 %
67	-	205	3.1 %
68	-	177	2.7 %
69	-	143	2.2 %
70	-	184	2.8 %
71	-	170	2.6 %
72	-	122	1.8 %
73	-	76	1.1 %
74	-	61	0.9 %
75	-	25	0.4 %
76	-	11	0.2 %
77	-	2	0.0 %
83	-	1	0.0 %
7777	Refused	9	0.1 %
9999	Don't know	84	1.3 %
. (M)	-	4086	61.6 %

WHD140

Self-reported greatest weight(pounds)

Location: 129-132 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: Up to the present time, what is the most {you have/SP

has} ever weighed? English Instructions: ENTER WEIGHT IN POUNDS OR KILOGRAMS. DO NOT

INCLUDE WEIGHT DURING PREGNANCY.

Value	Label
7777	Refused
9999	Don't know

^{*} Frequencies not displayed for this variable.

WHQ150 Age when heaviest weight

Location: 133-137 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} then? [If you don't know {your/his/her} exact age, please make your best guess.] English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	15	0.2 %
14	-	14	0.2 %
15	-	32	0.5 %
16	-	70	1.1 %
17	-	167	2.5 %
18	-	348	5.2 %
19	-	249	3.8 %
20	-	166	2.5 %
21	-	124	1.9 %
22	-	145	2.2 %
23	-	104	1.6 %
24	-	117	1.8 %
25	-	213	3.2 %
26	-	127	1.9 %
27	-	106	1.6 %
28	-	101	1.5 %
29	-	91	1.4 %
30	-	188	2.8 %
31	-	65	1.0 %
32	-	107	1.6 %
33	-	75	1.1 %
34	-	80	1.2 %

Value	Label	Unweighted Frequency	%
35	-	160	2.4 %
36	-	70	1.1 %
37	-	97	1.5 %
38	-	113	1.7 %
39	-	67	1.0 %
40	-	191	2.9 %
41	-	87	1.3 %
42	-	87	1.3 %
43	-	74	1.1 %
44	-	84	1.3 %
45	-	152	2.3 %
46	-	60	0.9 %
47	-	71	1.1 %
48	-	75	1.1 %
49	-	66	1.0 %
50	-	140	2.1 %
51	-	48	0.7 %
52	-	68	1.0 %
53	-	51	0.8 %
54	-	46	0.7 %
55	-	96	1.4 %
56	-	46	0.7 %
57	-	47	0.7 %
58	-	49	0.7 %
59	-	55	0.8 %
60	-	119	1.8 %
61	-	47	0.7 %
62	-	62	0.9 %
63	-	54	0.8 %
64	-	31	0.5 %
65	-	85	1.3 %
66	-	32	0.5 %
67	-	46	0.7 %
68	-	45	0.7 %
69	-	20	0.3 %
70	-	69	1.0 %
71	-	21	0.3 %
72	-	32	0.5 %
73	-	27	0.4 %
74	-	27	0.4 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
75	-	42	0.6 %
76	-	26	0.4 %
77	-	20	0.3 %
78	-	29	0.4 %
79	-	17	0.3 %
80	-	27	0.4 %
81	-	29	0.4 %
82	-	21	0.3 %
83	-	18	0.3 %
84	-	14	0.2 %
85	-	11	0.2 %
86	-	11	0.2 %
87	-	9	0.1 %
88	-	5	0.1 %
89	-	6	0.1 %
90	-	4	0.1 %
91	-	3	0.0 %
93	-	1	0.0 %
94	-	2	0.0 %
95	-	2	0.0 %
96	-	1	0.0 %
103	-	1	0.0 %
99999	Don't know	48	0.7 %
. (M)	-	760	11.5 %

SDDSRVYR Data Release Number

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	6634	100.0 %

RIDSTATR Interview/Examination Status

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	420	6.3 %

Value	Label	Unweighted Frequency	%
2	Both Interviewed and MEC examined	6214	93.7 %

RIDEXMON Six month time period

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	3031	45.7 %
2	May 1 through October 31	3183	48.0 %
. (M)	-	420	6.3 %

RIAGENDR Gender

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value		Unweighted Frequency	%
1	Male	3181	47.9 %
2	Female	3453	52.1 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 150-152 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value Label Unweighted % Frequency 16 4.6 % 307 5.0 % 17 334 18 301 4.5 % 19 281 4.2 % 20 105 1.6 % 21 116 1.7 % 22 110 1.7 % 23 103 1.6 % 24 99 1.5 % 25 95 1.4 % 26 118 1.8 % 89 1.3 % 27 28 1.3 % 89

Value	Label	Unweighted Frequency	%
29	-	94	1.4 %
30	-	114	1.7 %
31	-	77	1.2 %
32	-	95	1.4 %
33	-	76	1.1 %
34	-	96	1.4 %
35	-	86	1.3 %
36	-	84	1.3 %
37	-	103	1.6 %
38	-	81	1.2 %
39	-	95	1.4 %
40	-	101	1.5 %
41	-	97	1.5 %
42	-	94	1.4 %
43	-	84	1.3 %
44	-	107	1.6 %
45	-	100	1.5 %
46	-	95	1.4 %
47	-	84	1.3 %
48	-	77	1.2 %
49	-	84	1.3 %
50	-	81	1.2 %
51	-	83	1.3 %
52	-	82	1.2 %
53	-	81	1.2 %
54	-	79	1.2 %
55	-	68	1.0 %
56	-	58	0.9 %
57	-	61	0.9 %
58	-	53	0.8 %
59	-	45	0.7 %
60	-	85	1.3 %
61	-	84	1.3 %
62	-	88	1.3 %
63	-	77	1.2 %
64	-	75	1.1 %
65	-	63	0.9 %
66	-	74	1.1 %
67	-	72	1.1 %
68	-	65	1.0 %

Value	Label	Unweighted Frequency	%
69	-	57	0.9 %
70	-	72	1.1 %
71	-	69	1.0 %
72	-	71	1.1 %
73	-	61	0.9 %
74	-	64	1.0 %
75	-	62	0.9 %
76	-	60	0.9 %
77	-	53	0.8 %
78	-	47	0.7 %
79	-	31	0.5 %
80	-	65	1.0 %
81	-	86	1.3 %
82	-	54	0.8 %
83	-	40	0.6 %
84	-	61	0.9 %
85	>= 85 years of age	236	3.6 %

RIDAGEMN Age in Months - Recode

Location: 153-156 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 157-160 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1504	22.7 %
2	Other Hispanic	292	4.4 %
3	Non-Hispanic White	3215	48.5 %
4	Non-Hispanic Black	1376	20.7 %
5	Other Race - Including Multi-Racial	247	3.7 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	3243	48.9 %
2	Non-Hispanic Black	1398	21.1 %
3	Mexican American	1504	22.7 %
4	Other Race - Including Multi-Racial	197	3.0 %
5	Other Hispanic	292	4.4 %

DMQMILIT Veteran/Military Status

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	838	12.6 %
2	No	5480	82.6 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	311	4.7 %

DMDBORN Country of Birth - Recode

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	5289	79.7 %
2	Born in Mexico	817	12.3 %
3	Born Elsewhere	519	7.8 %
7	Refused	4	0.1 %
. (M)	-	5	0.1 %

DMDCITZN Citizenship Status

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related

research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	5735	86.4 %
2	Not a citizen of the US	889	13.4 %
7	Refused	6	0.1 %
. (M)	=	4	0.1 %

DMDYRSUS Length of time in US

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	107	1.6 %
2	1 yr., less than 5 yrs.	270	4.1 %
3	5 yrs., less than 10 yrs.	185	2.8 %
4	10 yrs., less than 15 yrs.	178	2.7 %
5	15 yrs., less than 20 yrs.	135	2.0 %
6	20 yrs., less than 30 yrs.	219	3.3 %
7	30 yrs., less than 40 yrs.	112	1.7 %
8	40 yrs., less than 50 yrs.	46	0.7 %
9	50 years or more	60	0.9 %
77	Refused	8	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.2 %
. (M)	-	5299	79.9 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
8	8th Grade	30	0.5 %
9	9th Grade	148	2.2 %
10	10th Grade	307	4.6 %
11	11th Grade	318	4.8 %
12	12th Grade, No Diploma	50	0.8 %

Value	Label	Unweighted Frequency	%
13	High School Graduate	191	2.9 %
14	GED or Equivalent	20	0.3 %
15	More than high school	95	1.4 %
66	Less Than 9th Grade	64	1.0 %
. (M)	-	5411	81.6 %

DMDEDUC2 Education Level - Adults 20+

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	797	12.0 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	13.1 %
3	High School Grad/GED or Equivalent	1265	19.1 %
4	Some College or AA degree	1379	20.8 %
5	College Graduate or above	1079	16.3 %
7	Refused	5	0.1 %
9	Don't Know	12	0.2 %
. (M)	-	1227	18.5 %

DMDEDUC Education - Recode (old version)

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	2584	39.0 %
2	High School Diploma (including GED)	1476	22.2 %
3	More Than High School	2553	38.5 %
7	Refused	5	0.1 %
9	Don't know	12	0.2 %
. (M)	-	4	0.1 %

DMDSCHOL Now attending school?

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	695	10.5 %
2	On vacation from school (between grades)	166	2.5 %
3	Neither in school or on vacation from school	362	5.5 %
. (M)	-	5411	81.6 %

DMDMARTL Marital Status

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3086	46.5 %
2	Widowed	612	9.2 %
3	Divorced	456	6.9 %
4	Separated	170	2.6 %
5	Never married	1972	29.7 %
6	Living with partner	330	5.0 %
77	Refused	4	0.1 %
. (M)	-	4	0.1 %

DMDHHSIZ Total number of people in the Household

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	838	12.6 %
2	-	1762	26.6 %
3	-	1219	18.4 %
4	-	1151	17.4 %
5	-	764	11.5 %
6	-	348	5.2 %
7	7 or more people in the household	552	8.3 %

INDHHINC Annual Household Income

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	131	2.0 %
2	\$ 5,000 to \$ 9,999	333	5.0 %
3	\$10,000 to \$14,999	483	7.3 %
4	\$15,000 to \$19,999	528	8.0 %
5	\$20,000 to \$24,999	480	7.2 %
6	\$25,000 to \$34,999	761	11.5 %
7	\$35,000 to \$44,999	626	9.4 %
8	\$45,000 to \$54,999	555	8.4 %
9	\$55,000 to \$64,999	446	6.7 %
10	\$65,000 to \$74,999	296	4.5 %
11	\$75,000 and Over	1303	19.6 %
12	Over \$20,000	7	0.1 %
13	Under \$20,000	4	0.1 %
77	Refused	8	0.1 %
99	Don't know	11	0.2 %
. (M)	-	662	10.0 %

INDFMINC

Annual Family Income

200-202 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	288	4.3 %
2	\$ 5,000 to \$ 9,999	458	6.9 %
3	\$10,000 to \$14,999	645	9.7 %
4	\$15,000 to \$19,999	568	8.6 %
5	\$20,000 to \$24,999	569	8.6 %
6	\$25,000 to \$34,999	731	11.0 %
7	\$35,000 to \$44,999	592	8.9 %
8	\$45,000 to \$54,999	510	7.7 %
9	\$55,000 to \$64,999	379	5.7 %
10	\$65,000 to \$74,999	281	4.2 %
11	\$75,000 and Over	1079	16.3 %
12	Over \$20,000	180	2.7 %
13	Under \$20,000	103	1.6 %
77	Refused	62	0.9 %
99	Don't know	60	0.9 %
. (M)	-	129	1.9 %

INDFMPIR Family PIR

Location: 203-207 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 208-210 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	363	5.5 %
2	SP not pregnant at exam	1896	28.6 %
3	Cannot ascertain if SP is pregnant at exam	213	3.2 %
. (M)	-	4162	62.7 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 211-213 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	392	5.9 %
2	SP not pregnant	1946	29.3 %
9	Cannot ascertain if SP is pregnant at exam	134	2.0 %
. (M)	-	4162	62.7 %

DMDHRGND HH Ref Person Gender

Location: 214-216 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3947	59.5 %
2	Female	2685	40.5 %
. (M)	-	2	0.0 %

^{*} Frequencies not displayed for this variable.

DMDHRAGE HH Ref Person Age

Location: 217-219 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
17	-	2	0.0 %
18	-	49	0.7 %
19	-	89	1.3 %
20	-	74	1.1 %
21	-	58	0.9 %
22	-	79	1.2 %
23	-	72	1.1 %
24	-	64	1.0 %
25	-	94	1.4 %
26	-	102	1.5 %
27	-	67	1.0 %
28	-	79	1.2 %
29	-	78	1.2 %
30	-	139	2.1 %
31	-	86	1.3 %
32	-	98	1.5 %
33	-	111	1.7 %
34	-	117	1.8 %
35	-	124	1.9 %
36	-	107	1.6 %
37	-	163	2.5 %
38	-	120	1.8 %
39	-	160	2.4 %
40	-	168	2.5 %
41	-	157	2.4 %
42	-	145	2.2 %
43	-	145	2.2 %
44	-	199	3.0 %
45	-	187	2.8 %
46	-	169	2.5 %
47	-	121	1.8 %
48	-	139	2.1 %
49	-	127	1.9 %
50	-	134	2.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
51	-	142	2.1 %
52	-	114	1.7 %
53	-	118	1.8 %
54	-	137	2.1 %
55	-	95	1.4 %
56	-	72	1.1 %
57	-	68	1.0 %
58	-	83	1.3 %
59	-	64	1.0 %
60	-	73	1.1 %
61	-	83	1.3 %
62	-	101	1.5 %
63	-	76	1.1 %
64	-	79	1.2 %
65	-	70	1.1 %
66	-	82	1.2 %
67	-	79	1.2 %
68	-	77	1.2 %
69	-	51	0.8 %
70	-	70	1.1 %
71	-	69	1.0 %
72	-	64	1.0 %
73	-	64	1.0 %
74	-	77	1.2 %
75	-	70	1.1 %
76	-	69	1.0 %
77	-	55	0.8 %
78	-	47	0.7 %
79	-	36	0.5 %
80	-	70	1.1 %
81	-	79	1.2 %
82	-	47	0.7 %
83	-	35	0.5 %
84	-	63	0.9 %
85	>= 85 years of age	229	3.5 %
. (M)	-	2	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 220-222 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4977	75.0 %
2	Born in Mexico	881	13.3 %
3	Born Elsewhere	553	8.3 %
7	Refused	3	0.0 %
. (M)	-	220	3.3 %

DMDHREDU

HH Ref Person Education Level

Location: 223-225 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.)

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	925	13.9 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	1099	16.6 %
3	High School Grad/GED or equivalent	1491	22.5 %
4	Some College or AA degree	1580	23.8 %
5	College Graduate or above	1286	19.4 %
7	Refused	7	0.1 %
9	Don't know	28	0.4 %
. (M)	-	218	3.3 %

DMDHRMAR

HH Ref Person Marital Status

Location: 226-228 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

Value Label Unweighted % Frequency Married 58.0 % 1 3846 2 Widowed 642 9.7 % 3 Divorced 612 9.2 % 4.0 % 4 Separated 266 5 Never married 784 11.8 % 6 304 Living with partner 4.6 % 77 Refused 14 0.2 % 99 Don't know 7 0.1 % . (M) 159 2.4 %

DMDHSEDU

HH Ref Person's Spouse Education Level

Location: 229-231 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	519	7.8 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	436	6.6 %
3	High School Grad/GED or equivalent	788	11.9 %
4	Some College or AA degree	893	13.5 %
5	College Graduate or above	689	10.4 %
7	Refused	3	0.0 %
9	Don't know	9	0.1 %
. (M)	-	3297	49.7 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 232-245 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 246-258 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 259-272 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 273-286 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	3352	50.5 %

١	/alue	Unweighted Frequency	%
2	,	3282	49.5 %

SDMVSTRA

Masked Variance Pseudo-Stratum

Location:

290-292 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
14	402	6.1 %
15	484	7.3 %
16	439	6.6 %
17	513	7.7 %
18	398	6.0 %
19	487	7.3 %
20	425	6.4 %
21	448	6.8 %
22	445	6.7 %
23	547	8.2 %
24	420	6.3 %
25	394	5.9 %
26	458	6.9 %
27	459	6.9 %
28	315	4.7 %