#### ICPSR 25502

# National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Current Health Status

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

### **Terms of Use**

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

# **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

# NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# **ICPSR 25502**

# National Health and Nutrition Examination Survey (NHANES), 2001-2002

# **Variable Description and Frequencies**

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## National Health and Nutrition Examination Survey (NHANES), 2001-2002

#### **Questionnaire: Current Health Status**

SEQN	Respond	lent sequence number				
Location:	1-5 (width	1-5 (width: 5; decimal: 0)				
Variable Type:	numeric					
Question:	Target: B	(1 Yrs. to 150 Yrs.) English Text: Respondent sequence numbe	: English Instruc	tions:		
HSD010	General	health condition				
Location:	6-8 (widtl	6-8 (width: 3; decimal: 0)				
Variable Type:	numeric					
Question:	(your/SP	(12 Yrs. to 150 Yrs.) English Text: {First/Next} I have some genes} health. Would you say {your/SP's} health in general is EnCTION: DISPLAY "FIRST" IF SP AGE IS >= 16 YEARS.	•			
	Value	Label	Unweighted Frequency	%		
	1	Excellent,	1019	9.8 %		
	2	Very good,	2205	21.2 %		
	3	Good,		21.2 /0		
			2513	24.2 %		
	4	Fair, or	2513 1096			
	-	Fair, or Poor?		24.2 %		

#### HSQ470 no. of days physical health was not good

. (M)

Don't know

9

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The next set of questions are about {your/SP's} recent health during the 30 days outlined on the calendar. Thinking about {your/SP's} physical health, which includes physical illness and injury, for how many days during the past 30 days was {your/his/her}

physical health not good? English Instructions: HAND CARD HSQ1. ENTER # OF DAYS

0.0 %

32.3 %

3349

Value	Label	Unweighted Frequency	%
0	-	4343	41.8 %
1	-	323	3.1 %
2	-	425	4.1 %
3	-	361	3.5 %
4	-	173	1.7 %
5	-	204	2.0 %
6	-	54	0.5 %
7	-	221	2.1 %
8	-	39	0.4 %
9	-	17	0.2 %
10	-	132	1.3 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
11	-	10	0.1 %
12	-	18	0.2 %
13	-	5	0.0 %
14	-	116	1.1 %
15	-	106	1.0 %
16	-	5	0.0 %
17	-	4	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	42	0.4 %
21	-	29	0.3 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	14	0.1 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	5	0.0 %
29	-	2	0.0 %
30	-	354	3.4 %
99	Don't know	16	0.2 %
. (M)	-	3352	32.3 %

#### **HSQ480**

#### no. of days mental health was not good

Location:

12-14 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: Now thinking about {your/SP's} mental health, which includes stess, depression, and problems with emotions, for how many days during the past 30 days was {your/his/her} mental health not good? English Instructions: ENTER # OF DAYS

Value	Label	Unweighted Frequency	%
0	-	4413	42.5 %
1	-	282	2.7 %
2	-	455	4.4 %
3	-	326	3.1 %
4	-	162	1.6 %
5	-	272	2.6 %
6	-	51	0.5 %
7	-	181	1.7 %
8	-	37	0.4 %
9	-	4	0.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
10	-	164	1.6 %
11	-	2	0.0 %
12	-	10	0.1 %
13	-	3	0.0 %
14	-	68	0.7 %
15	-	140	1.3 %
16	-	6	0.1 %
17	-	4	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	81	0.8 %
21	-	9	0.1 %
23	-	1	0.0 %
24	-	3	0.0 %
25	-	17	0.2 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	5	0.0 %
29	-	1	0.0 %
30	-	314	3.0 %
99	Don't know	13	0.1 %
. (M)	-	3353	32.3 %

#### **HSQ490**

#### inactive days due to phys./mental hlth

Location:

15-17 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 30 days, for about how many days did poor physical or mental health keep {you/SP} from doing {your/his/her} usual activities, such as self-care, work, school or recreation? English Instructions: ENTER # OF DAYS

Value	Label	Unweighted Frequency	%
0	-	5658	54.5 %
1	-	247	2.4 %
2	-	287	2.8 %
3	-	151	1.5 %
4	-	75	0.7 %
5	-	106	1.0 %
6	-	21	0.2 %
7	-	82	0.8 %
8	-	22	0.2 %
9	-	3	0.0 %

Value	Label	Unweighted Frequency	%
10	-	65	0.6 %
11	-	3	0.0 %
12	-	9	0.1 %
13	-	2	0.0 %
14	-	30	0.3 %
15	-	57	0.5 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
20	-	21	0.2 %
21	-	11	0.1 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	6	0.1 %
28	-	3	0.0 %
30	-	150	1.4 %
99	Don't know	11	0.1 %
. (M)	-	3355	32.3 %

#### **HSQ500** SP recent health - over past 4 weeks

Location: 18-20 (width: 3; decimal: 0)

Variable Type:

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Did {you/SP} have a head cold or chest cold that started

during those 30 days? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2309	22.2 %
2	No	7097	68.4 %
7	Refused	1	0.0 %
9	Don't know	11	0.1 %
. (M)	-	964	9.3 %

#### **HSQ510** SP have stomach or intestinal illness?

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Did {you/SP} have a stomach or intestinal illness with

vomiting or diarrhea that started during those 30 days? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	896	8.6 %
2	No	8513	82.0 %

Value	Label	Unweighted Frequency	%
7	Refused	1	0.0 %
9	Don't know	8	0.1 %
. (M)	-	964	9.3 %

HSQ520 SP have flu, pneumonia, ear infection?

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Did {you/SP} have flu, pneumonia, or ear infections that

started during those 30 days? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	609	5.9 %
2	No	8794	84.7 %
7	Refused	2	0.0 %
9	Don't know	13	0.1 %
. (M)	-	964	9.3 %

HSD570 SP donated blood in past 12 months?

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: During the past 12 months, that is, since (DISPLAY

CURRENT MONTH, DISPLAY LAST YEAR), a year ago, (have you/has SP) donated blood? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	274	2.6 %
2	No HSQ590	5595	53.9 %
9	Don't know HSQ50	1	0.0 %
. (M)	-	4512	43.5 %

HSQ580 How long ago was last blood donation?

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: How long ago was {your/SP's} last blood donation?

English Instructions: IF LESS THAN ONE MONTH, ENTER '1'. ENTER # OF MONTHS.

Value	Label	Unweighted Frequency	%
1	-	47	0.5 %
2	-	37	0.4 %
3	-	25	0.2 %
4	-	28	0.3 %
5	-	24	0.2 %

Value	Label	Unweighted Frequency	%
6	-	29	0.3 %
7	-	17	0.2 %
8	-	13	0.1 %
9	-	13	0.1 %
10	-	15	0.1 %
11	-	18	0.2 %
12	-	6	0.1 %
99	Don't know	2	0.0 %
. (M)	-	10108	97.4 %

HSQ590 Blood ever tested for HIV virus?

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: Except for tests {you/SP} may have had as part of blood

 $donations, \{ have \ you/has \ he/ \ has \ she \} \ ever \ had \ \{ your/his/her \} \ blood \ tested \ for \ the \ AIDS \ virus \ infection?$ 

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1798	17.3 %
2	No	4021	38.7 %
9	Don't know	51	0.5 %
. (M)	-	4512	43.5 %

HSAQUEX Source of Health Status Data

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Source of Health Status Data English Instructions:

Value	Label	Unweighted Frequency	%
1	Dietary Recall Component B(-)	2484	23.9 %
2	MEC CAPI Questionnaire B(1-150)	7898	76.1 %

SDDSRVYR Data Release Number

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	10382	100.0 %

RIDSTATR Interview/Examination Status

Location: 42-44 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

**English Instructions:** 

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	453	4.4 %
2	Both Interviewed and MEC examined	9929	95.6 %

#### RIDEXMON Six month time period

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	4889	47.1 %
2	May 1 through October 31	5040	48.5 %
. (M)	-	453	4.4 %

RIAGENDR Gender

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%	
1	Male	5005	48.2 %	
2	Female	5377	51.8 %	

#### RIDAGEYR Age at Screening Adjudicated - Recode

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
1	-	331	3.2 %
2	-	336	3.2 %
3	-	227	2.2 %
4	-	201	1.9 %
5	-	187	1.8 %
6	-	198	1.9 %
7	-	207	2.0 %
8	-	210	2.0 %
9	-	206	2.0 %

Value	Label	Unweighted Frequency	%
10	-	172	1.7 %
11	-	209	2.0 %
12	-	323	3.1 %
13	-	312	3.0 %
14	-	319	3.1 %
15	-	310	3.0 %
16	-	307	3.0 %
17	-	334	3.2 %
18	-	301	2.9 %
19	-	281	2.7 %
20	-	105	1.0 %
21	-	116	1.1 %
22	-	110	1.1 %
23	-	103	1.0 %
24	-	99	1.0 %
25	-	95	0.9 %
26	-	118	1.1 %
27	-	89	0.9 %
28	-	89	0.9 %
29	-	94	0.9 %
30	-	114	1.1 %
31	-	77	0.7 %
32	-	95	0.9 %
33	-	76	0.7 %
34	-	96	0.9 %
35	-	86	0.8 %
36	-	84	0.8 %
37	-	103	1.0 %
38	-	81	0.8 %
39	-	95	0.9 %
40	-	101	1.0 %
41	-	97	0.9 %
42	-	94	0.9 %
43	-	84	0.8 %
44	-	107	1.0 %
45	-	100	1.0 %
46	-	95	0.9 %
47	-	84	0.8 %
48	-	77	0.7 %
49	-	84	0.8 %

- Study 25502 -

Value	Label	Unweighted Frequency	9
50	-	81	0.8 %
51	-	83	0.8 %
52	-	82	0.8 %
53	-	81	0.8 %
54	-	79	0.8 %
55	-	68	0.7 %
56	-	58	0.6 %
57	-	61	0.6 %
58	-	53	0.5 %
59	-	45	0.4 %
60	-	85	0.8 %
61	-	84	0.8 %
62	-	88	0.8 %
63	-	77	0.7 %
64	-	75	0.7 %
65	-	63	0.6 %
66	-	74	0.7 %
67	-	72	0.7 %
68	-	65	0.6 %
69	-	57	0.5 %
70	_	72	0.7 %
71	-	69	0.7 %
72	-	71	0.7 %
73	_	61	0.6 %
74	_	64	0.6 %
75	_	62	0.6 %
76	_	60	0.6 %
77	-	53	0.5 %
78	-	47	0.5 %
79	-	31	0.3 %
80	-	65	0.6 %
81	_	86	0.8 %
82	-	54	0.5 %
83	-	40	0.4 %
84	_	61	0.4 %
85	>= 85 years of age	236	2.3 %

#### RIDAGEMN Age in Months - Recode

Location: 54-57 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 58-61 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	2570	24.8 %
2	Other Hispanic	483	4.7 %
3	Non-Hispanic White	4372	42.1 %
4	Non-Hispanic Black	2544	24.5 %
5	Other Race - Including Multi-Racial	413	4.0 %

#### RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	4418	42.6 %
2	Non-Hispanic Black	2601	25.1 %
3	Mexican American	2570	24.8 %
4	Other Race - Including Multi-Racial	310	3.0 %
5	Other Hispanic	483	4.7 %

DMQMILIT Veteran/Military Status

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	838	8.1 %
2	No	5480	52.8 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	4059	39.1 %

DMDBORN Country of Birth - Recode

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	8755	84.3 %
2	Born in Mexico	992	9.6 %
3	Born Elsewhere	626	6.0 %
7	Refused	4	0.0 %
. (M)	-	5	0.0 %

#### DMDCITZN Citizenship Status

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related

research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	9241	89.0 %
2	Not a citizen of the US	1126	10.8 %
7	Refused	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.0 %

#### DMDYRSUS Length of time in US

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	152	1.5 %
2	1 yr., less than 5 yrs.	370	3.6 %
3	5 yrs., less than 10 yrs.	272	2.6 %
4	10 yrs., less than 15 yrs.	222	2.1 %
5	15 yrs., less than 20 yrs.	137	1.3 %
6	20 yrs., less than 30 yrs.	219	2.1 %

Value	Label	Unweighted Frequency	%
7	30 yrs., less than 40 yrs.	112	1.1 %
8	40 yrs., less than 50 yrs.	46	0.4 %
9	50 years or more	60	0.6 %
77	Refused	10	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.1 %
. (M)	-	8767	84.4 %

#### **DMDEDUC3**

#### **Education Level - Children/Youth 6-19**

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Targe

Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten Only	253	2.4 %
1	1st Grade	217	2.1 %
2	2nd Grade	217	2.1 %
3	3rd Grade	192	1.8 %
4	4th Grade	189	1.8 %
5	5th Grade	242	2.3 %
6	6th Grade	326	3.1 %
7	7th Grade	297	2.9 %
8	8th Grade	351	3.4 %
9	9th Grade	327	3.1 %
10	10th Grade	324	3.1 %
11	11th Grade	319	3.1 %
12	12th Grade, No Diploma	50	0.5 %
13	High School Graduate	191	1.8 %
14	GED or Equivalent	20	0.2 %
15	More than high school	95	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	71	0.7 %
99	Don't know	2	0.0 %
. (M)	-	6693	64.5 %

#### DMDEDUC2 Education Level - Adults 20+

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	797	7.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	8.4 %
3	High School Grad/GED or Equivalent	1265	12.2 %
4	Some College or AA degree	1379	13.3 %
5	College Graduate or above	1079	10.4 %
7	Refused	5	0.0 %
9	Don't Know	12	0.1 %
. (M)	-	4975	47.9 %

#### DMDEDUC Education - Recode (old version)

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions:

Value Label Unweighted % Frequency 1 Less Than High School 48.6 % 5048 2 High School Diploma (including GED) 1476 14.2 % 3 More Than High School 24.6 % 2553 7 Refused 5 0.0 % 9 14 0.1 % Don't know . (M) 1286 12.4 %

#### DMDSCHOL Now attending school?

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2471	23.8 %
2	On vacation from school (between grades)	585	5.6 %
3	Neither in school or on vacation from school	374	3.6 %
. (M)	-	6952	67.0 %

#### DMDMARTL Marital Status

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3088	29.7 %
2	Widowed	612	5.9 %
3	Divorced	456	4.4 %
4	Separated	170	1.6 %
5	Never married	2597	25.0 %
6	Living with partner	330	3.2 %
77	Refused	4	0.0 %
. (M)	-	3125	30.1 %

#### **DMDHHSIZ**

#### Total number of people in the Household

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	838	8.1 %
2	-	1922	18.5 %
3	-	1767	17.0 %
4	-	2253	21.7 %
5	-	1649	15.9 %
6	-	802	7.7 %
7	7 or more people in the household	1151	11.1 %

#### **INDHHINC**

#### **Annual Household Income**

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	247	2.4 %
2	\$ 5,000 to \$ 9,999	549	5.3 %
3	\$10,000 to \$14,999	792	7.6 %
4	\$15,000 to \$19,999	872	8.4 %
5	\$20,000 to \$24,999	787	7.6 %
6	\$25,000 to \$34,999	1169	11.3 %
7	\$35,000 to \$44,999	971	9.4 %
8	\$45,000 to \$54,999	867	8.4 %
9	\$55,000 to \$64,999	680	6.5 %
10	\$65,000 to \$74,999	464	4.5 %

Value	Label	Unweighted Frequency	%
11	\$75,000 and Over	1986	19.1 %
12	Over \$20,000	11	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	11	0.1 %
99	Don't know	18	0.2 %
. (M)	-	950	9.2 %

#### INDFMINC Annual Family Income

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	509	4.9 %
2	\$ 5,000 to \$ 9,999	744	7.2 %
3	\$10,000 to \$14,999	1015	9.8 %
4	\$15,000 to \$19,999	946	9.1 %
5	\$20,000 to \$24,999	914	8.8 %
6	\$25,000 to \$34,999	1119	10.8 %
7	\$35,000 to \$44,999	936	9.0 %
8	\$45,000 to \$54,999	790	7.6 %
9	\$55,000 to \$64,999	581	5.6 %
10	\$65,000 to \$74,999	434	4.2 %
11	\$75,000 and Over	1657	16.0 %
12	Over \$20,000	225	2.2 %
13	Under \$20,000	142	1.4 %
77	Refused	93	0.9 %
99	Don't know	100	1.0 %
. (M)	-	177	1.7 %

#### INDFMPIR Family PIR

Location: 104-108 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

<sup>\*</sup> Frequencies not displayed for this variable.

#### RIDEXPRG Pregnancy Status at Exam - Recode

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	365	3.5 %
2	SP not pregnant at exam	2682	25.8 %
3	Cannot ascertain if SP is pregnant at exam	489	4.7 %
. (M)	-	6846	65.9 %

#### RIDPREG Pregnancy Status - Recode (old version)

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	394	3.8 %
2	SP not pregnant	2634	25.4 %
9	Cannot ascertain if SP is pregnant at exam	172	1.7 %
. (M)	-	7182	69.2 %

#### DMDHRGND HH Ref Person Gender

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5838	56.2 %
2	Female	4542	43.7 %
. (M)	-	2	0.0 %

#### DMDHRAGE HH Ref Person Age

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the

time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
15	-	2	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %

Value	Label	Unweighted Frequency	%
18	-	53	0.5 %
19	-	102	1.0 %
20	-	116	1.1 %
21	-	93	0.9 %
22	-	127	1.2 %
23	-	128	1.2 %
24	-	135	1.3 %
25	-	177	1.7 %
26	-	190	1.8 %
27	-	145	1.4 %
28	-	178	1.7 %
29	-	180	1.7 %
30	-	327	3.1 %
31	-	219	2.1 %
32	-	240	2.3 %
33	-	273	2.6 %
34	-	267	2.6 %
35	-	285	2.7 %
36	-	286	2.8 %
37	-	339	3.3 %
38	-	261	2.5 %
39	-	301	2.9 %
40	-	315	3.0 %
41	-	303	2.9 %
42	-	264	2.5 %
43	-	257	2.5 %
44	-	333	3.2 %
45	-	304	2.9 %
46	-	257	2.5 %
47	-	176	1.7 %
48	-	213	2.1 %
49	-	189	1.8 %
50	-	189	1.8 %
51	-	189	1.8 %
52	-	147	1.4 %
53	-	138	1.3 %
54	-	167	1.6 %
55	-	111	1.1 %
56	-	94	0.9 %
57	-	74	0.7 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
58	-	96	0.9 %
59	-	86	0.8 %
60	-	77	0.7 %
61	-	89	0.9 %
62	-	115	1.1 %
63	-	90	0.9 %
64	-	91	0.9 %
65	-	80	0.8 %
66	-	90	0.9 %
67	-	87	0.8 %
68	-	91	0.9 %
69	-	54	0.5 %
70	-	76	0.7 %
71	-	76	0.7 %
72	-	64	0.6 %
73	-	67	0.6 %
74	-	80	0.8 %
75	-	75	0.7 %
76	-	74	0.7 %
77	-	58	0.6 %
78	-	48	0.5 %
79	-	39	0.4 %
80	-	72	0.7 %
81	-	81	0.8 %
82	-	48	0.5 %
83	-	35	0.3 %
84	-	63	0.6 %
85	>= 85 years of age	231	2.2 %
. (M)	-	2	0.0 %

#### **DMDHRBRN**

#### **HH Ref Person Country of Birth**

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7614	73.3 %
2	Born in Mexico	1538	14.8 %
3	Born Elsewhere	903	8.7 %
7	Refused	3	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	324	3.1 %

#### DMDHREDU HH Ref Person Education Level

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON\_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1397	13.5 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	1941	18.7 %
3	High School Grad/GED or equivalent	2373	22.9 %
4	Some College or AA degree	2410	23.2 %
5	College Graduate or above	1891	18.2 %
7	Refused	7	0.1 %
9	Don't know	43	0.4 %
. (M)	-	320	3.1 %

#### DMDHRMAR HH Ref Person Marital Status

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	6085	58.6 %
2	Widowed	749	7.2 %
3	Divorced	954	9.2 %
4	Separated	471	4.5 %
5	Never married	1290	12.4 %
6	Living with partner	409	3.9 %
77	Refused	29	0.3 %
99	Don't know	13	0.1 %
. (M)	-	382	3.7 %

#### DMDHSEDU HH Ref Person's Spouse Education Level

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	829	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	750	7.2 %
3	High School Grad/GED or equivalent	1280	12.3 %
4	Some College or AA degree	1435	13.8 %
5	College Graduate or above	1065	10.3 %
7	Refused	3	0.0 %
9	Don't know	19	0.2 %
. (M)	-	5001	48.2 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 133-146 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 147-159 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 160-173 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

**English Instructions:** 

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 174-187 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Inweighted requency	%
1	5222	50.3 %
2	5160	49.7 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
14	666	6.4 %
15	740	7.1 %
16	724	7.0 %
17	772	7.4 %
18	626	6.0 %
19	761	7.3 %
20	724	7.0 %
21	642	6.2 %
22	678	6.5 %
23	772	7.4 %
24	674	6.5 %
25	633	6.1 %
26	738	7.1 %
27	688	6.6 %
28	544	5.2 %