ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Drug Use

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Drug Use

SEQN	Respondent sequence number
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:
DUQ100	Ever used cocaine or other street drug
Location:	6-8 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions ask about drug use. Have you ever used cocaine, including crack or freebase, or other street drugs? Do not include marijuana. English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.
	Value Label Unweighted %

Value	Label	Unweighted Frequency	%
1	Yes	609	17.9 %
2	No	2439	71.8 %
7	Refused	3	0.1 %
9	Don't know	3	0.1 %
. (M)	-	345	10.2 %

DUQ110 #days used street drugs over past year

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, how many days have you used cocaine, including crack or freebase, or other street drugs? English Instructions: VERBAL

INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER.

Value	Label	Unweighted Frequency	%
0	-	421	12.4 %
1	-	42	1.2 %
2	-	27	0.8 %
3	-	24	0.7 %
4	-	8	0.2 %
5	-	16	0.5 %
6	-	4	0.1 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	6	0.2 %
10	-	8	0.2 %
12	-	8	0.2 %
15	-	2	0.1 %

Value	Label	Unweighted Frequency	%
20	-	5	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	5	0.1 %
27	-	1	0.0 %
30	-	2	0.1 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
65	-	1	0.0 %
85	-	1	0.0 %
90	-	1	0.0 %
100	-	3	0.1 %
150	-	2	0.1 %
200	-	1	0.0 %
365	-	1	0.0 %
777	Refused	5	0.1 %
999	Don't know	2	0.1 %
. (M)	-	2790	82.1 %

DUQ120

Ever used a needle to take street drugs

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Have you ever used a needle to take street drugs? English

 $Instructions: VERBAL\ INSTRUCTIONS\ TO\ SP:\ Please\ select\ yes,\ no.$

Value	Label	Unweighted Frequency	%
1	Yes	55	1.6 %
2	No	554	16.3 %
. (M)	-	2790	82.1 %

DUQ130

#days used needle for street drugs/year

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, how many days have you used a needle to take street drugs? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a

number. ENTER NUMBER.

Value	Label	Unweighted Frequency	%
0	-	41	1.2 %

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	2	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
25	-	1	0.0 %
85	-	1	0.0 %
150	-	1	0.0 %
300	-	1	0.0 %
. (M)	-	3344	98.4 %

SDDSRVYR Data Release Number

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	3399	100.0 %

RIDSTATR Interview/Examination Status

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value		Unweighted Frequency	%
2	Both Interviewed and MEC examined	3399	100.0 %

RIDEXMON Six month time period

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	1614	47.5 %
2	May 1 through October 31	1785	52.5 %

RIAGENDR Gender

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	1584	46.6 %
2	Female	1815	53.4 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location:

30-32 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
20	-	105	3.1 %
21	-	111	3.3 %
22	-	101	3.0 %
23	-	100	2.9 %
24	-	97	2.9 %
25	-	89	2.6 %
26	-	112	3.3 %
27	-	86	2.5 %
28	-	84	2.5 %
29	-	87	2.6 %
30	-	106	3.1 %
31	-	71	2.1 %
32	-	88	2.6 %
33	-	73	2.1 %
34	-	92	2.7 %
35	-	86	2.5 %
36	-	80	2.4 %
37	-	101	3.0 %
38	-	81	2.4 %
39	-	93	2.7 %
40	-	98	2.9 %
41	-	91	2.7 %
42	-	91	2.7 %
43	-	82	2.4 %
44	-	104	3.1 %
45	-	97	2.9 %
46	-	93	2.7 %
47	-	82	2.4 %
48	-	72	2.1 %
49	-	81	2.4 %

Value	Label	Unweighted Frequency	%
50	-	78	2.3 %
51	-	80	2.4 %
52	-	81	2.4 %
53	-	79	2.3 %
54	-	75	2.2 %
55	-	63	1.9 %
56	-	55	1.6 %
57	-	61	1.8 %
58	-	50	1.5 %
59	-	43	1.3 %

RIDAGEMN Age in Months - Recode

Location: 33-36 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 37-40 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	787	23.2 %
2	Other Hispanic	165	4.9 %
3	Non-Hispanic White	1630	48.0 %
4	Non-Hispanic Black	682	20.1 %
5	Other Race - Including Multi-Racial	135	4.0 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	1646	48.4 %

Value	Label	Unweighted Frequency	%
2	Non-Hispanic Black	690	20.3 %
3	Mexican American	787	23.2 %
4	Other Race - Including Multi-Racial	111	3.3 %
5	Other Hispanic	165	4.9 %

DMQMILIT Veteran/Military Status

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	323	9.5 %
2	No	3076	90.5 %

DMDBORN Country of Birth - Recode

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	2593	76.3 %
2	Born in Mexico	523	15.4 %
3	Born Elsewhere	283	8.3 %

DMDCITZN Citizenship Status

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	2818	82.9 %
2	Not a citizen of the US	581	17.1 %

DMDYRSUS Length of time in US

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	69	2.0 %
2	1 yr., less than 5 yrs.	156	4.6 %
3	5 yrs., less than 10 yrs.	126	3.7 %
4	10 yrs., less than 15 yrs.	120	3.5 %
5	15 yrs., less than 20 yrs.	97	2.9 %
6	20 yrs., less than 30 yrs.	169	5.0 %
7	30 yrs., less than 40 yrs.	47	1.4 %
8	40 yrs., less than 50 yrs.	4	0.1 %
9	50 years or more	5	0.1 %
77	Refused	3	0.1 %
88	Could not determine	2	0.1 %
99	Don't know	4	0.1 %
. (M)	-	2597	76.4 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
. (M)	-	3399	100.0 %

DMDEDUC2

Education Level - Adults 20+

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	350	10.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	546	16.1 %
3	High School Grad/GED or Equivalent	796	23.4 %
4	Some College or AA degree	972	28.6 %
5	College Graduate or above	731	21.5 %
9	Don't Know	4	0.1 %

DMDEDUC

Education - Recode (old version)

Location: 65-67 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	896	26.4 %
2	High School Diploma (including GED)	796	23.4 %
3	More Than High School	1703	50.1 %
9	Don't know	4	0.1 %

DMDSCHOL Now attending school?

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value		Unweighted Frequency	%	
. (M)	-	3399	100.0 %	

DMDMARTL Marital Status

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	1957	57.6 %
2	Widowed	40	1.2 %
3	Divorced	281	8.3 %
4	Separated	120	3.5 %
5	Never married	724	21.3 %
6	Living with partner	276	8.1 %
77	Refused	1	0.0 %

DMDHHSIZ Total number of people in the Household

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	273	8.0 %
2	-	750	22.1 %
3	-	749	22.0 %
4	-	722	21.2 %

Value	Label	Unweighted Frequency	%
5	-	430	12.7 %
6	-	173	5.1 %
7	7 or more people in the household	302	8.9 %

INDHHINC Annual Household Income

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	57	1.7 %
2	\$ 5,000 to \$ 9,999	128	3.8 %
3	\$10,000 to \$14,999	189	5.6 %
4	\$15,000 to \$19,999	238	7.0 %
5	\$20,000 to \$24,999	213	6.3 %
6	\$25,000 to \$34,999	375	11.0 %
7	\$35,000 to \$44,999	334	9.8 %
8	\$45,000 to \$54,999	333	9.8 %
9	\$55,000 to \$64,999	260	7.6 %
10	\$65,000 to \$74,999	183	5.4 %
11	\$75,000 and Over	787	23.2 %
12	Over \$20,000	2	0.1 %
13	Under \$20,000	2	0.1 %
77	Refused	1	0.0 %
99	Don't know	4	0.1 %
. (M)	-	293	8.6 %

INDFMINC Annual Family Income

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	140	4.1 %
2	\$ 5,000 to \$ 9,999	194	5.7 %
3	\$10,000 to \$14,999	286	8.4 %
4	\$15,000 to \$19,999	259	7.6 %
5	\$20,000 to \$24,999	282	8.3 %
6	\$25,000 to \$34,999	363	10.7 %

Value	Label	Unweighted Frequency	%
7	\$35,000 to \$44,999	319	9.4 %
8	\$45,000 to \$54,999	300	8.8 %
9	\$55,000 to \$64,999	212	6.2 %
10	\$65,000 to \$74,999	174	5.1 %
11	\$75,000 and Over	658	19.4 %
12	Over \$20,000	72	2.1 %
13	Under \$20,000	47	1.4 %
77	Refused	21	0.6 %
99	Don't know	21	0.6 %
. (M)	=	51	1.5 %

INDFMPIR Family PIR

Location: 83-87 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	296	8.7 %
2	SP not pregnant at exam	1413	41.6 %
3	Cannot ascertain if SP is pregnant at exam	106	3.1 %
. (M)	-	1584	46.6 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	323	9.5 %
2	SP not pregnant	1453	42.7 %

Value	Label	Unweighted Frequency	%
9	Cannot ascertain if SP is pregnant at exam	39	1.1 %
. (M)	-	1584	46.6 %

DMDHRGND HH Ref Person Gender

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

ValueLabelUnweighted
Frequency%1Male212662.5 %2Female127337.5 %

DMDHRAGE HH Ref Person Age

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	6	0.2 %
19	-	15	0.4 %
20	-	50	1.5 %
21	-	45	1.3 %
22	-	59	1.7 %
23	-	62	1.8 %
24	-	55	1.6 %
25	-	83	2.4 %
26	-	85	2.5 %
27	-	59	1.7 %
28	-	62	1.8 %
29	-	65	1.9 %
30	-	117	3.4 %
31	-	75	2.2 %
32	-	84	2.5 %
33	-	92	2.7 %
34	-	90	2.6 %
35	-	82	2.4 %
36	-	75	2.2 %
37	-	105	3.1 %
38	-	77	2.3 %

Value	Label	Unweighted Frequency	%
39	-	98	2.9 %
40	-	107	3.1 %
41	-	89	2.6 %
42	-	93	2.7 %
43	-	92	2.7 %
44	-	128	3.8 %
45	-	117	3.4 %
46	-	99	2.9 %
47	-	81	2.4 %
48	-	86	2.5 %
49	-	78	2.3 %
50	-	85	2.5 %
51	-	102	3.0 %
52	-	80	2.4 %
53	-	90	2.6 %
54	-	107	3.1 %
55	-	71	2.1 %
56	-	50	1.5 %
57	-	51	1.5 %
58	-	55	1.6 %
59	-	39	1.1 %
60	-	6	0.2 %
61	-	11	0.3 %
62	-	17	0.5 %
63	-	9	0.3 %
64	-	13	0.4 %
65	-	7	0.2 %
66	-	5	0.1 %
67	-	7	0.2 %
68	-	9	0.3 %
69	-	1	0.0 %
70	-	5	0.1 %
71	-	6	0.2 %
72	-	1	0.0 %
73	-	5	0.1 %
74	-	10	0.3 %
75	-	5	0.1 %
76	-	8	0.2 %
77	-	2	0.1 %
78	-	2	0.1 %

Value	Label	Unweighted Frequency	%
79	-	2	0.1 %
80	-	5	0.1 %
81	-	6	0.2 %
82	-	4	0.1 %
83	-	3	0.1 %
85	>= 85 years of age	9	0.3 %

DMDHRBRN HH Ref Person Country of Birth

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	2507	73.8 %
2	Born in Mexico	530	15.6 %
3	Born Elsewhere	280	8.2 %
. (M)	-	82	2.4 %

DMDHREDU HH Ref Person Education Level

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	383	11.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	522	15.4 %
3	High School Grad/GED or equivalent	767	22.6 %
4	Some College or AA degree	893	26.3 %
5	College Graduate or above	744	21.9 %
7	Refused	1	0.0 %
9	Don't know	7	0.2 %
. (M)	-	82	2.4 %

DMDHRMAR HH Ref Person Marital Status

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2073	61.0 %
2	Widowed	100	2.9 %
3	Divorced	304	8.9 %
4	Separated	139	4.1 %
5	Never married	464	13.7 %
6	Living with partner	248	7.3 %
77	Refused	2	0.1 %
99	Don't know	2	0.1 %
. (M)	-	67	2.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	226	6.6 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	216	6.4 %
3	High School Grad/GED or equivalent	413	12.2 %
4	Some College or AA degree	524	15.4 %
5	College Graduate or above	420	12.4 %
9	Don't know	3	0.1 %
. (M)	-	1597	47.0 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 112-125 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 126-138 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 139-152 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 153-166 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 1682
 49.5 %

 2
 1717
 50.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
14	189	5.6 %
15	238	7.0 %
16	196	5.8 %
17	247	7.3 %
18	239	7.0 %
19	262	7.7 %
20	208	6.1 %
21	218	6.4 %
22	242	7.1 %
23	278	8.2 %
24	227	6.7 %
25	221	6.5 %
26	246	7.2 %
27	221	6.5 %
28	167	4.9 %