ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Diet Behavior and Nutrition

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Diet Behavior and Nutrition

SEQN	Responde	nt sequence number			
Location:	1-5 (width: 5; decimal: 0)				
Variable Type:	numeric				
Question:	Target: B(0	Yrs. to 150 Yrs.) English Text: Respondent sequence number. E	English Instruct	tions:	
DBQ010	Ever breastfed or fed breastmilk				
Location:	6-8 (width: 3; decimal: 0)				
Variable Type:	numeric				
Question:	•	Yrs. to 6 Yrs.) English Text: Now I'm going to ask you some ger ng habits. Was {SP} ever breastfed or fed breastmilk? English In	•	about	
	Value	Label	Unweighted Frequency	%	
	1	Yes	1319	11.9 %	
	2	No	777	7.0 %	

DBD020 Age started eating other foods(days)

. (M)

Don't know

9-14 (width: 6; decimal: 0) Location:

Variable Type:

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} was first fed something

other than breastmilk or water? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never	49	0.4 %
1	-	280	2.5 %
2	-	35	0.3 %
3	-	9	0.1 %
4	-	3	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	28	0.3 %
8	-	3	0.0 %
10	-	4	0.0 %
14	-	44	0.4 %
15	-	1	0.0 %
21	-	28	0.3 %
28	-	10	0.1 %
30	-	54	0.5 %
35	-	4	0.0 %

0.1 %

81.0 %

6

8937

- Study 25502 -

Value	Label	Unweighted Frequency	%
42	-	22	0.2 %
45	-	1	0.0 %
49	-	2	0.0 %
56	-	6	0.1 %
60	-	66	0.6 %
63	-	2	0.0 %
70	-	1	0.0 %
91	-	138	1.3 %
98	-	3	0.0 %
105	-	1	0.0 %
121	-	174	1.6 %
126	-	1	0.0 %
152	-	91	0.8 %
182	-	136	1.2 %
212	-	31	0.3 %
243	-	21	0.2 %
273	-	15	0.1 %
304	-	6	0.1 %
334	-	3	0.0 %
364	-	4	0.0 %
365	-	31	0.3 %
547	-	1	0.0 %
999999	Don't know	8	0.1 %
. (M)	-	9720	88.1 %

DBD030

Age stopped breastfeeding(days)

Location:

15-20 (width: 6; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} completely stopped breastfeeding or being fed breastmilk? English Instructions:

Value	Label	Unweighted Frequency	%
0	Still breastfeeding	174	1.6 %
1	-	10	0.1 %
2	-	16	0.1 %
3	-	9	0.1 %
4	-	6	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	23	0.2 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
10	-	4	0.0 %
14	-	38	0.3 %
15	-	3	0.0 %
20	-	1	0.0 %
21	-	29	0.3 %
28	-	9	0.1 %
30	-	59	0.5 %
35	-	4	0.0 %
42	-	24	0.2 %
45	-	2	0.0 %
49	-	2	0.0 %
56	-	4	0.0 %
60	-	81	0.7 %
63	-	3	0.0 %
70	-	4	0.0 %
77	-	1	0.0 %
84	-	3	0.0 %
91	-	120	1.1 %
98	-	1	0.0 %
105	-	1	0.0 %
121	-	68	0.6 %
126	-	1	0.0 %
152	-	59	0.5 %
182	-	123	1.1 %
212	-	53	0.5 %
243	-	41	0.4 %
273	-	43	0.4 %
304	-	33	0.3 %
334	-	7	0.1 %
364	-	13	0.1 %
365	-	91	0.8 %
395	-	12	0.1 %
425	-	9	0.1 %
456	-	10	0.1 %
486	-	6	0.1 %
516	-	3	0.0 %
547	-	16	0.1 %
577	-	2	0.0 %
608	-	2	0.0 %
668	-	1	0.0 %

Value	Label	Unweighted Frequency	%
730	-	22	0.2 %
790	-	1	0.0 %
912	-	3	0.0 %
1095	-	4	0.0 %
1276	-	1	0.0 %
1460	-	1	0.0 %
999999	Don't know	2	0.0 %
. (M)	-	9777	88.6 %

DBD040

Age first fed formula daily(days)

Location: 21-26 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} was first fed formula on a daily basis? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never on a daily basis	248	2.2 %
1	-	944	8.6 %
2	-	29	0.3 %
3	-	15	0.1 %
4	-	6	0.1 %
5	-	5	0.0 %
6	-	1	0.0 %
7	-	39	0.4 %
8	-	3	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
14	-	41	0.4 %
15	-	4	0.0 %
19	-	1	0.0 %
21	-	29	0.3 %
28	-	12	0.1 %
30	-	61	0.6 %
35	-	3	0.0 %
42	-	19	0.2 %
45	-	3	0.0 %
49	-	4	0.0 %
56	-	5	0.0 %
60	-	80	0.7 %
63	-	1	0.0 %
70	-	7	0.1 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
84	-	2	0.0 %
91	-	110	1.0 %
98	-	2	0.0 %
105	-	1	0.0 %
121	-	78	0.7 %
126	-	1	0.0 %
152	-	51	0.5 %
182	-	100	0.9 %
212	-	40	0.4 %
243	-	27	0.2 %
273	-	18	0.2 %
304	-	13	0.1 %
334	-	3	0.0 %
364	-	6	0.1 %
365	-	17	0.2 %
425	-	1	0.0 %
456	-	2	0.0 %
547	-	2	0.0 %
999999	Don't know	7	0.1 %
. (M)	-	8994	81.5 %

DBD050

Age stopped receiving formula(days)

Location: 27-32 (width: 6; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} completely stopped drinking formula? English Instructions:

Value	Label	Unweighted Frequency	%
0	Still drinking formula	452	4.1 %
1	-	1	0.0 %
2	-	1	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
15	-	2	0.0 %
30	-	1	0.0 %
35	-	1	0.0 %
56	-	1	0.0 %
60	-	3	0.0 %
70	-	1	0.0 %
77	-	1	0.0 %
91	-	4	0.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
121	-	2	0.0 %
152	-	5	0.0 %
182	-	29	0.3 %
212	-	10	0.1 %
243	-	36	0.3 %
273	-	85	0.8 %
304	-	82	0.7 %
334	-	87	0.8 %
364	-	135	1.2 %
365	-	692	6.3 %
395	-	22	0.2 %
425	-	14	0.1 %
456	-	12	0.1 %
486	-	2	0.0 %
516	-	1	0.0 %
547	-	37	0.3 %
608	-	5	0.0 %
638	-	1	0.0 %
668	-	1	0.0 %
699	-	1	0.0 %
730	-	42	0.4 %
912	-	1	0.0 %
1095	-	7	0.1 %
1460	-	1	0.0 %
999999	Don't know	15	0.1 %
. (M)	-	9243	83.7 %

DBD060

Age first fed milk daily basis(days)

Location: 33-38 (width: 6; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} was first fed milk on a daily basis? English Instructions:

Unweighted Value Label % Frequency 0 Never on a daily basis 519 4.7 % 1 14 0.1 % 2 3 0.0 % 6 0.0 % 1 7 1 0.0 % 14 1 0.0 % 21 2 0.0 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
30	-	6	0.1 %
60	-	2	0.0 %
91	-	9	0.1 %
121	-	3	0.0 %
152	-	3	0.0 %
182	-	32	0.3 %
212	-	14	0.1 %
243	-	42	0.4 %
273	-	98	0.9 %
304	-	98	0.9 %
334	-	92	0.8 %
364	-	143	1.3 %
365	-	785	7.1 %
395	-	31	0.3 %
425	-	16	0.1 %
456	-	6	0.1 %
486	-	6	0.1 %
516	-	1	0.0 %
547	-	41	0.4 %
577	-	1	0.0 %
608	-	4	0.0 %
638	-	1	0.0 %
668	-	3	0.0 %
730	-	50	0.5 %
790	-	1	0.0 %
1095	-	4	0.0 %
1460	-	2	0.0 %
1825	-	1	0.0 %
999999	Don't know	9	0.1 %
. (M)	-	8995	81.5 %

DBD071A

Type of milk first fed - whole milk

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: What type of milk was {SP} first fed on a daily basis? Was it . . . English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
10	Whole or regular,	1277	11.6 %
99	Don't know	5	0.0 %
. (M)	-	9757	88.4 %

DBD071B Type of milk first fed - 2% milk

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: What type of milk was {SP} first fed on a daily basis? Was

it . . . English Instructions: CODE ALL THAT APPLY

ValueLabelUnweighted Frequency%112% fat milk (includes "low fat milk" not further specified)1901.7 %. (M)-1084998.3 %

DBD071C Type of milk first fed - 1% milk

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: What type of milk was {SP} first fed on a daily basis? Was

it . . . English Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 12
 1% fat milk,
 15
 0.1 %

 . (M)
 11024
 99.9 %

DBD071D Type of milk first fed - skim/nonfat

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: What type of milk was {SP} first fed on a daily basis? Was

it . . . English Instructions: CODE ALL THAT APPLY

ValueLabelUnweighted Frequency%13Skim, nonfat, or 0.5% fat milk (liquid/reconstituted f/dry)90.1 %. (M)-1103099.9 %

DBD071U Type of milk first fed - other

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 6 Yrs.) English Text: What type of milk was {SP} first fed on a daily basis? Was

it . . . English Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 30
 Another type?
 43
 0.4 %

 . (M)
 10996
 99.6 %

DBD080 Age started eating solid foods(days)

Location: 54-59 (width: 6; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 6 Yrs.) English Text: How old was {SP} when {he/she} started eating solid foods [such as strained foods like baby food or any other non-liquid foods] on a daily basis? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never on a daily basis	161	1.5 %
1	-	3	0.0 %
2	-	2	0.0 %
4	-	5	0.0 %
7	-	4	0.0 %
14	-	7	0.1 %
21	-	10	0.1 %
28	-	1	0.0 %
30	-	13	0.1 %
35	-	1	0.0 %
42	-	13	0.1 %
49	-	3	0.0 %
56	-	1	0.0 %
60	-	50	0.5 %
70	-	1	0.0 %
91	-	179	1.6 %
121	-	386	3.5 %
126	-	1	0.0 %
152	-	248	2.2 %
182	-	480	4.3 %
212	-	117	1.1 %
243	-	99	0.9 %
273	-	65	0.6 %
304	-	44	0.4 %
334	-	12	0.1 %
364	-	11	0.1 %
365	-	77	0.7 %
395	-	5	0.0 %
425	-	3	0.0 %
456	-	4	0.0 %
486	-	1	0.0 %
516	-	1	0.0 %
547	-	14	0.1 %
577	-	1	0.0 %
730	-	8	0.1 %
912	-	1	0.0 %
1095	-	1	0.0 %
999999	Don't know	12	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	8994	81.5 %

DBD090

of times/week eat restaurant food

Location: 60-63 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: {Next I have some general questions about {your/SP's} eating habits.} {First/Next} are questions about the kinds of food {you eat/SP eats}. On average, how many times per week {do you/ does SP} eat meals that were prepared in a restaurant? English

Instructions:

Value	Label	Unweighted Frequency	%
0	Never	1096	9.9 %
1	=	2734	24.8 %
2	-	1912	17.3 %
3	-	1164	10.5 %
4	-	499	4.5 %
5	-	587	5.3 %
6	-	135	1.2 %
7	-	269	2.4 %
8	-	33	0.3 %
9	-	4	0.0 %
10	-	77	0.7 %
11	-	2	0.0 %
12	-	17	0.2 %
14	-	33	0.3 %
15	-	11	0.1 %
17	-	1	0.0 %
18	-	3	0.0 %
20	-	3	0.0 %
21	-	12	0.1 %
6666	Less than weekly	1867	16.9 %
7777	Refused	4	0.0 %
9999	Don't know	2	0.0 %
. (M)	-	574	5.2 %

DBD102

Times/month eat dark green vegetables

Location: 64-68 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: During the past 12 months, how often per day, per week,

per month or per year did {you/SP} eat dark green vegetables, such as the food listed on this card?

English Instructions: Hand card DBQ1

Value	Label	Unweighted Frequency	%
0	Never	1107	10.0 %
1	-	370	3.4 %
2	-	391	3.5 %
3	-	152	1.4 %
4	-	1361	12.3 %
5	-	45	0.4 %
6	-	24	0.2 %
7	-	9	0.1 %
8	-	1738	15.7 %
9	-	2	0.0 %
10	-	23	0.2 %
11	-	2	0.0 %
12	-	4	0.0 %
13	-	1547	14.0 %
14	-	2	0.0 %
15	-	13	0.1 %
16	-	2	0.0 %
17	-	734	6.6 %
20	-	7	0.1 %
21	-	548	5.0 %
25	-	3	0.0 %
26	-	89	0.8 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1569	14.2 %
31	-	1	0.0 %
34	-	7	0.1 %
39	-	8	0.1 %
43	-	14	0.1 %
47	-	2	0.0 %
48	-	1	0.0 %
52	-	7	0.1 %
60	-	160	1.4 %
65	-	3	0.0 %
73	_	1	0.0 %
91	-	29	0.3 %
121	_	3	0.0 %
152	_	1	0.0 %
212	_	1	0.0 %
66666	Less than monthly	130	1.2 %

Value	Label	Unweighted Frequency	%
77777	Refused	4	0.0 %
99999	Don't know	7	0.1 %
. (M)	-	916	8.3 %

DBD103

#Times/month eat cooked dried beans/peas

Location: 69-73 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: During the past 12 months, how often per day, per week, per month or per year did {you/SP} eat cooked dried beans or peas, such as the food listed on this

card? English Instructions: Hand card DBQ2

Value	Label	Unweighted Frequency	%
0	Never	1115	10.1 %
1	-	714	6.5 %
2	-	714	6.5 %
3	-	283	2.6 %
4	-	2009	18.2 %
5	-	54	0.5 %
6	-	31	0.3 %
7	-	13	0.1 %
8	-	1785	16.2 %
9	-	4	0.0 %
10	-	24	0.2 %
11	-	1	0.0 %
12	-	6	0.1 %
13	-	1188	10.8 %
14	-	2	0.0 %
15	-	11	0.1 %
16	-	2	0.0 %
17	-	484	4.4 %
19	-	1	0.0 %
20	-	7	0.1 %
21	-	268	2.4 %
26	-	33	0.3 %
30	-	963	8.7 %
34	-	2	0.0 %
43	-	7	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
52	-	2	0.0 %
60	-	63	0.6 %

Value	Label	Unweighted Frequency	%
65	-	1	0.0 %
91	-	11	0.1 %
121	-	1	0.0 %
212	-	2	0.0 %
66666	Less than monthly	305	2.8 %
77777	Refused	4	0.0 %
99999	Don't know	11	0.1 %
. (M)	-	916	8.3 %

DBD196

Past 30 day milk product consumption

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(1 Yrs. to 150 Yrs.) English Text: Now I'm going to ask a few questions about milk products. Do not include their use in cooking. In the past 30 days, how often did {you/SP} have milk to drink or on {your/his/her} cereal? Please include chocolate and other flavored milks as well as hot cocoa made with milk. Do not count small amounts of milk added to coffee or tea. Would you say... English Instructions: HAND CARD DBQ3

Value	Label	Unweighted Frequency	%
0	Never	897	8.1 %
1	Rarely-less than once a week	968	8.8 %
2	Sometimes-once a week or more, but less than once a day, or	1934	17.5 %
3	Often-once a day or more?	6616	59.9 %
4	Varied	45	0.4 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	574	5.2 %

DBD221A

You drink whole or regular milk

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What type of milk was it? Was it usually . . . English

Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
10	Whole or regular,	4782	43.3 %
99	Don't know	17	0.2 %
. (M)	-	6240	56.5 %

DBD221B

You drink 2% fat milk

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What type of milk was it? Was it usually . . . English

Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
11	2% fat milk (includes "low fat milk" not further specified)	3000	27.2 %
. (M)	-	8039	72.8 %

DBD221C You drink 1% fat milk

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What type of milk was it? Was it usually . . . English

Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Vá	alue	Label	Unweighted Frequency	%
12	2	1% fat milk,	899	8.1 %
. (M)	-	10140	91.9 %

DBD221D You drink skim, nonfat or .5% milk

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What type of milk was it? Was it usually . . . English

Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
13	Skim, nonfat, or 0.5% fat milk (liquid/reconstituted f/dry)	1015	9.2 %
. (M)	-	10024	90.8 %

DBD221U You drink another type of milk

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What type of milk was it? Was it usually . . . English

Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value		Unweighted Frequency	%	
30	Another type?	317	2.9 %	
. (M)	-	10722	97.1 %	

DBD229 Regular milk drinker

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: The next question is about regular milk use. A regular

milk drinker is someone who uses any type of milk at least 5 times a week. Using this definition,

which statement best describes {you/SP}?... English Instructions: HAND CARD DBQ4

Value	Label	Unweighted Frequency	%
1	{Ive/Hes/Shes} been a reg milk drinker for most/all of life	2662	24.1 %
2	{I've/He's/She's} never been a regular milk drinker;	1051	9.5 %
3	{My/His/Her} milk drinking varied over life, s/t drink reg	1682	15.2 %
7	Refused	4	0.0 %
9	Don't know	8	0.1 %
. (M)	-	5632	51.0 %

DBD235AE

How often drank milk age 5-12

Location:

95-97 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: Now, I'm going to ask you how often {you/SP} drank milk at different times in {your/ his/her} life. How often did {you/SP} drink any type of milk, including milk added to cereal when {you were/s/he was} a child between the ages of 5 and 12 years old? Would you say... English Instructions: HAND CARD DBQ5 IF NECESSARY, PROBE FOR USUAL OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	43	0.4 %
1	Rarely-less than once a week	154	1.4 %
2	Sometimes-once a week or more, but less than once a day	353	3.2 %
3	Often-once a day or more	3739	33.9 %
4	Varied	13	0.1 %
7	Refused	1	0.0 %
9	Don't know	41	0.4 %
. (M)	-	6695	60.6 %

DBD235BE

How often drank milk age 13-17

Location:

98-100 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: Now, I'm going to ask you how often {you/SP} drank milk at different times in {your/ his/her} life. How often did {you/SP} drink any type of milk, including milk added to cereal when {you were/s/he was} a teenager between the ages of 13 and 17 years old? Would you say... English Instructions: HAND CARD DBQ5 IF NECESSARY, PROBE FOR USUAL OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	69	0.6 %
1	Rarely-less than once a week	243	2.2 %
2	Sometimes-once a week or more, but less than once a day	752	6.8 %
3	Often-once a day or more	3232	29.3 %
4	Varied	28	0.3 %
9	Don't know	20	0.2 %
. (M)	-	6695	60.6 %

DBD235CE How often drank milk age 18-35

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Now, I'm going to ask you how often {you/SP} drank milk at different times in {your/ his/her} life. How often did {you/SP} drink any type of milk, including milk added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore added to gored when {you wore left by wore left by you work and you work added to gored when {you wore left by you work added to gored when {you work added to gored

added to cereal when {you were/s/he was} a young adult between the ages of 18 and 35 years old? Would you say... English Instructions: HAND CARD DBQ5 IF NECESSARY, PROBE FOR USUAL

OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	118	1.1 %
1	Rarely-less than once a week	425	3.8 %
2	Sometimes-once a week or more, but less than once a day	1109	10.0 %
3	Often-once a day or more	2600	23.6 %
4	Varied	75	0.7 %
7	Refused	1	0.0 %
9	Don't know	16	0.1 %
. (M)	-	6695	60.6 %

DBD301 Community/Government meals delivered

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(60 Yrs. to 150 Yrs.) English Text: The next questions are about meals provided by

community or government programs. In the past 12 months, did {you/SP} receive any meals delivered to {your/his/her} home from community programs, "Meals on Wheels", or any other programs? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	72	0.7 %
2	No	1792	16.2 %
7	Refused	3	0.0 %
. (M)	-	9172	83.1 %

DBQ330 Eat meals at Community/Senior center

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(60 Yrs. to 150 Yrs.) English Text: In the past 12 months, did {you/SP} go to a community program or senior center to eat prepared meals? English Instructions: INCLUDE ADULT DAY CARE

program or senior center to eat prepared meals? English Instructions: INCLUDE ADULT DAY CARE

Value	Label	Unweighted Frequency	%
1	Yes	136	1.2 %
2	No	1728	15.7 %
7	Refused	3	0.0 %
. (M)	-	9172	83.1 %

DBQ360 Attend kindergarten thru high school

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: During the school year, {do you/does SP} attend a

kindergarten, grade school, junior or high school? English Instructions:

Value Label Unweighted % Frequency 1 Yes 30.8 % 2 No 730 6.6 % 9 0.0 % Don't know 1 . (M) 6907 62.6 %

DBQ370 School serves school lunches

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: Does {your/SP's} school serve school lunches? These are

complete lunches that cost the same every day. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	3198	29.0 %
2	No	193	1.7 %
9	Don't know	10	0.1 %
. (M)	-	7638	69.2 %

DBD381 # of times/week get school lunch

Location: 116-119 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: During the school year, about how many times a week {do

you/does SP} usually get a complete school lunch? English Instructions:

Value	Label	Unweighted Frequency	%
0	None	647	5.9 %
1	-	150	1.4 %
2	-	145	1.3 %
3	-	208	1.9 %
4	-	114	1.0 %
5	-	1923	17.4 %
9999	Don't know	11	0.1 %
. (M)	-	7841	71.0 %

DBQ390 School lunch free, reduced or full price

Location: 120-122 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(4 Yrs. to 19 Yrs.) English Text: {Do you/Does SP} get these lunches free, at a reduced price, or {do you/does he/she} pay full price? English Instructions:

Value	Label	Unweighted Frequency	%
1	Free	1344	12.2 %
2	Reduced price	276	2.5 %
3	Full price	918	8.3 %
9	Don't know	4	0.0 %
. (M)	-	8497	77.0 %

DBQ400

School serve complete breakfast each day

Location: 123-125 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: Does {your/SP's} school serve a complete breakfast that

costs the same every day? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2627	23.8 %
2	No	685	6.2 %
9	Don't know	89	0.8 %
. (M)	-	7638	69.2 %

DBD411

of times/week get school breakfast

Location: 126-129 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: During the school year, about how many times a week {do

you/does SP} usually get a complete breakfast at school? English Instructions:

Value	Label	Unweighted Frequency	%
0	None	1351	12.2 %
1	-	84	0.8 %
2	-	114	1.0 %
3	-	148	1.3 %
4	-	41	0.4 %
5	-	876	7.9 %
9999	Don't know	13	0.1 %
. (M)	-	8412	76.2 %

DBD421

School breakfast free/reduced/full price

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: {Do you/Does SP} get these breakfasts free, at a reduced

price, or {do you/does he/ she} pay full price? English Instructions:

Value	Label	Unweighted Frequency	%
1	Free	992	9.0 %
2	Reduced price	102	0.9 %
3	Full price	174	1.6 %
9	Don't know	1	0.0 %
. (M)	-	9770	88.5 %

SDDSRVYR Data Release Number

Location: 133-135 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%	
2	NHANES 2001-2002 Public Release	11039	100.0 %	

RIDSTATR Interview/Examination Status

Location: 136-138 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	562	5.1 %
2	Both Interviewed and MEC examined	10477	94.9 %

RIDEXMON Six month time period

Location: 139-141 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	5168	46.8 %
2	May 1 through October 31	5309	48.1 %
. (M)	-	562	5.1 %

RIAGENDR Gender

Location: 142-144 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5331	48.3 %

Value	Label	Unweighted Frequency	%
2	Female	5708	51.7 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location:

145-147 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
0	-	569	5.2 %
1	-	343	3.1 %
2	-	348	3.2 %
3	-	236	2.1 %
4	-	207	1.9 %
5	-	196	1.8 %
6	-	204	1.8 %
7	-	215	1.9 %
8	-	216	2.0 %
9	-	214	1.9 %
10	-	179	1.6 %
11	-	214	1.9 %
12	-	323	2.9 %
13	-	312	2.8 %
14	-	319	2.9 %
15	-	310	2.8 %
16	-	307	2.8 %
17	-	334	3.0 %
18	-	301	2.7 %
19	-	281	2.5 %
20	-	105	1.0 %
21	-	116	1.1 %
22	-	110	1.0 %
23	-	103	0.9 %
24	-	99	0.9 %
25	-	95	0.9 %
26	-	118	1.1 %
27	-	89	0.8 %
28	-	89	0.8 %
29	-	94	0.9 %
30	-	114	1.0 %
31	-	77	0.7 %

Value	Label	Unweighted Frequency	%
32	-	95	0.9 %
33	-	76	0.7 %
34	-	96	0.9 %
35	-	86	0.8 %
36	-	84	0.8 %
37	-	103	0.9 %
38	-	81	0.7 %
39	-	95	0.9 %
40	-	101	0.9 %
41	-	97	0.9 %
42	-	94	0.9 %
43	-	84	0.8 %
44	-	107	1.0 %
45	-	100	0.9 %
46	-	95	0.9 %
47	-	84	0.8 %
48	-	77	0.7 %
49	-	84	0.8 %
50	-	81	0.7 %
51	-	83	0.8 %
52	-	82	0.7 %
53	-	81	0.7 %
54	-	79	0.7 %
55	-	68	0.6 %
56	-	58	0.5 %
57	-	61	0.6 %
58	-	53	0.5 %
59	-	45	0.4 %
60	-	85	0.8 %
61	-	84	0.8 %
62	-	88	0.8 %
63	-	77	0.7 %
64	-	75	0.7 %
65	-	63	0.6 %
66	-	74	0.7 %
67	-	72	0.7 %
68	-	65	0.6 %
69	-	57	0.5 %
70	-	72	0.7 %
71	-	69	0.6 %

Value	Label	Unweighted Frequency	%
72	-	71	0.6 %
73	-	61	0.6 %
74	-	64	0.6 %
75	-	62	0.6 %
76	-	60	0.5 %
77	-	53	0.5 %
78	-	47	0.4 %
79	-	31	0.3 %
80	-	65	0.6 %
81	-	86	0.8 %
82	-	54	0.5 %
83	-	40	0.4 %
84	-	61	0.6 %
85	>= 85 years of age	236	2.1 %

RIDAGEMN Age in Months - Recode

Location: 148-151 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 152-155 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 156-158 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	2776	25.1 %
2	Other Hispanic	517	4.7 %
3	Non-Hispanic White	4606	41.7 %
4	Non-Hispanic Black	2681	24.3 %
5	Other Race - Including Multi-Racial	459	4.2 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 159-161 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	4657	42.2 %
2	Non-Hispanic Black	2746	24.9 %
3	Mexican American	2776	25.1 %
4	Other Race - Including Multi-Racial	343	3.1 %
5	Other Hispanic	517	4.7 %

DMQMILIT

Veteran/Military Status

Location: 162-164 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	838	7.6 %
2	No	5480	49.6 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4716	42.7 %

DMDBORN

Country of Birth - Recode

Location: 165-167 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	9408	85.2 %
2	Born in Mexico	993	9.0 %
3	Born Elsewhere	629	5.7 %
7	Refused	4	0.0 %
. (M)	-	5	0.0 %

DMDCITZN

Citizenship Status

Location: 168-170 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	9896	89.6 %
2	Not a citizen of the US	1128	10.2 %
7	Refused	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.0 %

DMDYRSUS

Length of time in US

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	155	1.4 %
2	1 yr., less than 5 yrs.	370	3.4 %
3	5 yrs., less than 10 yrs.	273	2.5 %
4	10 yrs., less than 15 yrs.	222	2.0 %
5	15 yrs., less than 20 yrs.	137	1.2 %
6	20 yrs., less than 30 yrs.	219	2.0 %
7	30 yrs., less than 40 yrs.	112	1.0 %
8	40 yrs., less than 50 yrs.	46	0.4 %
9	50 years or more	60	0.5 %
77	Refused	10	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.1 %
. (M)	-	9420	85.3 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 174-176 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten Only	260	2.4 %
1	1st Grade	224	2.0 %
2	2nd Grade	225	2.0 %
3	3rd Grade	199	1.8 %
4	4th Grade	194	1.8 %
5	5th Grade	246	2.2 %
6	6th Grade	328	3.0 %

Value	Label	Unweighted Frequency	%
7	7th Grade	297	2.7 %
8	8th Grade	351	3.2 %
9	9th Grade	327	3.0 %
10	10th Grade	324	2.9 %
11	11th Grade	319	2.9 %
12	12th Grade, No Diploma	50	0.5 %
13	High School Graduate	191	1.7 %
14	GED or Equivalent	20	0.2 %
15	More than high school	95	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	71	0.6 %
99	Don't know	2	0.0 %
. (M)	=	7310	66.2 %

DMDEDUC2

Education Level - Adults 20+

Location: 177-179 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	797	7.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	7.9 %
3	High School Grad/GED or Equivalent	1265	11.5 %
4	Some College or AA degree	1379	12.5 %
5	College Graduate or above	1079	9.8 %
7	Refused	5	0.0 %
9	Don't Know	12	0.1 %
. (M)	-	5632	51.0 %

DMDEDUC

Education - Recode (old version)

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numer

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	5088	46.1 %
2	High School Diploma (including GED)	1476	13.4 %

Value	Label	Unweighted Frequency	%
3	More Than High School	2553	23.1 %
7	Refused	5	0.0 %
9	Don't know	14	0.1 %
. (M)	-	1903	17.2 %

DMDSCHOL Now attending school?

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2494	22.6 %
2	On vacation from school (between grades)	594	5.4 %
3	Neither in school or on vacation from school	375	3.4 %
. (M)	-	7576	68.6 %

DMDMARTL Marital Status

Location: 186-188 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3088	28.0 %
2	Widowed	612	5.5 %
3	Divorced	456	4.1 %
4	Separated	170	1.5 %
5	Never married	2597	23.5 %
6	Living with partner	330	3.0 %
77	Refused	4	0.0 %
. (M)	-	3782	34.3 %

DMDHHSIZ Total number of people in the Household

Location: 189-191 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	838	7.6 %
2	-	1944	17.6 %
3	-	1911	17.3 %
4	-	2441	22.1 %

Value	Label	Unweighted Frequency	%
5	-	1795	16.3 %
6	-	870	7.9 %
7	7 or more people in the household	1240	11.2 %

INDHHINC Annual Household Income

Location: 192-194 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	268	2.4 %
2	\$ 5,000 to \$ 9,999	591	5.4 %
3	\$10,000 to \$14,999	854	7.7 %
4	\$15,000 to \$19,999	930	8.4 %
5	\$20,000 to \$24,999	824	7.5 %
6	\$25,000 to \$34,999	1244	11.3 %
7	\$35,000 to \$44,999	1017	9.2 %
8	\$45,000 to \$54,999	921	8.3 %
9	\$55,000 to \$64,999	722	6.5 %
10	\$65,000 to \$74,999	493	4.5 %
11	\$75,000 and Over	2096	19.0 %
12	Over \$20,000	11	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	12	0.1 %
99	Don't know	22	0.2 %
. (M)	-	1026	9.3 %

INDFMINC Annual Family Income

195-197 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	562	5.1 %
2	\$ 5,000 to \$ 9,999	799	7.2 %
3	\$10,000 to \$14,999	1093	9.9 %
4	\$15,000 to \$19,999	1018	9.2 %
5	\$20,000 to \$24,999	964	8.7 %
6	\$25,000 to \$34,999	1195	10.8 %

Value	Label	Unweighted Frequency	%
7	\$35,000 to \$44,999	967	8.8 %
8	\$45,000 to \$54,999	832	7.5 %
9	\$55,000 to \$64,999	609	5.5 %
10	\$65,000 to \$74,999	462	4.2 %
11	\$75,000 and Over	1744	15.8 %
12	Over \$20,000	231	2.1 %
13	Under \$20,000	164	1.5 %
77	Refused	97	0.9 %
99	Don't know	109	1.0 %
. (M)	-	193	1.7 %

INDFMPIR Family PIR

Location: 198-202 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	365	3.3 %
2	SP not pregnant at exam	2687	24.3 %
3	Cannot ascertain if SP is pregnant at exam	495	4.5 %
. (M)	-	7492	67.9 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

this is the previous pregnancy status recover variable. The last rections of the conservative pregnancy status previous the file decumentation.

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	394	3.6 %
2	SP not pregnant	2634	23.9 %

Value	Label	Unweighted Frequency	%
9	Cannot ascertain if SP is pregnant at exam	173	1.6 %
. (M)	-	7838	71.0 %

DMDHRGND HH Ref Person Gender

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	6224	56.4 %
2	Female	4813	43.6 %
. (M)	-	2	0.0 %

DMDHRAGE HH Ref Person Age

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
15	-	2	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	56	0.5 %
19	-	110	1.0 %
20	-	137	1.2 %
21	-	111	1.0 %
22	-	149	1.3 %
23	-	152	1.4 %
24	-	169	1.5 %
25	-	210	1.9 %
26	-	218	2.0 %
27	-	167	1.5 %
28	-	211	1.9 %
29	-	214	1.9 %
30	-	367	3.3 %
31	-	249	2.3 %
32	-	271	2.5 %
33	-	292	2.6 %
34	-	286	2.6 %

Value	Label	Unweighted Frequency	%
35	-	306	2.8 %
36	-	315	2.9 %
37	-	361	3.3 %
38	-	273	2.5 %
39	-	320	2.9 %
40	-	329	3.0 %
41	-	315	2.9 %
42	-	276	2.5 %
43	-	268	2.4 %
44	-	341	3.1 %
45	-	313	2.8 %
46	-	265	2.4 %
47	-	180	1.6 %
48	-	218	2.0 %
49	-	191	1.7 %
50	-	196	1.8 %
51	-	193	1.7 %
52	-	152	1.4 %
53	-	140	1.3 %
54	-	171	1.5 %
55	-	115	1.0 %
56	-	95	0.9 %
57	-	74	0.7 %
58	-	97	0.9 %
59	-	87	0.8 %
60	-	78	0.7 %
61	-	92	0.8 %
62	-	117	1.1 %
63	-	91	0.8 %
64	-	93	0.8 %
65	-	81	0.7 %
66	-	90	0.8 %
67	-	89	0.8 %
68	-	93	0.8 %
69	-	54	0.5 %
70	-	76	0.7 %
71	-	78	0.7 %
72	-	64	0.6 %
73	-	68	0.6 %
74	-	82	0.7 %

Value	Label	Unweighted Frequency	%
75	-	75	0.7 %
76	-	74	0.7 %
77	-	58	0.5 %
78	-	48	0.4 %
79	-	39	0.4 %
80	-	72	0.7 %
81	-	81	0.7 %
82	-	48	0.4 %
83	-	35	0.3 %
84	-	63	0.6 %
85	>= 85 years of age	232	2.1 %
. (M)	-	2	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	8052	72.9 %
2	Born in Mexico	1666	15.1 %
3	Born Elsewhere	966	8.8 %
7	Refused	3	0.0 %
. (M)	-	352	3.2 %

DMDHREDU

HH Ref Person Education Level

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1468	13.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	2082	18.9 %
3	High School Grad/GED or equivalent	2537	23.0 %
4	Some College or AA degree	2539	23.0 %
5	College Graduate or above	2009	18.2 %
7	Refused	7	0.1 %
9	Don't know	49	0.4 %
. (M)	-	348	3.2 %

DMDHRMAR HH Ref Person Marital Status

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	6512	59.0 %
2	Widowed	758	6.9 %
3	Divorced	992	9.0 %
4	Separated	489	4.4 %
5	Never married	1363	12.3 %
6	Living with partner	434	3.9 %
77	Refused	30	0.3 %
99	Don't know	14	0.1 %
. (M)	-	447	4.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	882	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	800	7.2 %
3	High School Grad/GED or equivalent	1394	12.6 %
4	Some College or AA degree	1537	13.9 %
5	College Graduate or above	1144	10.4 %
7	Refused	3	0.0 %
9	Don't know	22	0.2 %
. (M)	-	5257	47.6 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 227-240 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 241-253 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 254-267 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 268-281 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 282-284 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 5555
 50.3 %

 2
 5484
 49.7 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 285-287 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
14	705	6.4 %
15	781	7.1 %
16	776	7.0 %
17	824	7.5 %
18	682	6.2 %
19	815	7.4 %
20	760	6.9 %
21	691	6.3 %
22	707	6.4 %
23	810	7.3 %
24	703	6.4 %
25	688	6.2 %
26	788	7.1 %
27	713	6.5 %
28	596	5.4 %