Common Force Part I

Gravity

Gravity is a concept of force, it describes the interaction between two objects with mass. For an object on Earth, we can consider gravity as the gravitational force that the Earth exerts on the object. Through experiments, we know that near the surface of the Earth, an object under the influence of gravity will accelerate, and its acceleration value is approximately $g=9.8~\mathrm{m/s^2}$. According to Newton's second law of motion, we can deduce that the gravity an object experiences near the surface of the Earth is F=mg, where m is the mass of the object.

Weight

The concept of weight is basically similar to gravity, but accurately speaking, weight refers to the reading on the scale, that is, the force received by the scale. When an object is not affected by other external forces, its weight is equal to the gravity it experiences. We can record their relationship as follows:

$$W = mg$$
 (1)

However, when an object is affected by other external forces, its weight will change accordingly. For example, suppose an object has a mass of m and is affected by gravity and an upward external force $F_{\rm up}$, the force received by the scale will become $mg-F_{\rm up}$, so the weight will also become $W=mg-F_{\rm up}$.

Sample Problem #1

It is known that the weight of an object measured on the Alpha planet is 6 times that of the earth. If an object of weight m is launched upward with the same initial velocity v_0 , what is the difference in the maximum height measured by the object on the earth and the Alpha planet?

Sol.

Sample Problem #2
Suppose there is an object of mass m on the earth, moving downward with an acceleration of $0.3g$, (a) what is the net force $F_{\rm net}$ on the object? (b) What is the sum of the non-gravitational forces on the object? If the object moves upward with an acceleration of $0.5g$, (c) what is the net force $F_{\rm net}$ on the object? (d) What is the sum of the non-gravitational forces on the object?
Sol.
Normal Force
Normal force is a concept of force, it describes the force that a surface exerts on an object with which it is in contact. Namely, it is always perpendicular to the surface.
For an object resting on a flat surface, the normal force counteracts the weight of the object. The normal force can be calculated as $N=mg$, where m is the mass of the object and g is the acceleration due to gravity.

Sample Problem #3

There is a block of mass m placed on a horizontal table, (a) what is the force exerted by the block on the horizontal table? (b) What is the normal force exerted by the horizontal table on the block? (c) If the table and the block move together at a constant speed on the horizontal table, what is the net force on the block? What is the normal force on the block? (d) If the table and the block move together on the horizontal table with a downward acceleration of 0.3g, what is the net force on the block? What is the normal force on the block?

Sol.	

Tension

Tension is a concept of force, it describes the pulling force transmitted by a string, cable, chain, or similar one-dimensional continuous object, or by each end of a rod, truss member, or similar three-dimensional object. Tension might also be described as the action-reaction pair of forces acting at each end of the said elements. Tension could depend on the length and elasticity of the object, and the force applied. The unit of tension is the same as the unit of force, that is, Newton (N).

Light String

In the context of a light string, the term **light** refers to the string being **massless or of negligible mass**. When a force is applied to such a string, it can be assumed that the tension throughout the string is uniform. This is because a light string does not have its own weight to affect the tension. Therefore, the tension at one end of the string is equal to the tension at the other end.

Sample Problem #5 There are two blocks with weights of 0.5kg and 1kg respective ceiling with a light rope. The order is that the heavier block is of the rope can be ignored. If the blocks are at rest, answer the tension of the rope connecting the ceiling and the blocks? between the two blocks? Sol.	ly. Now they are strung on the
There are two blocks with weights of 0.5kg and 1kg respective ceiling with a light rope. The order is that the heavier block is of the rope can be ignored. If the blocks are at rest, answer the tension of the rope connecting the ceiling and the blocks? Detween the two blocks?	lv. Now they are strung on the
There are two blocks with weights of 0.5kg and 1kg respective ceiling with a light rope. The order is that the heavier block is of the rope can be ignored. If the blocks are at rest, answer the tension of the rope connecting the ceiling and the blocks? Detween the two blocks?	ly. Now they are strung on the
ceiling with a light rope. The order is that the heavier block is of the rope can be ignored. If the blocks are at rest, answer the tension of the rope connecting the ceiling and the blocks? Detween the two blocks?	ly. Now they are strung on the
Sol.	on the lighter block, and the mass e following questions: (a) What is

Sample Problem #4

Exercises

Sol.			