W03 - Homework

Stepwise problems - Thu. 11:59pm

Partial fractions

01

Distinct linear factors

Compute the integral:

$$\int \frac{1}{(x+2)(x-3)} \, dx$$

02

Long division first

Compute the integral:

$$\int \frac{2x^3 + 3x^2 + 7x + 4}{x + 1} \, dx$$

03

E Repeated factor

Compute the integral:

$$\int \frac{1}{x(x-1)^2} \, dx$$

Simpson's Rule

04

Simpson's Rule

Elapsed Time (min)	0	15	30	45	60	75	90	105	120	135	150	165	180
Temp (°C)	21	21.3	21.5	21.8	21.6	21.2	20.8	20.6	20.9	21.2	21.1	21.3	21.2

The chart above shows a record of ambient temperatures measured each 15 minutes over 3 hours. Compute the approximate average temperature using Simpson's Rule. You may use a calculator to resolve the arithmetic in your final expression.

Regular problems - Sat. 11:59pm

Partial fractions

☑ Partial fractions - irreducible quadratic

Compute the integral:

$$\int \frac{x^2}{x^2 + 9} \, dx$$

06

Partial fractions - long division

Compute the integral:

$$\int \frac{x^2 - x + 1}{x^2 + x} \, dx$$

07

Partial fractions - big generic

Give the *generic* partial fraction decomposition (no need to solve for the constants):

$$\frac{x+2}{(x^2+2)(x-1)^3(x^2-9)}$$

08

Partial fractions - linear and quadratic

Compute the integral:

$$\int \frac{5x^2 - 5x + 14}{(x-2)(x^2+4)} \, dx$$

09

Partial fractions - repeated factor

Compute the integral:


$$\int \frac{1}{x(x-1)^3} \, dx$$

Simpson's Rule

10

Simpson's Rule for volume by shells

Use Simpson's Rule with n=6 to compute the volume of the solid obtained by revolving the pictured region about the y-axis. Can you do it without using a calculator?



11

