# Midterm Exam #1 Name:

STA 371G, Statistics and Modeling, Spring 2015

EID:

- Please answer all problems in the space provided on the exam. The full score is 100.
- Read each question carefully and clearly present your answers.
- You must show all your work and give a complete explanation. No credit will be given for only the answer without an explanation/equation.
- The exam is closed-book. You are allowed one page of notes. You may use a calculator.

## Z ~ N(0,1)

х	P(Z <x)< th=""><th>х</th><th>P(Z<x)< th=""><th>х</th><th>P(Z<x)< th=""><th>x</th><th>P(Z<x)< th=""></x)<></th></x)<></th></x)<></th></x)<>	х	P(Z <x)< th=""><th>х</th><th>P(Z<x)< th=""><th>x</th><th>P(Z<x)< th=""></x)<></th></x)<></th></x)<>	х	P(Z <x)< th=""><th>x</th><th>P(Z<x)< th=""></x)<></th></x)<>	x	P(Z <x)< th=""></x)<>
-3	0.0013	-1.5	0.0668	0	0.5	1.5	0.9332
-2.95	0.0016	-1.45	0.0735	0.05	0.5199	1.55	0.9394
-2.9	0.0019	-1.4	0.0808	0.1	0.5398	1.6	0.9452
-2.85	0.0022	-1.35	0.0885	0.15	0.5596	1.65	0.9505
-2.8	0.0026	-1.3	0.0968	0.2	0.5793	1.7	0.9554
-2.75	0.003	-1.25	0.1056	0.25	0.5987	1.75	0.9599
-2.7	0.0035	-1.2	0.1151	0.3	0.6179	1.8	0.9641
-2.65	0.004	-1.15	0.1251	0.35	0.6368	1.85	0.9678
-2.6	0.0047	-1.1	0.1357	0.4	0.6554	1.9	0.9713
-2.55	0.0054	-1.05	0.1469	0.45	0.6736	1.95	0.9744
-2.5	0.0062	-1	0.1587	0.5	0.6915	2	0.9772
-2.45	0.0071	-0.95	0.1711	0.55	0.7088	2.05	0.9798
-2.4	0.0082	-0.9	0.1841	0.6	0.7257	2.1	0.9821
-2.35	0.0094	-0.85	0.1977	0.65	0.7422	2.15	0.9842
-2.3	0.0107	-0.8	0.2119	0.7	0.758	2.2	0.9861
-2.25	0.0122	-0.75	0.2266	0.75	0.7734	2.25	0.9878
-2.2	0.0139	-0.7	0.242	0.8	0.7881	2.3	0.9893
-2.15	0.0158	-0.65	0.2578	0.85	0.8023	2.35	0.9906
-2.1	0.0179	-0.6	0.2743	0.9	0.8159	2.4	0.9918
-2.05	0.0202	-0.55	0.2912	0.95	0.8289	2.45	0.9929
	0.0228	-0.5	0.3085	1	0.8413		0.9938
-1.95	0.0256	-0.45	0.3264	1.05	0.8531	2.55	0.9946
-1.9	0.0287	-0.4	0.3446	1.1	0.8643	2.6	0.9953
-1.85	0.0322	-0.35	0.3632	1.15	0.8749	2.65	0.996
_	0.0359	-0.3	0.3821	1.2	0.8849	2.7	0.9965
	0.0401	-0.25	0.4013	1.25	0.8944	2.75	0.997
-1.7	0.0446	-0.2	0.4207	1.3	0.9032		0.9974
-1.65	0.0495	-0.15	0.4404	1.35	0.9115		0.9978
	0.0548	-0.1	0.4602	1.4	0.9192		0.9981
	0.0606	-0.05	0.4801	1.45	0.9265		0.9984
-1.5	0.0668	0	0.5	1.5	0.9332	3	0.9987

## Problem 1 (10 points)

A construction company has to complete a project no later than four months from now or there will be significant cost overruns. The manager of the construction company believes that there are four possible values for the random variable X, the number of months from now it will take to complete the project: 1, 2, 3, and 4. The manager currently thinks that the probabilities for these four possibilities are in the ratio of 2 to 5 to 2 to 1. That is to say, X = 1 is two times more likely than X = 4.

UIIC	11 11
(a)	(2 points) Find the probability distribution of $X$ .
(b)	(2 points) What is the expected completion time of this project from now?
(c)	$(2\ points)$ How much variability exists around the expected completion time? (Hint: calculate the variance/standard deviation)
(d)	(2 points) Suppose that the manager will get a bonus of $Y=10-2X$ thousand dollars. Find the mean and variance of the manager's bonus.

(e) (2 points) What's the probability for the manager to get a bonus that is more than \$5600?

## Problem 2 (10 points)

Suppose that 34% of the UT 2014 BBA graduates work in Houston, TX, 10% of the UT 2014 BBA graduates are in the energy industry, and 80% of the UT 2014 BBA graduates who are in the energy industry work in Houston, TX.

- (a) (2 points) If we randomly choose a UT 2014 BBA graduate, what is the probability that this person is in the energy industry and works in Houston, TX.
- (b) (2 points) If we randomly choose a UT 2014 BBA graduate, what is the probability that this person is in the energy industry and does *not* work in Houston, TX?
- (c) (2 points) If we randomly choose a UT 2014 BBA graduate, what is the probability that this person works neither in the energy industry nor in Houston, TX?
- (d) (2 points) If we randomly choose a person from the UT 2014 BBA graduates who work in Houston, TX, what is the probability that this person is in the energy industry?
- (e) (2 points) If we randomly choose a person from the UT 2014 BBA graduates who do *not* work in Houston, what is the probability that this person is in the energy industry?

# Problem 3 (5 points)

Suppose  $X \sim \mathcal{N}(10, 4)$ , i.e., X is normal distributed with mean 10 and variance 4. Compute:

- (a) (1 points) P(X = 10)
- (b) (2 points) P(X > 14)
- (c) (2 points) P(8 < X < 10)

# Problem 4 (5 points)

A company can purchase raw material from either Supplier A or Supplier B and is concerned about the amounts of impurity the material contains. A review of the records for each supplier indicates that the percentage purity levels in consignments of the raw material follow normal distributions with the means and standard deviations given in the table below. The company want to ensure the purity level in a consignment to exceed 93 percent and want to purchase from the supplier more likely to meet that specification. Which supplier should the company choose?

	Mean	Standard Deviation
Supplier A	94.8	0.8
Supplier B	95.0	1.0

### Problem 5 (20 points)

BBA FULL-TIME PROF	ILES View by	BBA Salary Su	rvey 2014	<b>\$</b>
BBA Salary Survey 2014	Average	Median	Standard Deviation	
Full-Time Overall Salaries	\$58,769	\$60,000	\$10,780	

The figure above shows the 2014 McCombs BBA Salary Survey, which is based on 600 voluntary reports. Assume the annual salary for a 2014 BBA graduate follows a normal distribution, whose mean is equal to the "Average" reported in the Survey and whose standard deviation is equal to the "Standard Deviation" reported in the Survey. Answer Questions (a)-(e).

- (a) (4 points) Find the 95% Confidence Interval for the annual salary of a 2014 BBA graduate.
- (b) (4 points) Find the probability for a 2014 BBA graduate to have an annual salary that is between \$58,769 and \$69,549.
- (c) (4 points) If a 2014 BBA graduate decided to reject a job offer immediately if he/she received an offer with an annual salary that was among the bottom 16%, what would be the least amount of annual salary for him/her to not reject the offer immediately?
- (d) (4 points) Describe the distribution of the average annual salary of 25 randomly selected 2014 BBA graduates.

The average annual salary of \$58,769 reported in the survey provides an estimate of the TRUE average annual salary, which can only be obtained if all 2014 BBA graduates reported their salaries.

(e) (4 points) Does the average annual salary reported in this survey provide an accurate estimation of the true average annual salary of all 2014 BBA graduates? If Yes, provide your explanations and find the 95% Confidence Interval of the true average salary of all 2014 BBA graduates. If No, provide your explanations and give suggestions on how to improve the estimation accuracy.

### Problem 6 (10 points)

For a "Yes/No" question, suppose that the proportion of people in the population that would answer the question with "Yes" is p. If we survey n people randomly selected from a large population with this "Yes/No" question, where the population size is considerably larger than n, then the number of "Yes" from a random sample of n people can be considered as a binomial random variable

$$X \sim \text{Binomial}(n, p)$$
.

If n is not too small and p is not too close to 0 or 1, then  $X \sim \text{Binomial}(n, p)$  can be further approximated with a normal random variable as

$$X \sim \mathcal{N}(np, np(1-p)),$$

where np is mean and np(1-p) is the variance.

Suppose in a recent survey, 90 out of 108 randomly selected McCombs BBA students supported introducing an elective course on business analytics. Answer Question (a).

(a) (5 points) Based on this survey, find the 95% Confidence Interval for the true proportion of McCombs BBA students who support introducing an elective courses on business analytics.

For Fall 2014, there were 4,515 BBA students in total and 3,931 of them were Texas residents. Answer Question (b).

(b) (5 points) For Fall 2014, if you randomly select 80 BBA students, what would be the 95% Confidence Interval of the number of Texas residents among these randomly selected 80 BBA students?

# Problem 7 (20 points)

The table below shows the fuel economy of four randomly selected cars. The weight of a car is measured in thousands of kilograms and the fuel economy is measured in KPL (kilometers per liter). Let X denote Weight and Y denote Fuel Economy (Note that four data points are usually far from enough in practice. We choose four points only for illustration purpose).

Weight $(X)$	2	1.5	1.8	1.1
Fuel Economy $(Y)$	7	8	5	10

- (a) (2 points) Calculate the sample means of X and Y.
- (b) (2 points) Calculate the sample standard deviations of X and Y.
- (c) (2 points) Calculate the sample covariance between X and Y.
- (d) (2 points) Calculate the sample correlation between X and Y.
- (e) (2 points) Suppose we use simple linear regression to describe how the Fuel Economy changes as a linear function of the Weight. Calculate the least squares estimates of the intercept and slope.
- (f) (2 points) What are the units of the intercept and slope.
- (g) (2 points) Suppose we change the units of Weight from 1000 kilograms to 1000 pounds (1000 kilograms = 2204.62 pounds), what would be the new intercept and slope?
- (h) (2 points) Suppose we not only change the units of Weight from 1000 kilograms to 1000 pounds, but also change the units of Fuel Economy from KPL (kilometers per litter) to MPG (miles per gallon), where 1 KPL = 2.352 MPG, what would be new the intercept and slope?
- (i) (2 points) Calculate the coefficient of determination  $\mathbb{R}^2$  and explain its meaning.
- (j) (2 points) Based on this analysis, briefly describe your understanding of the relationship between the Weight and Fuel Economy of a car.

# Problem 8 (20 points)

The federal Class III milk price, although not the same as, is closely related to the California mailbox price that a milk farmer in California receives for his milk. Based on the monthly milk price data from May 2004 to May 2007, one can run a simple linear regression model to regress the federal Class III milk price on the California mailbox price. The milk price is measured with \$/cwt, where cwt is a unit of measurement that is roughly 100 pound of milk.

The simple linear regression results are presented in the table below:

	Α	В	С	D	Е	F	G	Н
1			Lin	ear Regression				
2								
3	Regression Statistics							
4	R							
5	R Square	B5=?						
6	Adjusted R Square							
7	Standard Error	0.54						
8	Total number of observations	37						
9			Class III	= b0 + b1 * Mailbox				
10								
11	ANOVA							
12		d.f.	SS	MS	F	p-level		
13	Regression	1.	138.11		465.63179	0.E+0		
14	Residual	35.	C14=?					
15	Total	36.	148.49					
16								
17		Coefficients	Standard Error	LCL	UCL	t Stat	p-level	H0 (5%) rejected?
18	Intercept	-0.93	0.69346	-2.33371	0.48189	-1.3352	0.19043	No
19	Mailbox	1.14	0.05268	1.02983	1.24372	21.5785	0.E+0	Yes
20	T (5%)	2.03011						
21	LCL - Lower value of a reliable	interval (LC	L)					
22	UCL - Upper value of a reliable	e interval (UC	CL)					

Based on the results presented in the table, answers Questions (a)-(d).

(a) (2 points) Suppose the estimated simple linear regression line is expressed as

Class III Price = 
$$b_0 + b_1 \times \text{Mailbox Price}$$
,

what's the values of  $b_0$  and  $b_1$ ?

- (b) (2 points) What's the value in cell C14?
- (c) (2 points) What's the value in cell B5?
- (d) (2 points) We choose  $b_0$  and  $b_1$  to minimize which value in the table?

Consider the regression model

ClassIII<sub>t</sub> = 
$$\beta_0 + \beta_1 \text{Mailbox}_t + \epsilon_t$$
,  $\epsilon_t \sim \mathcal{N}(0, \sigma^2)$ ,

where ClassIII<sub>t</sub> represents the milk price in month t for the federal Class III milk and Mailbox<sub>t</sub> represents the California mailbox price in month t. Supposing it is true that  $\beta_0 = b_0$ ,  $\beta_1 = b_1$  and  $\sigma = 0.54$ , answers Questions (e)-(g).

- (e) (4 points) Suppose the California Mailbox Price is \$12/cwt, what's the 95% Prediction Interval for the price of the federal Class III milk?
- (f) (4 points) Suppose the California Mailbox Price is \$12/cwt, what's the probability that the federal Class III milk will be lower than \$10/cwt?
- (g) (4 points) In order to hedge the risk of low milk price in California, in this February, a California milk farmer purchased a put option on the federal Class III milk with a strike price of \$14/cwt. The payoff from the put option is zero, if the strike price is lower than or equal to the Class III milk price, and is equal to the strike price of the put option MINUS the Class III milk price if the strike price is higher than the Class III milk price.

Suppose the California Mailbox Price is \$12/cwt in this August, and the total cost of purchasing and trading the August put option is \$0.79/cwt, what's the probability that this farmer will make a net revenue (mailbox price PLUS payoff from the put option MINUS cost of purchasing and trading the put option) of more than \$13/cwt for his milk in this August?