

SWEN221:Software Development

13: Java Puzzlers

David J. Pearce & Nicholas Cameron & James Noble Engineering and Computer Science, Victoria University

Java Puzzlers

How well do you know Java?

(See "Java Puzzlers", Addison Wesley)

About Java

- Java
 - It's a complicated language!
 - Most programmers (even really good ones)
 don't know all the rules
- Java Language Specification (JLS)
 - Provides a (nearly) complete guide to the rules.
 - · See:

http://java.sun.com/docs/books/jls/third_edition/html/j3TOC.html

Puzzle #1 (Division)

• What does this code print?

```
int x = (-1 / 2);
int y = (1 / 2);
System.out.println(x + "," + y);
```

$$B) -1,0$$

Puzzle #2 (Post Increment)

• What does this code print?

```
int x = 0;
int y = x++ + x++ + x++;
System.out.println(y);
```

A)0

B) 2

C) 3

Puzzle #3 (oddity)

How to check an integer is odd?

```
boolean isOdd(int x) {
  return (x%2) == 1;
}
```

- Does this method work?
- A) Yes

B) No

C) Don't know

Puzzle #4 (Binary Operators)

• What does this code print?

```
int x = 3 * 11 / 2;
int y = 11 / 2 * 3;
System.out.println(x + "," + y);
```

A) 15,16

B) 16,1

C) 16,15

Puzzle #5 (Finally)

• What does this code print?

```
static void main(String[] args) {
        System.out.println(f());
}

static boolean f() {
   try { return true; }
   finally { return false; }
}
```

A) true

- B) false
- C) doesn't compile

Puzzle #6 (Exceptions)

• What does this code print?

```
String x = null;
 x.toString();
 catch(NullPointerException e1) {
  int x = 10 / 0;
} catch(ArithmeticException e2) {
 System.out.println("1");
catch(ArithmeticException e2) {
System.out.println("2");
```

A) 1

B) 2

C) other

Puzzle #7 (Constructors)

• What does this code print?

```
public class Test {
    Test() { f(); }
    void f() {}
}

public class Test2 extends Test {
    int i = 1;
    void f() { System.out.println(i); }

    public static void main(String[] args) {
        new Test2();
    }
}
```

A) 0

B) 1

C) nothing

Puzzle #8 (Multiplication)

• What does this code print?

```
public class Test {
    public static void main(String[] args) {
        int x = 60 * 60 * 24 * 1000 * 1000;

        System.out.println(x);
    }
}
```

A) 864000000000

B) 1

C) other

Puzzle #9 (Sums)

• What does this code print?

```
int[] arr = {77, 077, 0x4D};
int sum = 0;

for(int i : arr) {
  sum = sum + i;
}
System.out.println(sum);
```

A) 232

B) 231

C) 217

Puzzle #10 (Static Blocks)

• What does this code print?

```
public class Test {
    static Test t1 = new Test();
    static Integer t2 = new Integer(1);
    Integer i1;
   public Test() { i1 = t2; }
    int f() { return i1; }
   public static void main(String[] args) {
      System.out.println(t1.f());
```

A) 1

B) 0

C) other

Puzzle #11 (Final)

```
public class Final {
public Final() { trickster(); }
void trickster() {}
 public static class Inner extends Final {
 public int x,y = 123;
 public final int z = 456;
 public void Inner() { x += 10; }
 void trickster() { x += y + z; }
 public static void main(String[] args) {
  System.out.println(new Inner().x);
```

A) 589 B) 466 C) 456 d) 123 e) 579

Puzzle #12 (Equality)

What does this code print?

A) "length: true" B) "length: false" C) other