


Recruiting

Matthew "mirage335" Hines

Maximum performance solutions.

Instructor in Technology Fundamentals (problemSolversGuide). Hardware, software, wetware designer. Interoperability specialist. Deploying a self-expanding VR environment throughout uninhabited space.



Communication

IRC WebChat: <https://kiwiirc.com/nextclient/irc.libera.chat/##mirage335>

Discord: <https://discord.gg/Tm9Am8Yt>

Patreon: <https://www.patreon.com/mirage335>

Sponsor GitHub: <https://github.com/sponsors/mirage335>

YouTube: <https://www.youtube.com/channel/UC-hYbYGjhQdoF18U5VRUH9g>

GitHub: <https://github.com/mirage335>

Email: spamfreemirage335 ' a T' gmail 'dot ' com

Phone: 1-301-660-6414

Typically available between 10:00-22:00 EDT and often beyond.

Please **do** text, leave voicemail, call multiple times, contact through multiple channels (eg. both IRC and Discord), repeatedly send multiple emails, etc. Due to persistent automation spam everywhere, such proof of cognition is helpful. For everyone already regularly contacting me, bringing my attention to any new persons or opportunities, is always very much appreciated also.

If communications are somehow saturated, or many opportunities arise, priority will go to people who can help make progress on the 'roadmap and timeline' under the 'universalTechnologySpecificationTextbook' ('uTST') .

More information (eg. unpublished email addresses) available on request.

Diversity, Equity, Inclusiveness (DEI)

Author 'mirage335' supports any reasonable path, valuing that many other persons have reasonable ideas, often adding new abilities and imagination.

For diversity, bring an apparently unique emphasis on possibilities, pragmatism, and brevity, so more is accessible for more people everywhere to pursue their own unique interests.

For equity, continue to unequivocally oppose and reverse any bias wherever credible evidence is found, to support others who find, oppose, or reverse, bias, so people can obtain the means and opportunities to pursue ideas that help everyone.

For inclusiveness, press for the realization that people with different interests and backgrounds are actually uniquely valuable and can in fact coexist in the same world.

Sometimes I, 'mirage335', have had the disappointment of witnessing and hearing of seriously intentional biased derogatory remarks, explicitly stated unwelcome harassment, imposition of limits, insinuation that non-conflicting private inclinations are public conflicts of interest. An individual's potential, contributions, and experience of life, is wholly distinct from any other attribute, group, behavior. Any bias otherwise only causes harm, is irrational as such, and discourages productive individuals who will notice.

Discovering such discouragement is difficult enough, tolerating such discouragement has no rational excuse.



Lawful PvP. Straggler criminal CMDRs from Eravate harassing newer players elsewhere in Elite Dangerous were hunted down after Eravate had cleared and Eravate Defense Network (EDN) ships had mostly withdrawn. Much thanks to 'Arguendo' for his 'IRL' air battle management skills coordinating EDN.

Here, I 'm335' with three other friendly CMDRs, in an Imperial Courier outfitted for speed, interdiction, shield cell cancellation (ie. mosquito wing), continued the hunt to another well justified PvP kill.

Direction

Helpful individuals or organizations are invited to participate.

Winners at the game of life bring the fullest diversity and quality to more players.

A transition from no wealth (ie. biological competence, what animals are born with), through wealth living on us (ie. creating technological tools), to us living on and once again independent of wealth (ie. technological competence, everyone born with the benefits of 'self-driving AI').

Eventually, while we still can before this universe ends in chaos, we must mostly fill that universe with unfettered opportunity. Eventually, we must be allowed uninterrupted, immersive, unlobotomized lives of our choosing with no limits whatsoever on our own forms, associations, experiences, cravings, desires, virtual reality, or neural interfaces.

My goal was and will long remain the widest possible empowerment - the expedient transition from no wealth, through living on wealth, to the unlimited wealth of self-driving AI for all to experience whatever life however they may wish.

Strengths

- *) Robust containment of complete hardware and software design toolchains with interprocess-communication within single filesystem directories.
- *) Compatibility layer for applications, legacy multiplatform (ie. MSW), cloud, virtualization, and LiveCD/LiveUSB.
- *) Interoperable libraries for use within hardware and software design toolchains.
- *) Compatible interfaces for hardware and software designs.
- *) Strategic planning, technical point-of-diminishing-returns due diligence.
- *) Extensively self-taught, accustomed to efficiently exploring uncharted territory.

Official Titles

Nation Of Makers (NOM) - Participant

Aug2016 - Present

<https://www.nationofmakers.us/>

<https://makezine.com/2016/08/31/makerspace-organizers-convene-at-the-white-house/>

Represented both Makersmiths (as member) and HacDC (as BoD) at the "Nation of Makers" gathering, and remain in contact with the people at that gathering.

HacDC - Former Director at Large, Former Vice President and Director of IT, Admin Team, Contributing Member

May2012 - May2021

<http://www.hacdc.org/>

Former Official contact for SUPPLIES and EXPANSION funds.

Network infrastructure for St.Stephens Church and tenants. Shell/VPS servers for HacDC members.

Providing an enduring historical perspective as one of the most longstanding members.

Multiple projects, presentations, prominently biosignal amplifier and OpticalTableRobot R&D.

Radio antenna development, testing, installation.

CNC mill, 3D printer, laser cutter, electronics test equipment deployment, operation, maintenance.

Represented both Makersmiths and HacDC at the "Nation of Makers" gathering.

Please support your local hackerspace!

ZXYPro, 3D Connected Printing - Software Technologist (formerly Chief Technology Officer)

May2016 - Present

<https://zxypro.com/>

<https://web.archive.org/web/20180817164203/http://www.3dconnectedprinting.com/>

<https://www.etsy.com/shop/3DConnectedPrinting>

Interdisciplinary technical leadership, strategic planning.

CAD modeling, electronics design.

IT infrastructure management.

CNC machinery design, maintenance, improvement.

Imagnus Medical - Director of Engineering

Feb2013 - Present

<https://www.linkedin.com/company/imagnus>

Interdisciplinary technical leadership, strategic planning.

CAD modeling, electronics design.

IT infrastructure management.

Electrical, mechanical, and optical prototyping - fabrication and assembly.

Soaring Industries LLC - Owner, Sole Proprietor, CEO

Mar2016 - Present

soaringindustries.space

Self-owned technology business. Especially offers expertise in deploying own open-source technology, bringing emerging advantages in scalability and profitability, while field testing to reduce distractions from production and design.

PatchRap and CoreAutoSSH are notable successes of Soaring Industries LLC.




Soaring Distributions LLC - Manager

Apr2022 - Present

https://soaringdistributions.github.io/site_distLLC/

Distribution of some (may be mostly if not entirely software, mostly if not entirely FLOSS) products.



Skills

Over the years, some specific skills have been put into use, by no means a complete list.

Hardware design, electronic, mechanical, and optical.

Mechanical Design
Optical Design
Electrical Design
Analog
Simulation

Design automation. Using gEDA, FreeCAD A2Plus.

FreeCAD
gEDA
GravitySketch
MakeVRPro

Fabrication and fabrication tools. Including 3D printing, CNC milling, laser cutting/engraving, photolithography.

Fabrication
Manufacturing
Photolithography
CNC Milling
3D Printing
Laser Cutting

Graphical design/editing. Using GIMP, Xournal, Inkscape, and others.

Graphics
GIMP
Xournal
Inkscape

Programming/Scripting. Bash, C, C++, Arduino, Python, PHP, and similar.

Scripting
Programming
Bash
C
C++
Arduino
Python
MySQL

Unix/Linux portability, Legacy/MSW compatibility.

Debian
Gentoo
Linux
UNIX
LiveUSB
Virtualization

Cryptography.

Cryptography

Signal processing, statistical confidence testing, psychometrics.

Filter Design
Infinite Impulse Response
Statistics
Correlation
Confidence Testing
Psychometrics

Documentation.

Technical Writing
MediaWiki
HTML

Strategic leadership.

Instruction
Project Management
Git
GitLab
Research

Community

Have extensive experience leading community organizations, teaching freely available classes, and identifying issues in open-source code. Additionally, many other projects have been done collaboratively or in service of a larger community.

Assistant Teacher to Dan Barlow for CNC Mill Class

Mar2015

Class (at HacDC) began with Dan Barlow's outstanding theoretical introduction, which covered mounting hardware, cutting speeds, machine subsystems, and much more. Subsequently provided practical, hands-on individual instruction. Participants were independently able to attach appropriate mounting hardware, clamp workpieces, generate g-code using JSCut, and actually mill their designs.

CAD Modeling Class

May2013

Participants (at HacDC) were guided to create complex printable 3D models in under 20 minutes. Focus was on the fundamental geometric CAD workflow: sketching, constraining, extruding, face sketching, and assembling. After this tutorial, in-service part designs were demonstrated.

KVirc Weak Encryption (Bug Report)

Jul2011

Tested and found KVirc encryption to use only ECB mode, which outputs identical ciphertext for identical inputs and keys. Filed bug report, and contacted developer CtrlAltCa via IRC. Proper CBC mode encryption became available and documented for KVirc as a result. Encrypting an image in ECB mode, as Wikipedia demonstrates, dramatically reveals this is an incorrect way to use otherwise secure ciphers.

http://en.wikipedia.org/wiki/Block_cipher_modes_of_operation
<https://svn.kvirc.de/kvirc/ticket/1169>
http://en.wikipedia.org/wiki/File:Tux_ecb.jpg

Linux Kernel Tracer Bug (Software Testing)

Apr2012

Reported and assisted diagnosis for a Linux kernel bug affecting kernel latency (ie. desktop interactivity). Bug fix was subsequently committed to mainline Linux kernel.
See commit db4c75cbebd7e5910cd3bcb6790272fcc3042857 at <http://www.kernel.org/pub/linux/kernel/v3.x/ChangeLog-3.3.5>.

Web2Project (Feature and Bugfix)

Mar2015

Added URL-based autofill functionality.
<https://github.com/web2project/web2project/pull/284>

Corrected Calendar URL feed link generator logic. Commit merged into mainline.
<https://github.com/web2project/web2project/pull/284>

DAViCal (Bugfix)

Mar2015

Minor bugfix regarding BIND request (external subscription) support. See dmfs.org for a description of this functionality.
<https://github.com/mirage335/davical/commit/60895b6aef8cfea6a2b2f29653d33f98c35e7bba>
<http://dmfs.org/wiki/index.php?title=DAViCal>

Tools

(notable)

ubiquitous_bash

At ~1MB of human written shell code, as of 2021, 'ubiquitous_bash' is expected to remain largest, most sophisticated, most robust, and most all purpose, shell script ever created.

Compressed header templates exist to provide hundreds of functions for small single-script projects. If you have a problem that needs a shell script, you need 'ubiquitous_bash'.

Software containment and interoperability, multiplatform structured programming middleware. Compatible with UNIX/Linux and Cygwin/MSW.

Build environments for arduino firmware (libraries, custom crystal-free boards, real-time debugger services), PCB photolithography (custom patched pcb2gcode binary), 3D printer fabrication (speed, cooling), etc, were fragile. Relying on Gentoo or Arch Linux to keep these dependencies usable while upgrading and installing other software would end up in a broken, unmaintainable state.

Hence, Ubiquitous Bash happened. Software would see the same directories even if absolute locations changed (ie. 'abstractfs'), have environment variables pointing to neighboring directories, dependencies would be installed automatically, tests would go far beyond usual CMake, and if necessary, filesystem parameters would automatically translate to run GUI programs through any virtualization backend (eg. ChRoot, QEMU, VirtualBox, Docker) which remained usable (always using the same raw disk image). Shared 3D space and multiple-input multiple-output pipes would be arranged as filesystem directories, automatically named pipes, triple buffers, etc, by the 'MetaEngine' module of the script. Later, ad-hoc Inter-Process Communication (IPC) would emulate the 'shared pair of wires' more typical of a hardware serial bus by both triple buffer and resetting pipes. All of this would also apply what few OS (both x64 and RasPi) customizations were still desired - copying these portable installations into bootable disk images and hooking developer functions into '.bashrc ' through ChRoot.

At least three years of shell scripting, >20k SLOC, and field testing, 'ubiquitous_bash' has acheived all objectives.

This document itself is self-modifying interleaved shell code from 'ubiquitous_bash' and markup.

https://github.com/mirage335/ubiquitous_bash

scriptedIllustrator

Documentation generation as self-modifying file of interleaved shell code from 'ubiquitous_bash' and markup (using block comments of each language). Multiple simultaneous self-modifying output formats (HTML, MediaWiki, Markdown) and PDF conversion.

This document itself is created by 'scriptedIllustrator'.

<https://github.com/mirage335/scriptedIllustrator>

BOM_designer

Hierarchical all-purpose Bill-of-Materials (aka. BOM) generator. Specifically intended to tally components from complex assemblies of other complex assemblies.

https://github.com/mirage335/BOM_designer

gEDA_designer

Generates, manufacturing (ie. gerber, centroid), distributor (eg. Mouser CSV), CAD (eg. SVG, DXF), model (eg. PDF, PNG), photomask (eg. PDF), files. Includes template and vector tests. May use similarly contained custom patched 'pcb2gcode' and/or 'pcb' as necessary for photomask, CNC drill/routing path, and autorouting compatibility.

https://github.com/mirage335/gEDA_designer

arduinoUbiquitous

Arduino build environments, projects, configuration, self-contained relative to 'ino' file instead of user directories.

Project and library file absolute locations always appear at same location (eg. '/dev/shm/...') set by an automatically generated 'project.afs' file (ie. 'ubiquitous_bash' 'abstractfs'). Working ARM hardware debugging services included with randomized network port connection to 'gdb', 'ddd', etc. Robust serial port and hardware port communication interaction and upload. Extensible by imported shell script neighboring 'ino' file (eg. to implement firmware-specific serial port identification). Certified well-tested versions noted in README file. Among other features.

<https://github.com/mirage335/arduinoUbiquitous>

PatchRap

Modular and standardized machine wiring, power distribution. One wire from 3D printer 'motherboard' per limit switch cable, instead of three.

Instant 'PatchPanel' combining a breadboards with a generic PCB. Adapts logic, sensors, actuators, and data networks to inexpensive, highly shielded long haul Ethernet/Telephone cable. Carefully provisioned for a vast diversity of applications, including vehicles, industrial automation, and datacenter monitoring. CNC and stepper motor driving use cases have been specifically documented. Innumerable configuration options are thoroughly supported. Printable color coded labels are available for maximum safety in high-power and high-reliability systems. Product of Soaring Industries LLC.

<https://github.com/mirage335/PatchRap/blob/master/PatchRap.pdf>

LiveUSB/LiveCD

Built by 'ubiquitous_bash'. Hibernation Snapshot, SaveState (VM features on any virtualization backend or physical computer hardware). Bootable disk images from same build also will be used as development computer (x64), end-user computer (x64), cloud services (x64) for thin-client, and embedded (RasPi) OS distribution.

TazIntermediate

Field test of tool usability, from electromechanical design, to the point of cabling diagramming and assembly rehearsal in VR. Only the VR part not yet 100% FLOSS, otherwise portable to any Linux (eg. VM) machine.

<https://github.com/mirage335/TazIntermediate>

flipKey

Multiplatform crypto shredding framework around veracrypt and cryptsetup. Ensures fragments of supposedly deleted or shielded plaintext are unreadable after any erasure, scrambling, or unobservability of the large (usually gigabytes) key file.

Notable *archival storage* capability real-time quad-redundant Magneto-Optical 640M discs and archival backup to BD-R. Reliability of Magneto-Optical 640M discs remains uniquely outstandingly useful today - thoroughly designed to ensure that data written is deeply embedded. Magneto-Optical discs are readable through ~2mm dust particles or defects, are designed not to split from elastic sealant layer, and have very strong magnetic coercivity when cooled after writing.

<https://github.com/mirage335/flipKey>



coreoracle


Pure ciphertext communications and secret-sharing volume decryption. May enable radio messaging statistically indistinguishable to distant listeners from noise, add a layer of quantum computing resistance to existing asymmetric protocols (eg. SSH, SSL), and add network services dependence to disk encryption. For developers, 'coreoracle' is also an example of using 'metaEngine' (an 'ubiquitous bash' feature).




<https://github.com/mirage335/coreoracle>

Projects


Assortment of side projects. Some continue as substantially important resources, others as expended resources having fulfilled a useful purpose and exemplified principles for future work.







```
if (arbitraryInput) {  
  //arbitraryCode  
  //arbitraryCode  
}
```



universalTechnologySpecificationTextbook

Feb2022-Present (part of 'mirage335_documents')

Self-Driving AI builds habitat throughout uninhabited galaxies and most of the Milky Way. Virtual Reality efficiently creates unlimited space for as many people as possible. Many people continue living on planetary surfaces.

Details of how to build all of the technologies to make this possible are described here. Also, some discussion of what should be done and why. Something of a 'how-to' guide.

- Notable headings.
- *) problemSolversGuide
 - *) cognitionSplicer
 - *) neuralBits
 - *) mechDive
 - *) CARDinal
 - *) lithoDive
 - *) positionTrackers
 - *) sleeveDive
 - *) cryogenicComputer
 - *) flightDeck
 - *) modularAI

git clone --recursive git@github.com:mirage335/mirage335_documents.git

https://raw.githubusercontent.com/mirage335/mirage335_documents/main/mirage335_documents.pdf

Topographic Mapping from RPT Correlation

Software Algorithm Flow

Low temporal resolution correlations may reveal topographic mappings, but without clearly defining the typical directionality, or possibility of bidirectional feedback, only showing both topographic maps were simultaneously activated.

Deep topographic mapping may require high temporal resolution (telodendria ~50kHz?), neuroanatomical overlay (spatial position of electrode), and/or tracing the order of RPT events by RPT correlation of RPT events themselves.

Absence of any spatial position and temporal resolution less than 10x sample rate of minimum temporal difference may increase risk of requiring more solving by more computationally expensive genetic/ANN model iteration.

Some top neurons are likely to directly represent sensorimotor endpoints, or if not, may be calibrated to models of predictable changes across precept fields (eg. point source sweeping across receptive fields, mechDive measured force/position motor outputs) (aka. 'neural decoder').

Iteratively solve red.

Find sensorimotor I/O (PNS) entry.

From orange. Action potentials may overlap with only small spike phase or duration differences.

Read only! Algorithm must NOT require arbitrary stimulation, which should only supplement recording data.

High temporal resolution and oversampled spatial resolution may be required and are feasible, constrained by SerDes bandwidth.

Neurons which RPT from a common vertical TX may be distinguished by their RPT of other neurons in a specific horizontal topographic map.

Only the RPT event F→E, which occurs after D→F, distinguishes E (of D,E,F horizontal) from B (of A,B,C horizontal).

Center of all topographic maps - E,B,H - will RPT simultaneously from the same vertical TX at Z.

Both B and E will RPT from the same vertical TX event. Only E will RPT of horizontal TX events from processing within that horizontal topographic map.

Thin threads are punched at breakway points by needle, then pushed (or injected).

Alternative (discouraged)

Backhaul

Bundle (line)

breakaway

thread

One piece only. Single sliced polyamide (or similar material) substrate for CMOS fab.

flatTool

Accelerating Wall of Large Heavy Optics

Mirror bounce and aberration correction imposes large assemblies of many optics mounted to a single surface. Tool as a flat table mounted vertically to a gantry is most practical, and most quickly assembled/maintained. Modern linear bearings, etc. are adequate to inexpensively accelerate such loads (>100kg) with reasonable setting times.

Wall is used as a dedicated vertical optical table, and may have ultra-fine threaded bushings allowing entire surface to directly provide a kinematic adjustment plate, with the adjustable screws accessible to stepper motors (for iterative overlay optimization) at the reverse side.

Tempered glass may be used instead of aluminum or invar alloy if charged particle deflection (ie. electron beam distortions) is a possible concern. Apparently most tempered glass is float glass.

All working principles depicted here are widely known and obvious if not definitely 'common knowledge'. Nevertheless, ASM apparently uses a similar layout for EUV, albeit perhaps more specialized for maximum throughput and complete layer yield at minimum factory footprint.

Industrial Computerized Numerical Control (CNC) Platforms

Aug2015-Present

Designing, building, and operating a growing base of industrial Computerized Numerical Control (CNC) platforms.

TazMega and TazStiff are fully self-designed, built, and operated. TazUp simplifies the upgrade process for existing stock LulzBot Taz machines to a three-step process emphasizing the benefits of metal plates instead of plastic brackets.

Accessories applicable to virtually all CNC platforms have become available to the public through these projects. Most notably, RigidTable provides the strong base to resist stress that would deform less robust machines, and heavy tools simultaneously combining 3D printing extruders, milling spindles, and various lasers have been demonstrated.

TazStiff was demonstrated at the US Capitol during Public Knowledge 3D/DC 2016. TazMega and TazStiff were both demonstrated at USA Science & Engineering Festival (USASEF) 2016.

https://github.com/mirage335/Taz_Mega
<https://github.com/mirage335/TazMega-SDCard>
<https://github.com/mirage335/TazMega-Softload>
<https://github.com/mirage335/TazStiff>
<https://github.com/mirage335/TazStiff/blob/master/TazUpHowTo.pdf>
<https://github.com/mirage335/TazIntermediate>

<https://github.com/mirage335/RigidTable>
<https://github.com/mirage335/TazStiff/blob/master/Table/Table.fcstf>

<https://www.facebook.com/publicknowledge/photos/a.10154183159401600.1073741833.81651801599/10154183164601600>
<https://youtu.be/0Vlh9-MIHS0?t=38>

PrusaMendel

May2013 - Mar2015

Collaboratively, have upgraded rigidity, lifespan, and usability for HacDC's Prusa Mendel 3D Printer. Responsible for more than half the printer's parts, through upgrades over a three year period, as well as for the printer remaining operational. Maintenance has included documentation, extruder fabrication, CNC milling stronger parts, spool holder fabrication, complete print-surface re-engineering, and eliminating manual priming from the printing process. Special thanks to Julia Longtin for timely parts and debugging assistance, and mentorship.

Since then the platform has manufactured the models crucial to Julia Longtin's CCC31 presentation on lost-PLA aluminum casting by consumer microwave oven heating. Consequently, the overall effort has been directly responsible for HacDC freely acquiring an outstanding LulzBot Mini. High-maintenance requirements of the PrusaMendel continued to provide a highly educational robotics 'school' as well after that.

Personally, the PrusaMendel was a very important introduction to 3D printing and much needed experience solving mechanical issues and quantifying the need for machine rigidity.

<https://www.youtube.com/watch?v=JsSndSXFl8M>
<https://wiki.hacdc.org/index.php/Category:PrusaMendel>

<http://www.hacdc.org/2015/03/10/hacdc-wins-lulzbot-mini-3d-printer-hackerspace-giveaway/>

Biosignal Amplifier

Nov2012-Present

Animals (including humans) produce weak electrical signals, as hearts beat, muscles move, and neurons fire. Using all the best techniques and components, a uniquely low-noise high-dynamic-range biosignal amplifier has been achieved to pull out even the weakest biosignals for research purposes. Mirage335BiosignalAmp employs new research on low-noise amplifier chips and extensive measures to reject external noise such as feedback AC coupling, driven shields, and active probes. An ArduinoDAQ, 24bit ADC, is also onboard, paired with high-order digital IIR filters efficient enough to run in real-time on AVR (ie. Arduino) microcontrollers before handing off the raw audio format data through USB connection.

Complete schematics, PCBs, BOMs, documentation, repositories, and investor list, have been published. Special thanks to Shawn Nock for creating oshpark conversion script, having inspired 'GEDAProduction' and later 'gEDA_designer', generating a variety of PCB related fabrication assets (eg. CAD models, gerber files, BOM, PDF photomasks). In all, advice, funding, assembly, and testing help came from 'Shawn Nock', 'Sharad Satsangi', 'Stuart Washington', 'The Real Plato', 'Logan Scheel'.

<https://wiki.hacdc.org/index.php/Category:BiosignalAmplifier>

TestCart

Jan2013-Dec2016

Built up HacDC's test equipment cart to handle almost any electronics design problem, through self-built hardware, salvaged components, recommended purchases, and efficient cart layout. Among other things, capabilities were broad enough to construct superheterodyne HF receivers in a few minutes just by connecting equipment with BNC cables. After serving many useful purposes for a long time, unfortunately was disassembled due to temporary disuse and pressing need for floor space. Until then, this was

most likely the most complete publicly available electronics test facility at or near the US East Coast.

<https://wiki.hacdc.org/index.php/Category:TestCart>

30MHz_LowPass

Oct2013-Present

Air-core toroid, extremely high performance DC-HF preselection filter for extremely high dynamic range upconverting superheterodyne radios. Functional, tested, and using robust 3D printed electrical components of own manufacture.

<https://github.com/mirage335/30MhzLowPass>

3D Printed Air-Core Toroid Inductors

Oct2013-Present

Air-core toroid inductors improve electromagnetic interference (EMI), unwanted magnetic coupling, and high-frequency performance. Counter-winding channel eliminates the 'one-turn-loop' effect, confining the magnetic field entirely within the toroid and attenuating coupling between stacked toroids to better than -20dB (100x). Whereas air-core stacked planar or solenoid conductors would have nearly 0dB (1x) coupling. Now, plastic formers printed for air-core toroids offer these benefits cheaply on demand.

<https://www.thingiverse.com/thing:870592>

HacDC HF Antenna

Aug2012-Apr2013

As a HacDC project, provided worldwide HF (shortwave) amateur radio communication, having served as the club's primary antenna for at least three years. This replaced an antenna remote amateur radio operator receivers confirmed as inoperable for transmission. Testing a variety of antennas in a rural open field demonstrated a 20m quarter-wave (5m height) vertical monopole antenna was most suitable. With an SGC-237 autotuner, all-band coverage from 1.8MHz to 29.7MHz has been available, meeting the requirements for automatic link establishment. Special thanks to Martin Rothfield for testing and arranging roof access.

http://en.wikipedia.org/wiki/Automatic_link_establishment
<https://www.hacdc.org/2012/08/17/new-amateur-radio-antenna/>

AudioToResistance

May2013-Jun2013

Collaboratively worked with Project Byzantium development team at HacDC to trigger Push-To-Talk radio inputs using only energy received from audio line-level signals. Enables high-speed data transmission across VHF/UHF amateur radio technology, requiring only low-cost 'handie talkies' as transceivers. Assistance provided included several schematic designs and CNC milled PCBs in one night.

<http://project-byzantium.org/>
<https://github.com/HacDC/AudioToResistance/blob/master/Basic.sch.png>

Web Services

Oct2014-Apr2016

Hosted at HacDC, using servers Shimmer, Starlight, and Nebula. Personally setup and shared with the community. After serving useful purposes, especially VPS hosting for HacDC members, unfortunately defunct due to eroding physical hosting space and ISP changes. Reuse, donation to another hackerspace, or salvage, are all possible, as the components remain relevant, valuable, and especially reliable (notably having been manufactured near the end of server exemption from RoHS).

<http://hacdc.org/>
<https://wiki.hacdc.org/index.php/Shimmer>
<https://wiki.hacdc.org/index.php/Starlight>
<https://wiki.hacdc.org/index.php/Nebula>

Flight Sim Aug2018-Present

Proficient (at least when not out of practice) in DCS World with FA18C and other simulated aircraft including F16C, to the point of complete startup procedures, avionics use, night carrier landings, formation flying, approach plates, etc. Partly used to perfect the 'commonControlScheme' single-stick compatible HOTAS specification, and alternative voice commands, carefully provisioned for mapping of all controls to buttons and axes for a much wider variety of tools and vehicles .

BusinessCard

Nov2012-Present

Custom graphics. Only the satellite, antenna, clouds, stars, are clipart from OpenClipArt or Inkscape. All other work is an original design. Actual cards are color laser printed as seamless 12 card panels, then depanelized by HacDC's 40W CO2 laser cutter (and later Makersmiths's CO2 laser cutter).



Formal Qualifications

Self Taught, Aggressively

Amateur Radio Licensed, Extra Class, earned in one sitting. Callsign AB3PI.
<https://wireless2.fcc.gov/UlsApp/UlsSearch/license.jsp?licKey=3350807>
Issued Feb 2012
No Expiration Date

CompTIA Linux+ Certified
https://www.credly.com/badges/0169e322-dc3b-4972-92de-edb64c4136d9/public_url
<http://en.wikipedia.org/wiki/CompTIA#Linux.2B>
Issued Sep 2010
No Expiration Date

Hurricane Electric IPv6 Certification
https://ipv6.he.net/certification/create_badge.php?pass_name=m335foundation&badge=3
Name: mirage335foundation
Level: Sage
Current Score: 1005
Issued Feb 2017
No Expiration Date

Black Belt, First Degree

UMUC
GPA 4.0, Summa Cum Laude
Bachelor's of Science (Psychology) Degree
Computer Science Minor

POLICY

Copyleft

Default - Public Doman
Resources without an explicit license declaration are automatically in the public domain.

Small - Public Domain
Small projects and libraries will be explicitly given an all permissive license to maximize adoption (eg. 'scriptedIllustrator').

Large - GPLv3
Large projects will be given GPLv3, *NOT* GPLv2.

Specialized - AGPLv3
AGPLv3 license may be imposed until sufficiently reassuring contributing and actively community engaging behavior is seen, if there are specific unusual risks of open-source code becoming unusable.

*) History (eg. Arduino) of overcommercialization and portability/compatibility neglect causing especially delayed and painful interoperability effort (eg. 'arduinoUbiquitous' firmware library, gdb debugging, etc, containment).
*) Unusual likelihood of entire project maintained behind software-as-a-service (eg. 'scriptedIllustrator' tinyCompiler)
*) Already predominant absence of availability of any similar essential resource except behind software-as-a-service (eg. 'BOM_designer').
*) Possibility for quoting out of context (eg. 'universalTechnologySpecificationTextbook') .
*) Unusual incentive to neglectfully substitute multiplatform host virtualization compatibility for cloud (eg. 'universalTechnologySpecificationTextbook' due to 'scriptedIllustrator').
*) Expected abandonment of interoperability and portability/compatibility except through predominant 'app store' and 'thin client'.

Nevertheless author 'mirage335' respects the reservations of such organizations as 'Google' regarding the virality of AGPLv3, and is willing to make reasonable accommodations. Normally the AGPLv3 license is only narrowly applied to code with no plausible end user or network service function (eg. 'arduinoUbiquitous' firmware compiler, 'scriptedIllustrator' tinyCompiler bootstrapping, 'BOM_designer' extremely specialized for CAD assembly, 'universalTechnologySpecificationTextbook' for developers, mostly only for the author, and only a static document for non-developers).
<https://opensource.google/docs/using/agpl-policy/>

Specialized - Wiki
For compatibility with Wikipedia, in addition to any other (ie. public domain or AGPLv3 compatible) license, Wiki pages at any site may benefit from the Creative Commons Attribution Share Alike license.

DISCOURAGED - GPLv2
GPLv2 is questionable, as accidental violation of the GPLv2 can cause massive problems for large projects, and usual text for GPLv2 may not include provisions to allow relicensing by any 'later version'. Case in point: it would be "technically quite hard" (Linus Torvalds) to dual license the Linux kernel.
<http://www.gnu.org/licenses/quick-guide-gplv3.html>

Authentication

Authentication without encryption is reasonable in some situations by limiting transaction rates, by physical location/direction, and by revocation of multiple logins. By contrast, relying on encrypted logins by HTTPS/SSL, has a history of severe weaknesses, plaintext emissions, timing analysis, side-channel analysis, and official amateur radio incompatibility.

Plain HTTP may be used whenever possible. At all times (even as part of encrypted login web pages), some filetypes (particularly images) may remain unencrypted (eg. if served by CoralCDN).

RoHS

RoHS ban of leaded solder is of negligible benefit and substantial harm whereas a tax may have been more reasonable. Little change in environmental lead from bulk uses could reasonably be expected, and unintended consequences are severe.

- *) Insufficient assurance third-party (especially small business) PCB assembly services have followed the many precautions to minimize tin whisker failures.
- *) Non-availability of computer CPU/GPU/RAM/motherboard tolerant of long-term ambient cooling by liquid nitrogen, liquid helium, etc, due to tin pest.
- *) Drastically worse risks during chip replacements by hot-air removal and reflow.
- *) Drastically worse risk of damaging 3D printer control circuitry due to >1year backordered chip shortage.
- *) Unnecessary disruption due to avoidable failure of older servers.
- *) Possible loss of the dwindling supply of the most reliable data storage devices ever created - magneto-optical drives.
- *) Data loss unpreventable due simultaneous tin whisker bridging failures including unintended simultaneous overwriting of multiple RAID arrays.

For the future, all industries must be wary of provoking such a ban instead of a more reasonable tax, as a consequence of any perceived irresponsibility on their part.

Copyright

AGPLv3

Unusual exception for specific complete binary files as described by license notice.

https://github.com/mirage335/mirage335_author

License Notice

mirage335_author
Copyright (C) 2021,2022- mirage335

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Affero General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Affero General Public License for more details.

You should have received a copy of the GNU Affero General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

All files in this folder and subfolders, unless explicitly stated otherwise or copyrighted by other authors, are copyrighted by mirage335 as described above.

Unusually, specific binary PDF files (eg. "mirage335_author.pdf") clearly intended as a complete document (ie. NOT files normally included by 'pdfunite' or similar utilities) may ONLY be redistributed either in accordance this AGPLv3 license or if strictly complete, unmodified, except by normal and abundantly cautious variations in raster printing, independently. As such, complete printed copies of those specific complete unmodified files may be distrubited.

Any HTML file used as a website must similarly distribute the associated source files - usually at 'https://github.com/mirage335/mirage335_author' or similar . Due to calls to 'cat' other files, and other structures, the HTML file itself, even if self-modifying, may NOT qualify as 'the preferred form of the work for making modifications to it' and may NOT qualify as 'source code'.