


# REFLEX - GYRO

## QUALITY CHECK REPORT

09 Jun 2020



Project ID: fd  
Borehole ID: fds  
Project location: fsd  
Client: fds  
Surveyor: fds  
Reporter: f  
Survey date: 2020-06-09

## DRILLING COLLAR PARAMETERS

Easting: 620851.37

Northing: 4631519.0

Elevation: 1353.67

Dip: 54.0 deg

Azimuth: 54.0 deg

Drill diameter: 96.0 mm

## SURVEY PARAMETERS

Survey start: 0 m

Survey end: 51 m

Survey interval: 3 m

Number of stations: 18

Survey run on: Wireline

Angular units: Degree

Linear units: Meter

### Survey 1

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-78.1	180.0	620851.37	4631519.0	1353.67
End of Survey	-75.08	168.15	620853.42	4631506.43	1304.29

### Survey 2

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-77.8	180.0	620851.37	4631519.0	1353.67
End of Survey	-75.09	169.91	620853.1	4631506.33	1304.31


### End of Survey Difference

Dip	Azimuth	Easting	Northing	Elevation
0.02	-1.76	0.32	0.1	-0.01


### End of Survey Misclosure



Depth	Misclosure	Misclosure %	Quality
51	0.34	0.67	Passed




### Misclosure




# Borehole Path









Positional Comparison



DLS Comparison



### UP and Down Deviation



### Left and Right Deviation

