
# REFLEX - GYRO QUALITY CHECK REPORT



09 Jun 2020



Project ID: sad

Borehole ID: dasdsa Project location: ds

Client: dsads Surveyor: sd Reporter: ds

Survey date: 2020-07-09

#### **DRILLING COLLAR PARAMETERS**

Easting: 620696.42 Dip: 43.0 deg

Northing: 4631589.19 Azimuth: 43.0 deg

Elevation: 1378.88 Drill diameter: 96.0 mm

#### **SURVEY PARAMETERS**

Survey start: 0 m Survey run on: Wireline Survey end: 243 m Angular units: Degree

Survey interval: 3 m Linear units: Meter

Number of stations: 82

# Survey 1

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-71.39	90.0	620696.42	4631589.19	1378.88
End of Survey	-73.88	94.03	620766.45	4631587.12	1146.23

#### Survey 2

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-71.35	90.0	620696.42	4631589.19	1378.88
End of Survey	-73.88	93.79	620766.53	4631587.39	1146.26

Misclosure


### **End of Survey Difference**

# Dip Azimuth Easting Northing Elevation -0.0 0.24 -0.08 -0.27 -0.02

#### **End of Survey Misclosure**

Depth	Misclosure	Misclosure %	Quality
243	0.28	0.12	Passed

200



100

Depth (m)

150

0

50

0.0

250

## **Borehole Path**

