# NE250\_HW01\_mnegus-prob2-ntbk

September 22, 2017

# 1 NE 250 – Homework 1

# 1.1 Problem 2

9/22/2017

### 1.2 Problem 2

The mean free path of a particle is given by the formula

$$\lambda = \frac{1}{\Sigma_t}$$

when scattering is considered to be isotropic.

The macroscopic scattering cross section can be reexpressed in terms of the number density of the material, n, and the microscopic cross section,  $\sigma_t$ . For mixtures, the macroscopic cross section is the sum of the macroscopic cross sections of its components.

$$\Sigma_{x,\mathrm{mix}} = \sum_{i} \Sigma_{x,i} = \sum_{i} n_i \sigma_{x,i}$$

Additionally, the number density of the material can be found from the material density,  $\rho$ , the molar mass of the material, m, and Avogadro's number.

$$n = \frac{\rho_i N_A}{m_i}$$

Then the mean free path is

$$\lambda = \frac{1}{\sum_{i} \frac{\rho_{i} N_{A} \sigma_{t,i}}{m_{i}}}$$

```
In [1]: def mfp(energy, medium, xs, rho, m):
    # Mean free path [cm]
    return 1/macroXS_mix(energy, medium, rho, m, xs)

def macroXS_mix(energy, medium, rho, m, xs):
    # Macroscopic cross section of a mixture of isotopes [cm^2]
    Sig_t_mix = 0
    if energy == '14MeV': E = 0
```

```
elif energy == '1MeV': E = 1
elif energy == '0.05eV': E = 2
for isotope in rho:
        Sig_t_mix += macroXS(rho[isotope], m[isotope], xs[isotope][E])
    return Sig_t_mix

def macroXS(rho_i,m_i,xs_i):
    # Macroscopic cross section of an isotope [cm^2]
    N_A = 6.022e23
    Sig_t = rho_i*N_A*xs_i*1e-24/m_i
    return Sig_t
```

#### 1.2.1 Densities

Air is 75.5% nitrogen, 23.1% oxygen, and 1.3% argon by mass according to NIST. We will assume that the nitrogen is entirely  $^{14}$ N, oxygen is entirely  $^{16}$ O, and  $^{40}$ Ar, which comprise more than 99.5% of their respective element naturally.

**Water** Water is 11.2% hydrogen and 88.8% oxygen by mass. We are assuming the hydrogen is entirely <sup>1</sup>H and the oxygen is entirely <sup>16</sup>O.

**Uranium** Natural uranium is 99.3% U238 and 0.7% U235 by mass according to the World Nuclear Association.

#### 1.2.2 Molar Masses

```
'016': 15.995,
'Ar40': 39.962,
'U235': 235.044,
'U238': 238.051
```

#### 1.2.3 Cross Sections

Microscopic cross sections are from ENDF/B-VII.1, found using KAERI

#### 1.2.4 Calculations

```
In [7]: def loop_media(energy):
    print('Mean Free Path in')
    for medium in ['air', 'water', 'uranium']:
        if medium == 'air': rho = rho_a
        elif medium == 'water': rho = rho_w
        elif medium == 'uranium': rho = rho_u
        print('\t{}\t{} cm'.format(medium, round(mfp(energy, medium, xs, rho, m))
```

# a) 14 MeV neutrons in air, water, and uranium

# b) 1 MeV neutrons in air, water, and uranium

# c) 0.05 eV Neutrons in air, water, and uranium