Analysis performed: 190813_124223

• Analyzed sequences (hits resulting from 676 blast searches, 52 animal groups x 13 query sequences):49992 (out of which unique: 8666, programmatically recognized as VEGF/PDGF family members: 90.5%).
• Red dotted lines in the tree indicate paraphyletic relationships.

• The tree background color indicates the presence of the proteins with the corresponding color according to our hypotheses.

The red-to-white background of the table indicates a heuristic reliability of the results, where a brighter color indicates a higher reliability. This is calculated using the number of fully sequenced genomes, the number of species in the phylum and the number of protein sequences available for that phylum.
 The numbers in the table denote the number of: orthologs found (black), P = paralogs found, whose relationship could not be programmatically determined, Σ = total homologs found.

| # animal # se- # compl. # unique blasthits | | PDGF-A | PDGF-B | PDGF-C | PDGF-D | PIGF-1 | VEGF-A121 | VEGF-A165 | VEGF-A206 | etermined, $\Sigma = \text{total nomol}$ $VEGF-B167$ | VEGF-B186 | VEGF-C | VEGF-D | VEGF-F |
|---|---|-----------------------|----------------------|---------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|-----------------------|------------------------|------------------------|-----------------------|
| species quences genomes (excl. false pos.) 55 6 3 0 | ctenophora (comb jellies) | | | | | 7767 1 | VEGI ATET | VEGI ATOS | VEGI AZGO | VEGI BIO7 | VEGI BIOG | VEG/ C | VEGI B | V E G I I |
| 1373 34k 2 11 (0) | porifera (sponges) | | | | | | | | | | | 1 P0, ?7, Σ8 | 0 P1, ?1, Σ2 | 0 P0, ?3, Σ3 |
| 3 36k 2 0 | placozoa | | | | | | | | | | | | | |
| 3675 115k 18 94 (83) | acnidaria (medusae/polyps) | 0 P6, ?4, Σ10 | 1 P3, ?1, Σ5 | 0 P1, ?0, Σ1 | | 0 P2, ?1, Σ3 | 0 P6, ?7, Σ13 | 1 P7, ?13, Σ21 | 0 P6, ?9, Σ15 | 0 P18, ?61, Σ79 | 0 P6, ?0, Σ6 | 11 P1, ?43, Σ55 | 0 P7, ?19, Σ26 | 0 P3, ?2, Σ5 |
| 151 925 0 1 (0) | xenacoelomorpha | | | | | | | | | | | | 0 P0, ?1, Σ1 | |
| 1794 136k 11 42 (40) | * echinodermata | 0 P5, ?1, Σ6 | 0 P5, ?0, Σ5 | 0 P11, ?1, Σ12 | 0 P12, ?1, Σ13 | 0 P9, ?3, Σ12 | 3 P2, ?7, Σ12 | 3 P3, ?11, Σ17 | 3 P2, ?7, Σ12 | 0 P10, ?9, Σ19 | 0 P10, ?8, Σ18 | 2 P8, ?12, Σ22 | 1 P9, ?7, Σ17 | 0 P7, ?3, Σ10 |
| 39 23k 2 9 (6) | hemichordata (acorn wormws) | 0 P2, ?0, Σ2 | 0 P2, ?0, Σ2 | 0 P2, ?1, Σ3 | 0 P2, ?0, Σ2 | 0 P1, ?0, Σ1 | 0 P1, ?2, Σ3 | 0 P1, ?1, Σ2 | 0 P1, ?1, Σ2 | 0 P2, ?1, Σ3 | 0 P2, ?2, Σ4 | 2 P1, ?1, Σ4 | 0 P3, ?1, Σ4 | 0 P2, ?0, Σ2 |
| 11 95k 4 20 (14) | cephalochordata (lancelets) | 0 P6, ?1, Σ7 | 0 P6, ?1, Σ7 | 0 P5, ?1, Σ6 | 0 P5, ?1, Σ6 | 0 P5, ?0, Σ5 | 1 P5, ?1, Σ7 | 1 P5, ?1, Σ7 | 1 P5, ?1, Σ7 | 0 P6, ?2, Σ8 | 0 P6, ?1, Σ7 | 6 P1, ?6, Σ13 | 0 P6, ?1, Σ7 | 0 P6, ?1, Σ7 |
| 362 64k 6 2 (1) | tunicata tunicata | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | | | 0 P1, ?1, Σ2 | 1 P0, ?0, Σ1 | 1 P0, ?0, Σ1 | 1 P0, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 |
| 77 8k 3 0 | cyclostomata (hagfish/lamprey) | | | | | | | | | | | | | |
| 833 115k 6 52 (51) | chondrichthyes (cartilaginous fishes) | 6 P21, ?0, Σ27 | 2 P25, ?0, Σ27 | 2 P18, ?0, Σ20 | 2 P11, ?0, Σ13 | 0 P25, ?0, Σ25 | 11 P14, ?0, Σ25 | 11 P14, ?0, Σ25 | 11 P13, ?0, Σ24 | 0 P29, ?0, Σ29 | 0 P29, ?1, Σ30 | 6 P23, ?0, Σ29 | 2 P26, ?0, Σ28 | 0 P25, ?0, Σ25 |
| 19098 2M 186 2134 (n.a.) | actinopterygii (ray-finned fishes) | 217 P665, ?170, Σ1052 | 27 P863, ?170, Σ1060 | 117 P282, ?15, ∑414 | 148 P269, ?9, ∑426 | 102 P882, ?159, ∑1143 | 426 P811, ?209, Σ1446 | 430 P462, ?137, Σ1029 | 433 P463, ?130, Σ1026 | 59 P1041, ?154, ∑1254 | 58 P1161, ?173, ∑1392 | 175 P1034, ?141, ∑1350 | 102 P1012, ?136, ∑1250 | 30 P1054, ?169, ∑1253 |
| 2 35k 1 31 (30) | coelacanthimorpha (lobe-finned fishes) | 1 P15, ?0, Σ16 | 2 P12, ?0, Σ14 | 1 P12, ?0, Σ13 | 2 P4, ?0, Σ6 | 2 P12, ?0, Σ14 | 3 P12, ?0, Σ15 | 3 P11, ?0, Σ14 | 3 P11, ?0, Σ14 | 3 P14, ?0, Σ17 | 3 P14, ?1, Σ18 | 2 P15, ?0, Σ17 | 1 P16, ?0, Σ17 | 0 P14, ?0, Σ14 |
| 6 1k 0 10 (8) | dipnoi (lungfishes) | 1 P3, ?0, Σ4 | 1 P3, ?0, Σ4 | 0 P4, ?0, Σ4 | 0 P4, ?0, Σ4 | 0 P4, ?0, Σ4 | 2 P2, ?0, Σ4 | 2 | | 0 P4, ?0, Σ4 | 0 P4, ?0, Σ4 | 0 P4, ?0, Σ4 | 0 P4, ?0, Σ4 | 0 P4, ?2, Σ6 |
| 5698 478k 6 144 (144) | amphibia | 16 P59, ?1, Σ76 | 12 P62, ?1, Σ75 | 6 P54, ?0, Σ60 | 5 P17, ?0, Σ22 | 0 P66, ?1, Σ67 | 27 P38, ?1, Σ66 | 27 P30, ?1, Σ58 | 27 P33, ?1, Σ61 | 3 P69, ?1, Σ73 | 3 P73, ?1, Σ77 | 5 P71, ?1, Σ77 | 6 P72, ?1, Σ79 | 0 P68, ?1, Σ69 |
| 9458 3M 132 1551 (n.a.) | aves (birds) | 127 P340, ?5, Σ472 | 118 P461, ?5, Σ584 | 98 P452, ?2, Σ552 | 154 P316, ?0, Σ470 | 109 P463, ?4, Σ576 | 140 P390, ?9, Σ539 | 141 P329, ?5, Σ475 | 141 P329, ?5, Σ475 | 0 P672, ?8, Σ680 | 0 P764, ?8, Σ772 | 130 P704, ?4, ∑838 | 96 P707, ?4, Σ807 | 1 P729, ?8, Σ738 |
| 24 179k 4 102 (102) | crocodylia (crocodiles) | 5 P26, ?0, Σ31 | 1 P14, ?0, Σ15 | 4 P35, ?0, Σ39 | 6 P21, ?0, Σ27 | 7 P46, ?0, Σ53 | 17 P40, ?0, Σ57 | 17 P35, ?0, Σ52 | 17 P29, ?0, Σ46 | 0 P57, ?0, Σ57 | 0 P63, ?0, Σ63 | 9 P54, ?0, Σ63 | 8 P55, ?0, Σ63 | 0 P53, ?0, Σ53 |
| 3246 96k 6 66 (64) | lepidosauria excl. toxicofera (non-poisonous lizards) | 3 P52, ?0, Σ55 | 6 P45, ?0, Σ51 | 3 P38, ?1, Σ42 | 5 P18, ?0, Σ23 | 6 P46, ?1, Σ53 | 26 P31, ?1, Σ58 | 26 P26, ?1, Σ53 | 26 P22, ?1, Σ49 | 2 P54, ?0, Σ56 | 2 P59, ?0, Σ61 | 7 P56, ?1, Σ64 | 5 P57, ?0, Σ62 | 4 P48, ?0, Σ52 |
| 3791 467k 15 161 (157) | toxicofera (poisonous reptiles) | 12 P122, ?0, Σ134 | 9 P113, ?0, Σ122 | 9 P89, ?0, Σ98 | 11 P26, ?0, Σ37 | 14 P91, ?28, Σ133 | 53 P63, ?29, Σ145 | 53 P43, ?29, Σ125 | 53 P45, ?28, Σ126 | 7 P109, ?26, Σ142 | 7 P120, ?26, Σ153 | 11 P108, ?26, Σ145 | 2 P119, ?23, Σ144 | 24 P107, ?5, Σ136 |
| 358 184k 10 188 (179) | testudines (turtles) | 9 P65, ?1, Σ75 | 8 P66, ?1, Σ75 | 7 P60, ?7, Σ74 | 17 P20, ?0, Σ37 | 10 P61, ?1, Σ72 | 30 P48, ?1, Σ79 | 30 P52, ?4, Σ86 | 30 P36, ?1, ∑67 | 8 P65, ?1, Σ74 | 8 P88, ?2, Σ98 | 6 P91, ?2, Σ99 | 5 P92, ?1, Σ98 | 0 P70, ?1, Σ71 |
| 5 26k 1 25 (25) | monotremata (egg-laying mammals) | 1 P6, ?0, Σ7 | 1 P5, ?0, Σ6 | 3 P10, ?0, Σ13 | 3 P10, ?0, Σ13 | 1 P5, ?0, Σ6 | 1 P6, ?0, Σ7 | 1 P6, ?0, Σ7 | 1 P6, ?0, Σ7 | 0 P8, ?0, Σ8 | 0 P8, ?0, Σ8 | 2 P6, ?0, Σ8 | 1 P7, ?0, Σ8 | 0 P6, ?0, Σ6 |
| 334 142k 5 88 (88) | metatheria (marsupials) | 7 P36, ?0, Σ43 | 5 P36, ?0, Σ41 | 4 P33, ?0, Σ37 | 10 P16, ?0, Σ26 | 4 P25, ?0, Σ29 | 4 P28, ?0, Σ32 | 4 P22, ?0, Σ26 | 4 P22, ?0, Σ26 | 4 P32, ?0, Σ36 | 4 P36, ?0, Σ40 | 4 P35, ?0, Σ39 | 5 P34, ?0, Σ39 | 0 P39, ?0, Σ39 |
| 4777 8M 181 2995 (n.a.) | eutheria (placentals) | 247 P762, ?6, Σ1015 | 223 P892, ?13, Σ1128 | 218 P659, ?1, Σ878 | 235 P417, ?0, Σ652 | 261 P1262, ?9, Σ1532 | 434 P900, ?6, Σ1340 | 440 P862, ?6, Σ1308 | 440 P857, ?6, Σ1303 | 249 P1420, ?11, Σ1680 | 249 P1504, ?10, Σ1763 | 171 P1406, ?9, ∑1586 | 164 P1601, ?9, Σ1774 | 0 P1596, ?10, Σ1606 |
| 200 46k 2 9 (9) | tardigrada (water bears) | 0 P1, ?3, Σ4 | 0 P3, ?1, Σ4 | 0 P2, ?0, Σ2 | 0 P1, ?0, Σ1 | 0 P2, ?0, Σ2 | 0 P0, ?4, Σ4 | 0 P0, ?6, Σ6 | 0 P0, ?3, Σ3 | 0 P4, ?0, Σ4 | 0 P3, ?1, Σ4 | 0 P2, ?2, Σ4 | 0 P4, ?0, Σ4 | 0 P2, ?1, Σ3 |
| 94 2k 1 0 | onychophora (velvet worms) | | | | | | | | | | | | | |
| 195 2k 0 0 | pycnogonida (sea spiders) | | | | | | | | | | | | | |
| 10243 646k 27 103 (101) | 🧩 arachnida (spiders) | 2 P20, ?3, Σ25 | 0 P20, ?3, Σ23 | 0 P21, ?5, Σ26 | 0 P9, ?2, Σ11 | 2 P24, ?39, Σ65 | 14 P5, ?22, Σ41 | 14 P5, ?20, Σ39 | 13 P5, ?16, Σ34 | 0 P25, ?13, Σ38 | 0 P24, ?11, Σ35 | 1 P16, ?16, Σ33 | 1 P14, ?2, Σ17 | 1 P26, ?30, Σ57 |
| 5 39k 1 41 (31) | xiphosura (horseshoe crabs) | 0 P6, ?3, Σ9 | 0 P6, ?1, Σ7 | 0 P7, ?3, Σ10 | 0 P3, ?2, Σ5 | 0 P7, ?20, Σ27 | 7 P0, ?11, Σ18 | 7 P0, ?11, Σ18 | 7 P0, ?11, Σ18 | 0 P7, ?11, Σ18 | 0 P7, ?11, Σ18 | 0 P7, ?4, Σ11 | 0 P2, ?0, Σ2 | 0 P7, ?11, Σ18 |
| 978 7k 1 1 (0) | myriapoda (millipeds) | | | | | | | | | | 0 P0, ?1, Σ1 | | | |
| 10990 947k 25 53 (52) | crustacea | 0 P10, ?8, Σ18 | 0 P11, ?4, Σ15 | 1 P4, ?3, Σ8 | 0 P1, ?8, Σ9 | 0 P5, ?7, Σ12 | 5 P4, ?11, Σ20 | 5 P4, ?12, Σ21 | 4 P4, ?8, Σ16 | 1 P9, ?19, Σ29 | 1 P6, ?19, Σ26 | 1 P8, ?13, Σ22 | 1 P6, ?8, Σ15 | 1 P7, ?9, Σ17 |
| 114675 7M 339 618 (n.a.) | hexapoda (insects) | 20 P77, ?117, Σ214 | 3 P89, ?113, Σ205 | 1 P42, ?34, Σ77 | 2 P23, ?16, Σ41 | 3 P52, ?141, Σ196 | 49 P53, ?154, Σ256 | 59 P61, ?198, Σ318 | 39 P45, ?129, Σ213 | 5 P110, ?177, Σ292 | 5 P94, ?156, Σ255 | 16 P18, ?98, Σ132 | 2 P36, ?55, Σ93 | 3 P95, ?236, Σ334 |
| 30 368 0 0 | nematomorpha (horsehair worms) | | | | | | | | | | | | | |
| 3524 2M 100 44 (44) | nematoda (roundworms) | 0 P0, ?35, Σ35 | 0 P0, ?11, Σ11 | | | | | | | 0 P1, ?22, Σ23 | 0 P0, ?21, Σ21 | 0 P0, ?4, Σ4 | 0 P0, ?2, Σ2 | 0 P0, ?24, Σ24 |
| 7 21k 1 8 (1) | 🔰 priapulida (penis worms) | 1 P0, ?0, Σ1 | 0 P1, ?7, Σ8 | | | | | 0 P1, ?0, Σ1 | | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | | 0 P1, ?0, Σ1 |
| 1 1 0 0 | loricifera | | | | | | | | | | | | | |
| 62 436 0 0 | / kinorhyncha (mud dragons) | | | | | | | | | | | | | |
| 56 2k 0 0 | / chaetognatha (arrow worms) | | | | | | | | | | | | | |
| 327 3k 0 1 (0) | bryozoa (moss animals) | | | | | | | | | | 0 P0, ?1, Σ1 | | | |
| 26 155 0 2 (0) | entoprocta | | | | | | | | | | 0 P0, ?1, Σ1 | | 0 Ρ0, ?1, Σ1 | |
| 2 278 0 0 | cycliophora (symbion) | | | | | | | | | | | | | |
| 3335 129k 5 8 (7) | 🕹 annelida (segmented worms) | 0 P0, ?3, Σ3 | 0 P2, ?2, Σ4 | 0 P1, ?1, Σ2 | 0 P1, ?1, Σ2 | 0 P1, ?2, Σ3 | 0 P0, ?3, Σ3 | 0 P0, ?3, Σ3 | 0 P0, ?3, Σ3 | 0 P1, ?2, Σ3 | 0 P1, ?1, Σ2 | 0 P0, ?3, Σ3 | 0 P1, ?1, Σ2 | 0 P1, ?2, Σ3 |
| 14212 742k 26 38 (34) | mollusca | 0 P4, ?6, Σ10 | 0 P8, ?0, Σ8 | 0 P4, ?4, Σ8 | 0 P1, ?4, Σ5 | 0 P2, ?1, Σ3 | 2 P2, ?9, Σ13 | 2 P2, ?9, Σ13 | 2 P2, ?5, Σ9 | 0 P9, ?6, Σ15 | 0 P4, ?6, Σ10 | 0 P1, ?15, Σ16 | 0 P7, ?4, Σ11 | 0 P8, ?4, Σ12 |
| 262 5k 1 0 | nemertea (ribbon worms) | | | | | | | | | | | | | |
| 100 42k 1 6 (2) | brachiopoda (lamp shells) | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P0, ?1, Σ1 | 0 P1, ?0, Σ1 | | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?1, Σ2 | 0 P1, ?0, Σ1 | 0 P1, ?2, Σ3 | 1 P0, ?0, Σ1 | 0 P1, ?0, Σ1 |
| 14 165 1 0 | phoroniformea (horseshoe worms) | | | | | | | | | | | | | |
| 130 389 0 0 | gastrotricha (hairybacks) | | | | | | | | | | | | | |
| 4472 561k 26 1 (0) | platyhelminthes (flatworms) | | | | | | | | | | 0 P0, ?1, Σ1 | | | |
| 21 79 0 0 | gnathostomulida (jaw worms) | | | | | | | | | | | | | |
| 1 2 0 0 | micrognathozoa | | | | | | | | | | | | | |
| 237 64k 6 6 (2) | rotifera (wheel animals) | 1 P0, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?1, Σ2 | | 0 P1, ?0, Σ1 | | 0 P1, ?0, Σ1 | | 0 P1, ?0, Σ1 | 0 P1, ?1, Σ2 | 0 P1, ?0, Σ1 | 0 P1, ?0, Σ1 | 0 P1, ?2, Σ3 |
| 4 9k 1 1 (0) | orthonectida | | | | | | | | | | | 0 P0, ?1, Σ1 | | |
| 24 150 0 0 | dicyemida | | | | | | | | | | | | | |