

I. SUMMARY

This is a brief summary of what's done and what's next to do for the project of CMB+Circular polarization. In this project we are considering the process Compton-like scattering: $eZ' \rightarrow e\gamma$. What we attempt to do is: Find the polarized squared amplitude in order to determine the cross section. Find the Boltzmann equation for polarization, to do so we need to follow what is already done for Compton scattering process, but adding an equation for the Z' (new interaction). We also *might add another scattering term in addition to Compton-like in the photon equation*-for this I am still not sure what additional scattering term. Here I summarize what has been done in the last month. Then A brief outlook.

- **Background review:** Before starting with the project, it was necessary to go through the physics of CMB. It was necessary to review some lectures on cosmology where the following was discussed:

- Boltzmann equation and the necessary tools: Legendre Polynomials, spherical harmonics. In this part, it was followed the multi-pole expansion of the photon equation as an exercise in order to understand the physics of CMB. Some doubts at the beginning and discussed with Celine: As far as I understand, we could describe radiation, CDM, baryons and Lambda, either in matter era, radiation era or Lambda era. Now, The power spectrum of CMB (matter era) gives us information of the early U, i.e. it provides information of its components (DM, baryons, dark energy). the question was: Is the power spectrum obtained only from the description of radiation? How do we obtain information about all the components of the U from the power spectrum? **need to add the discussion for these questions**

- **Based on 9501045:** in this paper is discussed the Boltzmann equation for polarization of photons from the CMB. The discussion of this Boltzmann equation is very different from the one discussed in Cosmology lectures and CMB power spectrum of temperature.

- This Boltzmann equation is in terms of density matrix of the photon, which contains information of the Stokes parameters.
- It is also in terms of the Hamiltonian of interaction in the RHS.
- Regarding to the Collision term.
 - * The term is not difficult but tedious. Maybe we can just take the result from this paper and apply it to our process. However it may not be that simple.
 - * The calculation of the polarized Compton scattering necessary, it is done. Now we need to check how is this modified if I interchange a photon for a Z' .
 - * Also, because the density matrix is defined in terms of the amplitude of the process, we need to see how would it change for the new processes.

- **Based on 150603116, 1605.09382,0801.1345** In order to answer the following questions:

- 1) Can you remind me of the Lagrangian we are working with in this model?
- 2) Is the scattering cross section for $DM + e \rightarrow DM + e$ larger or smaller than the Thomson cross section? If it is of comparable size or larger, then do we need to include this process in recombination?
- 3) What is the mass of the DM? Is it relativistic or non-relativistic during recombination?

I was checking these references and also discuss with Celine a bit about it. I already sent this by email but I guess it's better if we keep this in the document. First of all, these references show the Lagrangian and couplings of Z' to fermions: but we need to specify which model we will be working on. Second, as far as understanding the mass of the Z' should be small although several references claim it to be of $O(\text{TeV})$. the DM-e scattering can be dangerous if Z' is too light (since the cross section could blow up?), but probably smaller than Thomson scattering, though we need to check as this might depend on the DM spin. I'm not sure if I'm completely understanding this.

- **working on:** To start from somewhere, I decide to use the Lagrangian showed in reference 1605.09382 and determine the form of the (general) squared amplitude ($f\bar{f}'$ – vertex $\sim g_f\gamma_\mu$).
- **outlook:**Regarding the Amplitude calculation, I think these are the first things we should do.
 - Review of physics of Z' (more deep review).
 - Finish the squared amplitude, this might be straightforward from Compton scattering.

- Verify which another scattering process needs to be added (and see how this will modify the total amplitude) to the photon equation.

There are things I need to add besides the summary, and I will be adding as soon as I got some results from the calculations.