

Li and Qi as Theory and Model in Contemporary Mathematics

Minseong Kim*

(Dated: January 5, 2026 (v1))

Abstract

In contemporary mathematics, specifically within logic and model theory, a theory is defined as a set of axioms or rules representing essential, core truths. A model is a set of objects that satisfy these axioms. We posit that this relationship maps naturally onto the neo-Confucian concepts of li (principle/pattern) and qi (material force/object). This paper translates fundamental results from mathematical logic, such as the Lindstrom, Lowenheim-Skolem, and Tennenbaum theorems, into the vocabulary of li-qi analysis. By doing so, we demonstrate that the One Li, Many Qi debate can be rigorously formalized, revealing that the nature of qi's uniqueness is partially contingent upon whether the universe is viewed as a computable or non-computable system.

Keywords: li-qi, neo-Confucianism, logic, model theory, computability

* mkimacad@gmail.com

I. INTRODUCTION

The relationship between *li* (principle/pattern) and *qi* (material force/matter) has been the central metaphysical debate in neo-Confucian philosophy for centuries. Historically, this debate has centered on ontological priority and separability: is *li* prior to *qi*? Can *li* exist independently of *qi*, or is *li* merely the immanent order within *qi*? Thinkers such as Zhu Xi argued for a dualistic view where *li* is logically prior to *qi* (Zhu, 1189), while later scholars like Wang Fuzhi argued for a monistic view where *li* is merely the order of *qi* and cannot exist separately (Wang, 1690).

In this paper, we propose a novel hermeneutic framework for this ancient debate using contemporary mathematical logic, specifically model theory. In model theory, we distinguish between a **Theory** (a set of sentences or axioms in a formal language) and a **Model** (a mathematical structure that satisfies those sentences) (Chang and Keisler, 1990). We posit that the attributes of a mathematical Theory map remarkably well onto the neo-Confucian concept of *li*, while the attributes of a Model map onto *qi*.

It is important to note at the outset that classical model theory typically analyzes static structures. While neo-Confucian *qi* is often conceptualized as dynamic and generative (‘vital force’), this paper focuses on the structural relationship between principle and instantiation. Therefore, we abstract away the temporal dynamics of *qi* to focus on its logical relation to *li*.

By adopting this isomorphism, we can apply rigorous theorems from mathematical logic—such as Lindström’s theorem, the Löwenheim-Skolem theorems, Gödel’s Incompleteness theorems, and Tennenbaum’s theorem—to the philosophical analysis of *li* and *qi*. This approach allows us to formalize questions regarding the uniqueness of *qi* given a specific *li* (the ‘One Li, Many Qi’ problem) and the constraints empirical reality places on abstract principle.

Table I, III and II provide the summaries. For a comprehensive modern review of the metaphysical commitments of Neo-Confucianism, particularly regarding the ontological status of *li* and *qi*, see Angle and Tiwald (Angle and Tiwald, 2017) or Liu (Liu, 2017a), as well as (Oldstone-Moore, 2023).

II. CONTEMPORARY MATHEMATICS AND THE LI-QI ANALYSIS

A. Why contemporary mathematics naturally provides a good analogy for the li-qi analysis

Model theory is fundamentally the study of the relationship between formal languages (syntax) and their interpretations (semantics) (Hodges, 1993). Syntax consists of symbols and rules of formation without inherent meaning, analogous to pure *li* in its most abstract, pre-material state. Semantics involves mapping these symbols onto a domain of objects—a universe—to assign them truth values, analogous to the instantiation of *li* within concrete *qi*.

The correspondence is not merely superficial. In neo-Confucianism, *li* determines the nature of things, yet it is often described as ‘empty’ or ‘pure’ without the substantiality of *qi*. Similarly, a mathematical theory defines the properties that a structure must have, yet the theory itself is a linguistic abstraction.

TABLE I Correspondence between Neo-Confucian Metaphysics and Mathematical Logic.

Concept	Confucian Math		Attributes
Principle	<i>Li</i>	Theory (Syntax)	Abstract, axiomatic, rules, logical priority
Material Force	<i>Qi</i>	Model (Semantics)	Concrete, structural, objects, instantiation
Relation	<i>Li-Qi</i>	Satisfaction (\models)	The structure (<i>qi</i>) satisfies the axioms (<i>li</i>)

B. Lindström theorem: compactness, downward Löwenheim-Skolem and first-order logic

The most common version of the Lindström theorem states that first-order logic is the most powerful logic possessing both the compactness property and the downward Löwenheim-Skolem property (given certain standard assumptions about logic) (Lindström, 1969). Understanding these two properties sheds light on the epistemological limits of *li*.

Compactness in logic states that a set of sentences (axioms) has a model if and only if every finite subset of it has a model. In the context of *li-qi*, let us interpret a finite subset of axioms as the limited ‘local principles’ we discern from finite empirical observation. Compactness guarantees that if our finite, local observations are consistent (i.e., they have

local qi realizations), then they can be extended to a global li that governs the entire universe. This provides a logical foundation for the intelligibility of the cosmos: inductive inquiry is not futile because consistent local patterns mathematically guarantee the existence of a coherent universal li .

The **Downward Löwenheim-Skolem** property states that if a theory (the full set of li) has an infinite model, then it has a countable model (Skolem, 1920). Put simply, even if the ‘true’ universe of qi contains elements so vast they are mathematically ‘inaccessible’ (uncountable), there exists a simplified realization of li where every element can be enumerated using standard natural numbers (0, 1, 2, ...). Specifically, if a model M has cardinality κ , there is a sub-model M' with any infinite cardinality $\kappa' < \kappa$ that satisfies the theory. In neo-Confucian terms, this implies that understanding li does not require access to the non-enumerable vastness of the cosmos; li can be fully realized in a countable, accessible qi domain.

C. Peano arithmetic and the failure of Categoricity

The central question - does one li determine a unique qi ? - corresponds to the mathematical concept of **Categoricity**. A theory is categorical if all its models are isomorphic (structurally identical). If li were categorical, there would effectively be only ‘One Qi.’

However, Peano Arithmetic (PA), the canonical first-order theory of natural numbers, illustrates the failure of categoricity. PA has the language $\mathcal{L}_{PA} = \{0, 1, +, \times, <\}$. A model M consists of a domain D and interpretations of these symbols. Compactness implies that if we append axioms stating the existence of a number c greater than every standard natural number ($\exists x, x > n$ for all $n \in \mathbb{N}$), the resulting theory is still consistent. This leads to non-standard models containing ‘infinite’ integers. Because PA admits both standard and non-standard models, it is not categorical.

This proves that if li is framed in first-order logic, li is structurally incapable of pinning down a unique qi universe; ‘model multiplicity’ is unavoidable.

Furthermore, Gödel’s First Incompleteness Theorem provides a crucial constraint. Gödel showed that for any recursive set of axioms capable of arithmetic (our li), there exist statements that are true in the standard model (our qi) but unprovable from the axioms. In neo-Confucian terms, this implies a fundamental epistemic gap: even if we possess the

correct set of principles (*li*), the actual manifestation of the universe (*qi*) contains truths (semantic facts) that transcend those principles' deductive power (syntactic proofs). Thus, *qi* possesses a semantic richness that *li* cannot exhaust.

Attempts to fix this via induction fail in first-order logic. The induction axiom:

$$\forall P \subseteq \mathbb{N}' : \left((0 \in P \wedge \forall n \in \mathbb{N}' : (n \in P \rightarrow (n+1) \in P)) \rightarrow \forall n \in \mathbb{N}' : n \in P \right) \quad (1)$$

requires quantifying over all properties P (subsets). Since first-order logic cannot quantify over subsets, we rely on an axiom schema restricted to definable properties. This leaves uncountably many properties of *qi* undefined by *li*, cementing the disconnect between the single theory and its multiple possible models.

D. Tennenbaum's theorem: Mechanism vs. Vitalism

There is, however, a significant twist. Tennenbaum's theorem states that the standard model of natural numbers is the *only* countable model of PA in which addition and multiplication are recursive (computable) functions ([Tennenbaum, 1959](#)).

This introduces a profound philosophical dichotomy regarding the nature of *qi*:

1. **The Mechanical Universe:** If we postulate that the operations of *qi* follow algorithmic, computable procedures, Tennenbaum's theorem forces uniqueness. The 'One Li' of arithmetic pins down exactly 'One Qi.' This supports a view where *li* and *qi* are inseparable because the principle fully defines the material instantiation.
2. **The Vitalist Universe:** If, however, *qi* possesses non-computable qualities—a 'vitalism' or spontaneity that transcends algorithmic definition—then the constraints loosen. Non-standard models become possible, re-opening the door to *qi* multiplicity.

Thus, the debate between Monism and Dualism may mathematically hinge on whether one views the action of *qi* as algorithmic (computable) or transcendent (non-computable).

E. How far does first-order logic inform the li-qi analysis

The analysis of Lindström and Löwenheim-Skolem (Section [II.B](#)) suggests that *li* cannot fully determine *qi*. Essential truths (axioms) are distinguished from accidental truths (model-

TABLE II Mathematical Theorems and their Implications for the Li - Qi Relationship.

Theorem	Mathematical Content	Neo-Confucian Interpretation
Compactness	Local consistency implies global consistency.	Finite local observations of qi imply a coherent universal li .
Löwenheim–Skolem	Infinite models admit countable realizations.	Li does not require an inaccessible qi .
Incompleteness	True statements exist that are unprovable.	Semantic truth (qi) exceeds syntactic proof (li).
Non-Categoricity	First-order theories admit non-isomorphic models.	One li , many possible qi .
Tennenbaum	Computable models of arithmetic are unique.	Mechanical qi collapses multiplicity into unity.

dependent facts). This distinction supports the orthodox dualism of Zhu Xi: li is prior to qi because li represents the core structure, while qi contains contingent variations.

Conversely, if we prioritize empirical reality, we might adopt the set of all true sentences in the physical universe as our theory. Yet, logical limitations suggest that even this ‘True Arithmetic’ has non-standard models. However, if one disregards the logical necessity of alternative models and focuses solely on the empirical instance we inhabit, the qi -monist view of Wang Fuzhi becomes consistent: the empirical facts are all that matter.

Or perhaps we should understand li and qi as providing cross-restrictions on each other—a symbiotic relationship represented by Yulgok Yi I, where qi constrains the realization of li just as li orders qi (Chung, 1995). This suggests a dialectic that logic alone may not resolve.

While Tennenbaum’s theorem suggests a path to uniqueness via computability, we must remember that Peano Arithmetic is a fragment of mathematics. Zermelo-Fraenkel set theory (ZFC), the foundation of modern mathematics, has no computable models (Hamkins, 2013). If the ultimate li of the universe resembles ZFC rather than PA, then computability cannot save us from multiplicity.

TABLE III Historical Positions Reframed via Logic.

Stance	Logical Counterpart
Zhu Xi (Dualism)	Theory precedes model; axioms underdetermine structure.
Wang Fuzhi (Monism)	Only the physical model exists; theory records truths.
Yi Yulgok (Symbiosis)	Mutual constraint between axioms and structures.
Computationalism	Computability enforces uniqueness (example: Tennenbaum, see also (Liu, 2017b)).

III. CONCLUSION

This paper has attempted to reframe the classic neo-Confucian debate regarding *li* and *qi* through the lens of modern model theory. We have shown that if we accept the mapping of *li* to formal Theory and *qi* to Model, the mathematical properties of logic provide a rich vocabulary for articulation.

The results of Lindström and Löwenheim-Skolem suggest that a pure principle (*li*) is fundamentally incapable of uniquely determining a material reality (*qi*), lending credence to the dualist separation. Gödel’s Incompleteness Theorem further highlights that the semantic truth of *qi* always overflows the syntactic proofs of *li*. However, Tennenbaum’s theorem suggests that if reality is fundamentally computational, the ‘One Li, Many Qi’ problem may collapse into *qi* uniqueness.

Finally, we must acknowledge that classical model theory treats structures as static. Neo-Confucian *qi*, however, is inherently dynamic and generative. While this paper analyzed the structural relationship between principle and instantiation, future research should extend this analysis to better capture the transformative nature of *qi*, moving beyond the static *li-qi* analysis presented here.

DATA AVAILABILITY AND DECLARATION OF INTERESTS

The author(s) have no funding source to declare. Furthermore, there is no conflict of interests.

REFERENCES

- Angle, Stephen C, and Justin Tiwald (2017), *Neo-Confucianism: A Philosophical Introduction* (Polity Press, Cambridge, UK).
- Chang, CC, and H.J. Keisler (1990), *Model Theory*, 3rd ed. (North-Holland).
- Chung, Edward YJ (1995), *The Korean Neo-Confucianism of Yi T'oege and Yi Yulgok* (SUNY Press).
- Hamkins, Joel David (2013), “Every countable model of set theory embeds into its own constructible universe,” [Journal of Mathematical Logic](https://doi.org/10.1142/s0219061313500062) **13** (2), [10.1142/s0219061313500062](https://doi.org/10.1142/s0219061313500062).
- Hodges, Wilfrid (1993), *Model Theory* (Cambridge University Press).
- Lindström, Per (1969), “On extensions of elementary logic,” *Theoria* **35** (1), 1–11.
- Liu, JeeLoo (2017a), *Neo-Confucianism: Metaphysics, Mind, and Morality* (Wiley-Blackwell, Hoboken, NJ).
- Liu, JeeLoo (2017b), *Neo-Confucianism: Metaphysics, Mind, and Morality* (Wiley-Blackwell).
- Oldstone-Moore, Jennifer, Ed. (2023), *The Oxford Handbook of Confucianism* (Oxford University Press, New York).
- Skolem, Thoralf (1920), “Logisch-kombinatorische untersuchungen über die erfüllbarkeit oder beweisbarkeit mathematischer sätze,” *Skrifter utgitt av Videnskapsselskapet i Kristiania, I. Matematisk-naturvidenskabelig klasse* (4), 1–36.
- Tennenbaum, Stanley (1959), “Non-archimedean models for arithmetic,” *Notices of the American Mathematical Society* **6**, 270.
- Wang, Fuzhi (1690), *Du Sishu daquan shuo [Commentary on the Great Compendium of the Four Books]*, Chuanshan quanshu [Complete Works of Wang Chuanshan] (Changsha: Yuelu Publishing House (2011 edition)).
- Zhu, Xi (1189), *Zhuzi yulei [Classified Conversations of Master Zhu]* (Beijing: Zhonghua Book Company (1986 edition)).