# **Fully connected networks**

In the previous notebook, you implemented a simple two-layer neural network class. However, this class is not modular. If you wanted to change the number of layers, you would need to write a new loss and gradient function. If you wanted to optimize the network with different optimizers, you'd need to write new training functions. If you wanted to incorporate regularizations, you'd have to modify the loss and gradient function.

Instead of having to modify functions each time, for the rest of the class, we'll work in a more modular framework where we define forward and backward layers that calculate losses and gradients respectively. Since the forward and backward layers share intermediate values that are useful for calculating both the loss and the gradient, we'll also have these function return "caches" which store useful intermediate values.

The goal is that through this modular design, we can build different sized neural networks for various applications.

In this HW #3, we'll define the basic architecture, and in HW #4, we'll build on this framework to implement different optimizers and regularizations (like BatchNorm and Dropout).

CS231n has built a solid API for building these modular frameworks and training them, and we will use their very well implemented framework as opposed to "reinventing the wheel." This includes using their Solver, various utility functions, and their layer structure. This also includes nndl.fc\_net, nndl.layers, and nndl.layer\_utils. As in prior assignments, we thank Serena Yeung & Justin Johnson for permission to use code written for the CS 231n class (cs231n.stanford.edu).

## **Modular layers**

This notebook will build modular layers in the following manner. First, there will be a forward pass for a given layer with inputs ( x ) and return the output of that layer ( out ) as well as cached variables ( cache ) that will be used to calculate the gradient in the backward pass.

```
def layer_forward(x, w):
    """ Receive inputs x and weights w """
    # Do some computations ...
    z = # ... some intermediate value
    # Do some more computations ...
    out = # the output

cache = (x, w, z, out) # Values we need to compute gradients
    return out, cache
```

The backward pass will receive upstream derivatives and the cache object, and will return gradients with respect to the inputs and weights, like this:

```
def layer_backward(dout, cache):
    """
    Receive derivative of loss with respect to outputs and cache,
    and compute derivative with respect to inputs.
    """
    # Unpack cache values
    x, w, z, out = cache

# Use values in cache to compute derivatives
    dx = # Derivative of loss with respect to x
    dw = # Derivative of loss with respect to w
```

```
In [1]: | ## Import and setups
        import time
        import numpy as np
        import matplotlib.pyplot as plt
        from nndl.fc_net import *
        from cs231n.data utils import get CIFAR10 data
        from cs231n.gradient check import eval numerical gradient, eval numerical grad
        ient array
        from cs231n.solver import Solver
        import os
        #alias kk os._exit(0)
        %matplotlib inline
        plt.rcParams['figure.figsize'] = (10.0, 8.0) # set default size of plots
        plt.rcParams['image.interpolation'] = 'nearest'
        plt.rcParams['image.cmap'] = 'gray'
        # for auto-reloading external modules
        # see http://stackoverflow.com/questions/1907993/autoreload-of-modules-in-ipyt
        hon
        %load ext autoreload
        %autoreload 2
        def rel error(x, y):
           """ returns relative error """
          return np.max(np.abs(x - y) / (np.maximum(1e-8, np.abs(x) + np.abs(y))))
In [2]: # Load the (preprocessed) CIFAR10 data.
        data = get CIFAR10 data()
        for k in data.keys():
          print('{}: {} '.format(k, data[k].shape))
        X train: (49000, 3, 32, 32)
```

# **Linear layers**

y\_train: (49000,)

y val: (1000,)

y test: (1000,)

X val: (1000, 3, 32, 32)

X\_test: (1000, 3, 32, 32)

In this section, we'll implement the forward and backward pass for the linear layers.

The linear layer forward pass is the function affine\_forward in nndl/layers.py and the backward pass is affine\_backward.

After you have implemented these, test your implementation by running the cell below.

#### Affine layer forward pass

Implement affine forward and then test your code by running the following cell.

```
In [3]: # Test the affine forward function
        num inputs = 2
        input\_shape = (4, 5, 6)
        output dim = 3
        input_size = num_inputs * np.prod(input_shape)
        weight_size = output_dim * np.prod(input_shape)
        x = np.linspace(-0.1, 0.5, num=input_size).reshape(num_inputs,*input_shape)
        w = np.linspace(-0.2, 0.3, num=weight size).reshape(np.prod(input shape), outp
        ut dim)
        b = np.linspace(-0.3, 0.1, num=output_dim)
        out, _ = affine_forward(x, w, b)
        correct_out = np.array([[ 1.49834967, 1.70660132, 1.91485297],
                                 [ 3.25553199, 3.5141327, 3.77273342]])
        # Compare your output with ours. The error should be around 1e-9.
        print('Testing affine_forward function:')
        print('difference: {}'.format(rel error(out, correct out)))
```

Testing affine\_forward function: difference: 9.769847728806635e-10

#### Affine layer backward pass

Implement affine\_backward and then test your code by running the following cell.

```
In [5]: # Test the affine backward function
        x = np.random.randn(10, 2, 3)
        w = np.random.randn(6, 5)
        b = np.random.randn(5)
        dout = np.random.randn(10, 5)
        dx num = eval numerical gradient array(lambda x: affine forward(x, w, b)[0], x
         .reshape(10,-6), dout)
        dw_num = eval_numerical_gradient_array(lambda w: affine_forward(x, w, b)[0], w
        , dout)
        db_num = eval_numerical_gradient_array(lambda b: affine_forward(x, w, b)[0], b
        , dout)
         _, cache = affine_forward(x, w, b)
        dx, dw, db = affine_backward(dout, cache)
        # The error should be around 1e-10
        print('Testing affine_backward function:')
        print('dx error: {}'.format(rel error(dx num, dx)))
        print('dw error: {}'.format(rel error(dw num, dw)))
        print('db error: {}'.format(rel_error(db_num, db)))
```

Testing affine\_backward function: dx error: 2.7825711313218806e-09 dw error: 6.478284543571568e-09 db error: 9.272076782582778e-12

## **Activation layers**

In this section you'll implement the ReLU activation.

#### ReLU forward pass

Implement the relu\_forward function in nndl/layers.py and then test your code by running the following cell.

Testing relu\_forward function: difference: 4.999999798022158e-08

#### ReLU backward pass

Implement the relu\_backward function in nndl/layers.py and then test your code by running the following cell.

dx error: 3.2756388851377516e-12

## Combining the affine and ReLU layers

Often times, an affine layer will be followed by a ReLU layer. So let's make one that puts them together. Layers that are combined are stored in nndl/layer\_utils.py .

#### Affine-ReLU layers

We've implemented affine\_relu\_forward() and affine\_relu\_backward in nndl/layer\_utils.py . Take a look at them to make sure you understand what's going on. Then run the following cell to ensure its implemented correctly.

```
In [8]: | from nndl.layer utils import affine relu forward, affine relu backward
        x = np.random.randn(2, 3, 4)
        w = np.random.randn(12, 10)
        b = np.random.randn(10)
        dout = np.random.randn(2, 10)
        out, cache = affine relu forward(x, w, b)
        dx, dw, db = affine relu backward(dout, cache)
        dx num = eval numerical gradient array(lambda x: affine relu forward(x, w, b)[
        0], x.reshape(2,12), dout)
        dw_num = eval_numerical_gradient_array(lambda w: affine_relu_forward(x, w, b)[
        0], w, dout)
        db num = eval numerical gradient array(lambda b: affine relu forward(x, w, b)[
        0], b, dout)
        print('Testing affine_relu_forward and affine_relu_backward:')
        print('dx error: {}'.format(rel_error(dx_num, dx)))
        print('dw error: {}'.format(rel error(dw num, dw)))
        print('db error: {}'.format(rel error(db num, db)))
```

Testing affine relu forward and affine relu backward:

dx error: 8.196932245092791e-10 dw error: 7.335977111233327e-09 db error: 1.892886971142364e-11

## **Softmax and SVM losses**

You've already implemented these, so we have written these in layers.py. The following code will ensure they are working correctly.

```
In [9]: | num classes, num inputs = 10, 50
        x = 0.001 * np.random.randn(num_inputs, num_classes)
        y = np.random.randint(num_classes, size=num_inputs)
        dx_num = eval_numerical_gradient(lambda x: svm_loss(x, y)[0], x, verbose=False
        loss, dx = svm loss(x, y)
        # Test svm loss function. Loss should be around 9 and dx error should be 1e-9
        print('Testing svm_loss:')
        print('loss: {}'.format(loss))
        print('dx error: {}'.format(rel_error(dx_num, dx)))
        dx num = eval numerical gradient(lambda x: softmax loss(x, y)[0], x, verbose=\mathbf{F}
        alse)
        loss, dx = softmax_loss(x, y)
        # Test softmax_loss function. Loss should be 2.3 and dx error should be 1e-8
        print('\nTesting softmax_loss:')
        print('loss: {}'.format(loss))
        print('dx error: {}'.format(rel_error(dx_num, dx)))
        Testing svm_loss:
        loss: 9.001020468684722
        dx error: 1.4021566006651672e-09
        Testing softmax_loss:
        loss: 2.3026875685808417
        dx error: 1.0021775812402786e-08
```

# Implementation of a two-layer NN

In nndl/fc\_net.py , implement the class TwoLayerNet which uses the layers you made here. When you have finished, the following cell will test your implementation.

```
In [10]: N, D, H, C = 3, 5, 50, 7
         X = np.random.randn(N, D)
         y = np.random.randint(C, size=N)
         std = 1e-2
         model = TwoLayerNet(input_dim=D, hidden_dims=H, num_classes=C, weight_scale=st
         d)
         print('Testing initialization ... ')
         W1_std = abs(model.params['W1'].std() - std)
         b1 = model.params['b1']
         W2_std = abs(model.params['W2'].std() - std)
         b2 = model.params['b2']
         assert W1 std < std / 10, 'First layer weights do not seem right'
         assert np.all(b1 == 0), 'First layer biases do not seem right'
         assert W2_std < std / 10, 'Second layer weights do not seem right'</pre>
         assert np.all(b2 == 0), 'Second layer biases do not seem right'
         print('Testing test-time forward pass ... ')
         model.params['W1'] = np.linspace(-0.7, 0.3, num=D*H).reshape(D, H)
         model.params['b1'] = np.linspace(-0.1, 0.9, num=H)
         model.params['W2'] = np.linspace(-0.3, 0.4, num=H*C).reshape(H, C)
         model.params['b2'] = np.linspace(-0.9, 0.1, num=C)
         X = np.linspace(-5.5, 4.5, num=N*D).reshape(D, N).T
         scores = model.loss(X)
         correct scores = np.asarray(
           [[11.53165108, 12.2917344, 13.05181771, 13.81190102, 14.57198434, 15.33
         206765, 16.09215096],
            [12.05769098, 12.74614105, 13.43459113, 14.1230412, 14.81149128, 15.49
         994135, 16.18839143],
            [12.58373087, 13.20054771, 13.81736455, 14.43418138, 15.05099822, 15.66
         781506, 16.2846319 ]])
         scores diff = np.abs(scores - correct scores).sum()
         assert scores_diff < 1e-6, 'Problem with test-time forward pass'</pre>
         print('Testing training loss (no regularization)')
         y = np.asarray([0, 5, 1])
         loss, grads = model.loss(X, y)
         correct loss = 3.4702243556
         assert abs(loss - correct_loss) < 1e-10, 'Problem with training-time loss'</pre>
         model.reg = 1.0
         loss, grads = model.loss(X, y)
         correct loss = 26.5948426952
         assert abs(loss - correct loss) < 1e-10, 'Problem with regularization loss'</pre>
         for reg in [0.0, 0.7]:
           print('Running numeric gradient check with reg = {}'.format(reg))
           model.reg = reg
           loss, grads = model.loss(X, y)
           for name in sorted(grads):
             f = lambda _: model.loss(X, y)[0]
             grad_num = eval_numerical_gradient(f, model.params[name], verbose=False)
             print('{} relative error: {}'.format(name, rel_error(grad_num, grads[name
         ])))
```

```
Testing initialization ...

Testing test-time forward pass ...

Testing training loss (no regularization)

Running numeric gradient check with reg = 0.0

W1 relative error: 1.52157032098804e-08

W2 relative error: 3.4803693682531243e-10

b1 relative error: 6.5485462766289595e-09

b2 relative error: 4.3291413857436005e-10

Running numeric gradient check with reg = 0.7

W1 relative error: 8.175466255230509e-07

W2 relative error: 2.8508696990815807e-08

b1 relative error: 1.0895969390651956e-09

b2 relative error: 9.089615724390711e-10
```

#### Solver

We will now use the cs231n Solver class to train these networks. Familiarize yourself with the API in cs231n/solver.py . After you have done so, declare an instance of a TwoLayerNet with 200 units and then train it with the Solver. Choose parameters so that your validation accuracy is at least 40%.

```
In [11]: for k in data.keys():
    print('{}: {} '.format(k, data[k].shape))

X_train: (49000, 3, 32, 32)
    y_train: (49000,)
    X_val: (1000, 3, 32, 32)
    y_val: (1000,)
    X_test: (1000, 3, 32, 32)
    y_test: (1000,)
```

```
In [12]:
      model = TwoLayerNet()
      solver = None
      # ============= #
      # YOUR CODE HERE:
        Declare an instance of a TwoLayerNet and then train
         it with the Solver. Choose hyperparameters so that your validation
        accuracy is at least 40%. We won't have you optimize this further
         since you did it in the previous notebook.
      N, D, H, C = 49000, 3*32*32, 50, 10
      X = np.random.randn(N, D)
      y = np.random.randint(C, size=N)
      std = 1e-2
      model = TwoLayerNet(input_dim=D, hidden_dims=H, num_classes=C, weight_scale=st
      d)
      solver = Solver(model,data,optim_config={'learning_rate':1e-3})
      solver.train()
      pass
      # END YOUR CODE HERE
```

```
(Iteration 1 / 4900) loss: 3.290638
(Epoch 0 / 10) train acc: 0.107000; val_acc: 0.123000
(Iteration 11 / 4900) loss: 2.389829
(Iteration 21 / 4900) loss: 2.215848
(Iteration 31 / 4900) loss: 2.212143
(Iteration 41 / 4900) loss: 1.994485
(Iteration 51 / 4900) loss: 2.223893
(Iteration 61 / 4900) loss: 1.950839
(Iteration 71 / 4900) loss: 1.929391
(Iteration 81 / 4900) loss: 2.165801
(Iteration 91 / 4900) loss: 1.996686
(Iteration 101 / 4900) loss: 1.819187
(Iteration 111 / 4900) loss: 1.795328
(Iteration 121 / 4900) loss: 1.822808
(Iteration 131 / 4900) loss: 1.744277
(Iteration 141 / 4900) loss: 1.886829
(Iteration 151 / 4900) loss: 1.699980
(Iteration 161 / 4900) loss: 1.901897
(Iteration 171 / 4900) loss: 1.735307
(Iteration 181 / 4900) loss: 1.768070
(Iteration 191 / 4900) loss: 1.764556
(Iteration 201 / 4900) loss: 1.852760
(Iteration 211 / 4900) loss: 1.652856
(Iteration 221 / 4900) loss: 1.740637
(Iteration 231 / 4900) loss: 1.769938
(Iteration 241 / 4900) loss: 1.709421
(Iteration 251 / 4900) loss: 1.792931
(Iteration 261 / 4900) loss: 1.474497
(Iteration 271 / 4900) loss: 1.785949
(Iteration 281 / 4900) loss: 1.700124
(Iteration 291 / 4900) loss: 1.679014
(Iteration 301 / 4900) loss: 1.834070
(Iteration 311 / 4900) loss: 1.796900
(Iteration 321 / 4900) loss: 1.656792
(Iteration 331 / 4900) loss: 1.696535
(Iteration 341 / 4900) loss: 1.771244
(Iteration 351 / 4900) loss: 1.797578
(Iteration 361 / 4900) loss: 1.801109
(Iteration 371 / 4900) loss: 1.607640
(Iteration 381 / 4900) loss: 1.676314
(Iteration 391 / 4900) loss: 1.624412
(Iteration 401 / 4900) loss: 1.701401
(Iteration 411 / 4900) loss: 1.775806
(Iteration 421 / 4900) loss: 1.846421
(Iteration 431 / 4900) loss: 1.789772
(Iteration 441 / 4900) loss: 1.627572
(Iteration 451 / 4900) loss: 1.614914
(Iteration 461 / 4900) loss: 1.715750
(Iteration 471 / 4900) loss: 1.659377
(Iteration 481 / 4900) loss: 1.782116
(Epoch 1 / 10) train acc: 0.408000; val acc: 0.394000
(Iteration 491 / 4900) loss: 1.719916
(Iteration 501 / 4900) loss: 1.696771
(Iteration 511 / 4900) loss: 1.705766
(Iteration 521 / 4900) loss: 1.577591
(Iteration 531 / 4900) loss: 1.714431
(Iteration 541 / 4900) loss: 1.675987
```

```
(Iteration 551 / 4900) loss: 1.699711
(Iteration 561 / 4900) loss: 1.562030
(Iteration 571 / 4900) loss: 1.552250
(Iteration 581 / 4900) loss: 1.655670
(Iteration 591 / 4900) loss: 1.576024
(Iteration 601 / 4900) loss: 1.658693
(Iteration 611 / 4900) loss: 1.661348
(Iteration 621 / 4900) loss: 1.707443
(Iteration 631 / 4900) loss: 1.670187
(Iteration 641 / 4900) loss: 1.675327
(Iteration 651 / 4900) loss: 1.658950
(Iteration 661 / 4900) loss: 1.526738
(Iteration 671 / 4900) loss: 1.644433
(Iteration 681 / 4900) loss: 1.601374
(Iteration 691 / 4900) loss: 1.622932
(Iteration 701 / 4900) loss: 1.593502
(Iteration 711 / 4900) loss: 1.626028
(Iteration 721 / 4900) loss: 1.597813
(Iteration 731 / 4900) loss: 1.614515
(Iteration 741 / 4900) loss: 1.860257
(Iteration 751 / 4900) loss: 1.626573
(Iteration 761 / 4900) loss: 1.644052
(Iteration 771 / 4900) loss: 1.723964
(Iteration 781 / 4900) loss: 1.514406
(Iteration 791 / 4900) loss: 1.855611
(Iteration 801 / 4900) loss: 1.608952
(Iteration 811 / 4900) loss: 1.526506
(Iteration 821 / 4900) loss: 1.564900
(Iteration 831 / 4900) loss: 1.635134
(Iteration 841 / 4900) loss: 1.480707
(Iteration 851 / 4900) loss: 1.507653
(Iteration 861 / 4900) loss: 1.559588
(Iteration 871 / 4900) loss: 1.770235
(Iteration 881 / 4900) loss: 1.553688
(Iteration 891 / 4900) loss: 1.570218
(Iteration 901 / 4900) loss: 1.640055
(Iteration 911 / 4900) loss: 1.504122
(Iteration 921 / 4900) loss: 1.475103
(Iteration 931 / 4900) loss: 1.655451
(Iteration 941 / 4900) loss: 1.540384
(Iteration 951 / 4900) loss: 1.872676
(Iteration 961 / 4900) loss: 1.650782
(Iteration 971 / 4900) loss: 1.422746
(Epoch 2 / 10) train acc: 0.433000; val acc: 0.424000
(Iteration 981 / 4900) loss: 1.412595
(Iteration 991 / 4900) loss: 1.506664
(Iteration 1001 / 4900) loss: 1.580426
(Iteration 1011 / 4900) loss: 1.656954
(Iteration 1021 / 4900) loss: 1.540477
(Iteration 1031 / 4900) loss: 1.726451
(Iteration 1041 / 4900) loss: 1.572197
(Iteration 1051 / 4900) loss: 1.514043
(Iteration 1061 / 4900) loss: 1.600452
(Iteration 1071 / 4900) loss: 1.591877
(Iteration 1081 / 4900) loss: 1.509088
(Iteration 1091 / 4900) loss: 1.539264
(Iteration 1101 / 4900) loss: 1.567996
```

```
(Iteration 1111 / 4900) loss: 1.484264
(Iteration 1121 / 4900) loss: 1.610767
(Iteration 1131 / 4900) loss: 1.716272
(Iteration 1141 / 4900) loss: 1.482705
(Iteration 1151 / 4900) loss: 1.294015
(Iteration 1161 / 4900) loss: 1.377118
(Iteration 1171 / 4900) loss: 1.571038
(Iteration 1181 / 4900) loss: 1.572750
(Iteration 1191 / 4900) loss: 1.557778
(Iteration 1201 / 4900) loss: 1.506682
(Iteration 1211 / 4900) loss: 1.518128
(Iteration 1221 / 4900) loss: 1.851745
(Iteration 1231 / 4900) loss: 1.573468
(Iteration 1241 / 4900) loss: 1.554497
(Iteration 1251 / 4900) loss: 1.574093
(Iteration 1261 / 4900) loss: 1.468259
(Iteration 1271 / 4900) loss: 1.631064
(Iteration 1281 / 4900) loss: 1.581617
(Iteration 1291 / 4900) loss: 1.341266
(Iteration 1301 / 4900) loss: 1.599526
(Iteration 1311 / 4900) loss: 1.681465
(Iteration 1321 / 4900) loss: 1.529550
(Iteration 1331 / 4900) loss: 1.457270
(Iteration 1341 / 4900) loss: 1.398135
(Iteration 1351 / 4900) loss: 1.732383
(Iteration 1361 / 4900) loss: 1.524504
(Iteration 1371 / 4900) loss: 1.680234
(Iteration 1381 / 4900) loss: 1.613531
(Iteration 1391 / 4900) loss: 1.514638
(Iteration 1401 / 4900) loss: 1.365035
(Iteration 1411 / 4900) loss: 1.420527
(Iteration 1421 / 4900) loss: 1.502329
(Iteration 1431 / 4900) loss: 1.601997
(Iteration 1441 / 4900) loss: 1.609411
(Iteration 1451 / 4900) loss: 1.390723
(Iteration 1461 / 4900) loss: 1.413456
(Epoch 3 / 10) train acc: 0.415000; val_acc: 0.431000
(Iteration 1471 / 4900) loss: 1.390317
(Iteration 1481 / 4900) loss: 1.749006
(Iteration 1491 / 4900) loss: 1.308604
(Iteration 1501 / 4900) loss: 1.566262
(Iteration 1511 / 4900) loss: 1.822948
(Iteration 1521 / 4900) loss: 1.629824
(Iteration 1531 / 4900) loss: 1.467139
(Iteration 1541 / 4900) loss: 1.511465
(Iteration 1551 / 4900) loss: 1.574243
(Iteration 1561 / 4900) loss: 1.456230
(Iteration 1571 / 4900) loss: 1.442357
(Iteration 1581 / 4900) loss: 1.559810
(Iteration 1591 / 4900) loss: 1.658602
(Iteration 1601 / 4900) loss: 1.511004
(Iteration 1611 / 4900) loss: 1.462563
(Iteration 1621 / 4900) loss: 1.470672
(Iteration 1631 / 4900) loss: 1.517981
(Iteration 1641 / 4900) loss: 1.623759
(Iteration 1651 / 4900) loss: 1.400474
(Iteration 1661 / 4900) loss: 1.432484
```

```
(Iteration 1671 / 4900) loss: 1.520222
(Iteration 1681 / 4900) loss: 1.518606
(Iteration 1691 / 4900) loss: 1.481267
(Iteration 1701 / 4900) loss: 1.521433
(Iteration 1711 / 4900) loss: 1.469645
(Iteration 1721 / 4900) loss: 1.609355
(Iteration 1731 / 4900) loss: 1.413776
(Iteration 1741 / 4900) loss: 1.579957
(Iteration 1751 / 4900) loss: 1.455680
(Iteration 1761 / 4900) loss: 1.399787
(Iteration 1771 / 4900) loss: 1.361812
(Iteration 1781 / 4900) loss: 1.733088
(Iteration 1791 / 4900) loss: 1.609184
(Iteration 1801 / 4900) loss: 1.678917
(Iteration 1811 / 4900) loss: 1.580328
(Iteration 1821 / 4900) loss: 1.392046
(Iteration 1831 / 4900) loss: 1.486765
(Iteration 1841 / 4900) loss: 1.709290
(Iteration 1851 / 4900) loss: 1.399190
(Iteration 1861 / 4900) loss: 1.488129
(Iteration 1871 / 4900) loss: 1.509695
(Iteration 1881 / 4900) loss: 1.456331
(Iteration 1891 / 4900) loss: 1.703417
(Iteration 1901 / 4900) loss: 1.557781
(Iteration 1911 / 4900) loss: 1.667922
(Iteration 1921 / 4900) loss: 1.420304
(Iteration 1931 / 4900) loss: 1.398344
(Iteration 1941 / 4900) loss: 1.394595
(Iteration 1951 / 4900) loss: 1.503018
(Epoch 4 / 10) train acc: 0.454000; val acc: 0.414000
(Iteration 1961 / 4900) loss: 1.658352
(Iteration 1971 / 4900) loss: 1.380106
(Iteration 1981 / 4900) loss: 1.314798
(Iteration 1991 / 4900) loss: 1.352132
(Iteration 2001 / 4900) loss: 1.378944
(Iteration 2011 / 4900) loss: 1.519382
(Iteration 2021 / 4900) loss: 1.440203
(Iteration 2031 / 4900) loss: 1.520978
(Iteration 2041 / 4900) loss: 1.409114
(Iteration 2051 / 4900) loss: 1.530329
(Iteration 2061 / 4900) loss: 1.393353
(Iteration 2071 / 4900) loss: 1.452324
(Iteration 2081 / 4900) loss: 1.376602
(Iteration 2091 / 4900) loss: 1.629977
(Iteration 2101 / 4900) loss: 1.520669
(Iteration 2111 / 4900) loss: 1.671368
(Iteration 2121 / 4900) loss: 1.281485
(Iteration 2131 / 4900) loss: 1.479481
(Iteration 2141 / 4900) loss: 1.296559
(Iteration 2151 / 4900) loss: 1.217426
(Iteration 2161 / 4900) loss: 1.338424
(Iteration 2171 / 4900) loss: 1.354330
(Iteration 2181 / 4900) loss: 1.608985
(Iteration 2191 / 4900) loss: 1.531467
(Iteration 2201 / 4900) loss: 1.352534
(Iteration 2211 / 4900) loss: 1.509669
(Iteration 2221 / 4900) loss: 1.418174
```

```
(Iteration 2231 / 4900) loss: 1.547347
(Iteration 2241 / 4900) loss: 1.660057
(Iteration 2251 / 4900) loss: 1.439596
(Iteration 2261 / 4900) loss: 1.570417
(Iteration 2271 / 4900) loss: 1.323973
(Iteration 2281 / 4900) loss: 1.763992
(Iteration 2291 / 4900) loss: 1.502648
(Iteration 2301 / 4900) loss: 1.401639
(Iteration 2311 / 4900) loss: 1.552625
(Iteration 2321 / 4900) loss: 1.607425
(Iteration 2331 / 4900) loss: 1.363481
(Iteration 2341 / 4900) loss: 1.447289
(Iteration 2351 / 4900) loss: 1.605258
(Iteration 2361 / 4900) loss: 1.456590
(Iteration 2371 / 4900) loss: 1.663337
(Iteration 2381 / 4900) loss: 1.466471
(Iteration 2391 / 4900) loss: 1.626188
(Iteration 2401 / 4900) loss: 1.417077
(Iteration 2411 / 4900) loss: 1.347546
(Iteration 2421 / 4900) loss: 1.472374
(Iteration 2431 / 4900) loss: 1.654754
(Iteration 2441 / 4900) loss: 1.699059
(Epoch 5 / 10) train acc: 0.468000; val acc: 0.460000
(Iteration 2451 / 4900) loss: 1.570660
(Iteration 2461 / 4900) loss: 1.651585
(Iteration 2471 / 4900) loss: 1.358496
(Iteration 2481 / 4900) loss: 1.339270
(Iteration 2491 / 4900) loss: 1.511960
(Iteration 2501 / 4900) loss: 1.662425
(Iteration 2511 / 4900) loss: 1.387705
(Iteration 2521 / 4900) loss: 1.420369
(Iteration 2531 / 4900) loss: 1.326955
(Iteration 2541 / 4900) loss: 1.367641
(Iteration 2551 / 4900) loss: 1.403026
(Iteration 2561 / 4900) loss: 1.792609
(Iteration 2571 / 4900) loss: 1.333480
(Iteration 2581 / 4900) loss: 1.347500
(Iteration 2591 / 4900) loss: 1.524510
(Iteration 2601 / 4900) loss: 1.442210
(Iteration 2611 / 4900) loss: 1.483822
(Iteration 2621 / 4900) loss: 1.526979
(Iteration 2631 / 4900) loss: 1.518453
(Iteration 2641 / 4900) loss: 1.796644
(Iteration 2651 / 4900) loss: 1.337431
(Iteration 2661 / 4900) loss: 1.401175
(Iteration 2671 / 4900) loss: 1.396547
(Iteration 2681 / 4900) loss: 1.614981
(Iteration 2691 / 4900) loss: 1.416721
(Iteration 2701 / 4900) loss: 1.333179
(Iteration 2711 / 4900) loss: 1.515608
(Iteration 2721 / 4900) loss: 1.532201
(Iteration 2731 / 4900) loss: 1.326058
(Iteration 2741 / 4900) loss: 1.298951
(Iteration 2751 / 4900) loss: 1.519663
(Iteration 2761 / 4900) loss: 1.414386
(Iteration 2771 / 4900) loss: 1.390696
(Iteration 2781 / 4900) loss: 1.527466
```

```
(Iteration 2791 / 4900) loss: 1.472511
(Iteration 2801 / 4900) loss: 1.568581
(Iteration 2811 / 4900) loss: 1.354628
(Iteration 2821 / 4900) loss: 1.525698
(Iteration 2831 / 4900) loss: 1.505145
(Iteration 2841 / 4900) loss: 1.474250
(Iteration 2851 / 4900) loss: 1.467496
(Iteration 2861 / 4900) loss: 1.358249
(Iteration 2871 / 4900) loss: 1.266399
(Iteration 2881 / 4900) loss: 1.443252
(Iteration 2891 / 4900) loss: 1.360145
(Iteration 2901 / 4900) loss: 1.244391
(Iteration 2911 / 4900) loss: 1.375927
(Iteration 2921 / 4900) loss: 1.281383
(Iteration 2931 / 4900) loss: 1.503631
(Epoch 6 / 10) train acc: 0.483000; val acc: 0.473000
(Iteration 2941 / 4900) loss: 1.508058
(Iteration 2951 / 4900) loss: 1.627976
(Iteration 2961 / 4900) loss: 1.417924
(Iteration 2971 / 4900) loss: 1.290509
(Iteration 2981 / 4900) loss: 1.549190
(Iteration 2991 / 4900) loss: 1.368109
(Iteration 3001 / 4900) loss: 1.336898
(Iteration 3011 / 4900) loss: 1.274182
(Iteration 3021 / 4900) loss: 1.187609
(Iteration 3031 / 4900) loss: 1.589349
(Iteration 3041 / 4900) loss: 1.463505
(Iteration 3051 / 4900) loss: 1.479151
(Iteration 3061 / 4900) loss: 1.504976
(Iteration 3071 / 4900) loss: 1.614850
(Iteration 3081 / 4900) loss: 1.268689
(Iteration 3091 / 4900) loss: 1.249049
(Iteration 3101 / 4900) loss: 1.324033
(Iteration 3111 / 4900) loss: 1.436996
(Iteration 3121 / 4900) loss: 1.424637
(Iteration 3131 / 4900) loss: 1.412341
(Iteration 3141 / 4900) loss: 1.278621
(Iteration 3151 / 4900) loss: 1.475220
(Iteration 3161 / 4900) loss: 1.377523
(Iteration 3171 / 4900) loss: 1.406185
(Iteration 3181 / 4900) loss: 1.601938
(Iteration 3191 / 4900) loss: 1.564705
(Iteration 3201 / 4900) loss: 1.262510
(Iteration 3211 / 4900) loss: 1.437562
(Iteration 3221 / 4900) loss: 1.213535
(Iteration 3231 / 4900) loss: 1.323498
(Iteration 3241 / 4900) loss: 1.254896
(Iteration 3251 / 4900) loss: 1.559102
(Iteration 3261 / 4900) loss: 1.532790
(Iteration 3271 / 4900) loss: 1.101451
(Iteration 3281 / 4900) loss: 1.442550
(Iteration 3291 / 4900) loss: 1.336728
(Iteration 3301 / 4900) loss: 1.479650
(Iteration 3311 / 4900) loss: 1.590911
(Iteration 3321 / 4900) loss: 1.489436
(Iteration 3331 / 4900) loss: 1.686835
(Iteration 3341 / 4900) loss: 1.434351
```

```
(Iteration 3351 / 4900) loss: 1.402058
(Iteration 3361 / 4900) loss: 1.693258
(Iteration 3371 / 4900) loss: 1.524842
(Iteration 3381 / 4900) loss: 1.537934
(Iteration 3391 / 4900) loss: 1.220046
(Iteration 3401 / 4900) loss: 1.107242
(Iteration 3411 / 4900) loss: 1.285582
(Iteration 3421 / 4900) loss: 1.518551
(Epoch 7 / 10) train acc: 0.545000; val acc: 0.461000
(Iteration 3431 / 4900) loss: 1.451782
(Iteration 3441 / 4900) loss: 1.578873
(Iteration 3451 / 4900) loss: 1.483952
(Iteration 3461 / 4900) loss: 1.517126
(Iteration 3471 / 4900) loss: 1.361448
(Iteration 3481 / 4900) loss: 1.392112
(Iteration 3491 / 4900) loss: 1.404703
(Iteration 3501 / 4900) loss: 1.371145
(Iteration 3511 / 4900) loss: 1.417723
(Iteration 3521 / 4900) loss: 1.503432
(Iteration 3531 / 4900) loss: 1.327544
(Iteration 3541 / 4900) loss: 1.542255
(Iteration 3551 / 4900) loss: 1.289399
(Iteration 3561 / 4900) loss: 1.311728
(Iteration 3571 / 4900) loss: 1.385101
(Iteration 3581 / 4900) loss: 1.295868
(Iteration 3591 / 4900) loss: 1.502512
(Iteration 3601 / 4900) loss: 1.297429
(Iteration 3611 / 4900) loss: 1.440759
(Iteration 3621 / 4900) loss: 1.405377
(Iteration 3631 / 4900) loss: 1.604754
(Iteration 3641 / 4900) loss: 1.529330
(Iteration 3651 / 4900) loss: 1.365253
(Iteration 3661 / 4900) loss: 1.547297
(Iteration 3671 / 4900) loss: 1.357217
(Iteration 3681 / 4900) loss: 1.308929
(Iteration 3691 / 4900) loss: 1.637895
(Iteration 3701 / 4900) loss: 1.386182
(Iteration 3711 / 4900) loss: 1.378171
(Iteration 3721 / 4900) loss: 1.575915
(Iteration 3731 / 4900) loss: 1.612256
(Iteration 3741 / 4900) loss: 1.104872
(Iteration 3751 / 4900) loss: 1.260065
(Iteration 3761 / 4900) loss: 1.432096
(Iteration 3771 / 4900) loss: 1.492711
(Iteration 3781 / 4900) loss: 1.180341
(Iteration 3791 / 4900) loss: 1.396191
(Iteration 3801 / 4900) loss: 1.237356
(Iteration 3811 / 4900) loss: 1.291746
(Iteration 3821 / 4900) loss: 1.297762
(Iteration 3831 / 4900) loss: 1.462655
(Iteration 3841 / 4900) loss: 1.475105
(Iteration 3851 / 4900) loss: 1.315840
(Iteration 3861 / 4900) loss: 1.424814
(Iteration 3871 / 4900) loss: 1.340077
(Iteration 3881 / 4900) loss: 1.191771
(Iteration 3891 / 4900) loss: 1.523963
(Iteration 3901 / 4900) loss: 1.339174
```


```
(Iteration 3911 / 4900) loss: 1.376735
(Epoch 8 / 10) train acc: 0.503000; val acc: 0.464000
(Iteration 3921 / 4900) loss: 1.610358
(Iteration 3931 / 4900) loss: 1.246343
(Iteration 3941 / 4900) loss: 1.240188
(Iteration 3951 / 4900) loss: 1.362902
(Iteration 3961 / 4900) loss: 1.248327
(Iteration 3971 / 4900) loss: 1.308736
(Iteration 3981 / 4900) loss: 1.185860
(Iteration 3991 / 4900) loss: 1.446666
(Iteration 4001 / 4900) loss: 1.471682
(Iteration 4011 / 4900) loss: 1.369916
(Iteration 4021 / 4900) loss: 1.370456
(Iteration 4031 / 4900) loss: 1.430832
(Iteration 4041 / 4900) loss: 1.313023
(Iteration 4051 / 4900) loss: 1.390870
(Iteration 4061 / 4900) loss: 1.309779
(Iteration 4071 / 4900) loss: 1.403723
(Iteration 4081 / 4900) loss: 1.338327
(Iteration 4091 / 4900) loss: 1.480707
(Iteration 4101 / 4900) loss: 1.429648
(Iteration 4111 / 4900) loss: 1.317005
(Iteration 4121 / 4900) loss: 1.440012
(Iteration 4131 / 4900) loss: 1.288775
(Iteration 4141 / 4900) loss: 1.560772
(Iteration 4151 / 4900) loss: 1.354293
(Iteration 4161 / 4900) loss: 1.440708
(Iteration 4171 / 4900) loss: 1.591189
(Iteration 4181 / 4900) loss: 1.275631
(Iteration 4191 / 4900) loss: 1.446094
(Iteration 4201 / 4900) loss: 1.548837
(Iteration 4211 / 4900) loss: 1.348864
(Iteration 4221 / 4900) loss: 1.352441
(Iteration 4231 / 4900) loss: 1.770951
(Iteration 4241 / 4900) loss: 1.721834
(Iteration 4251 / 4900) loss: 1.299906
(Iteration 4261 / 4900) loss: 1.285114
(Iteration 4271 / 4900) loss: 1.158092
(Iteration 4281 / 4900) loss: 1.523972
(Iteration 4291 / 4900) loss: 1.239014
(Iteration 4301 / 4900) loss: 1.360439
(Iteration 4311 / 4900) loss: 1.445667
(Iteration 4321 / 4900) loss: 1.529782
(Iteration 4331 / 4900) loss: 1.345141
(Iteration 4341 / 4900) loss: 1.373862
(Iteration 4351 / 4900) loss: 1.466385
(Iteration 4361 / 4900) loss: 1.350607
(Iteration 4371 / 4900) loss: 1.378573
(Iteration 4381 / 4900) loss: 1.252644
(Iteration 4391 / 4900) loss: 1.662401
(Iteration 4401 / 4900) loss: 1.342831
(Epoch 9 / 10) train acc: 0.510000; val acc: 0.470000
(Iteration 4411 / 4900) loss: 1.343880
(Iteration 4421 / 4900) loss: 1.457136
(Iteration 4431 / 4900) loss: 1.432976
(Iteration 4441 / 4900) loss: 1.187305
(Iteration 4451 / 4900) loss: 1.220427
```


```
(Iteration 4461 / 4900) loss: 1.698173
(Iteration 4471 / 4900) loss: 1.369832
(Iteration 4481 / 4900) loss: 1.506724
(Iteration 4491 / 4900) loss: 1.417483
(Iteration 4501 / 4900) loss: 1.412963
(Iteration 4511 / 4900) loss: 1.542774
(Iteration 4521 / 4900) loss: 1.411619
(Iteration 4531 / 4900) loss: 1.178885
(Iteration 4541 / 4900) loss: 1.197942
(Iteration 4551 / 4900) loss: 1.349370
(Iteration 4561 / 4900) loss: 1.334170
(Iteration 4571 / 4900) loss: 1.501928
(Iteration 4581 / 4900) loss: 1.402278
(Iteration 4591 / 4900) loss: 1.366862
(Iteration 4601 / 4900) loss: 1.472537
(Iteration 4611 / 4900) loss: 1.353501
(Iteration 4621 / 4900) loss: 1.426901
(Iteration 4631 / 4900) loss: 1.413638
(Iteration 4641 / 4900) loss: 1.338972
(Iteration 4651 / 4900) loss: 1.520199
(Iteration 4661 / 4900) loss: 1.520844
(Iteration 4671 / 4900) loss: 1.363972
(Iteration 4681 / 4900) loss: 1.316547
(Iteration 4691 / 4900) loss: 1.213473
(Iteration 4701 / 4900) loss: 1.386295
(Iteration 4711 / 4900) loss: 1.387165
(Iteration 4721 / 4900) loss: 1.191210
(Iteration 4731 / 4900) loss: 1.288106
(Iteration 4741 / 4900) loss: 1.367852
(Iteration 4751 / 4900) loss: 1.305922
(Iteration 4761 / 4900) loss: 1.395860
(Iteration 4771 / 4900) loss: 1.068991
(Iteration 4781 / 4900) loss: 1.394952
(Iteration 4791 / 4900) loss: 1.381461
(Iteration 4801 / 4900) loss: 1.440518
(Iteration 4811 / 4900) loss: 1.434127
(Iteration 4821 / 4900) loss: 1.515883
(Iteration 4831 / 4900) loss: 1.447357
(Iteration 4841 / 4900) loss: 1.236491
(Iteration 4851 / 4900) loss: 1.159709
(Iteration 4861 / 4900) loss: 1.408492
(Iteration 4871 / 4900) loss: 1.394239
(Iteration 4881 / 4900) loss: 1.283875
(Iteration 4891 / 4900) loss: 1.132839
(Epoch 10 / 10) train acc: 0.498000; val acc: 0.468000
```

In [13]: # Run this cell to visualize training loss and train / val accuracy

plt.subplot(2, 1, 1)
plt.title('Training loss')
plt.plot(solver.loss\_history, 'o')
plt.xlabel('Iteration')

plt.subplot(2, 1, 2)
plt.title('Accuracy')
plt.plot(solver.train\_acc\_history, '-o', label='train')
plt.plot(solver.val\_acc\_history, '-o', label='val')
plt.plot([0.5] \* len(solver.val\_acc\_history), 'k--')
plt.xlabel('Epoch')
plt.legend(loc='lower right')
plt.gcf().set\_size\_inches(15, 12)
plt.show()





#### **Multilayer Neural Network**

Now, we implement a multi-layer neural network.

Read through the FullyConnectedNet class in the file nndl/fc net.py.

Implement the initialization, the forward pass, and the backward pass. There will be lines for batchnorm and dropout layers and caches; ignore these all for now. That'll be in assignment #4.

```
In [14]: N, D, H1, H2, C = 2, 15, 20, 30, 10
         X = np.random.randn(N, D)
         y = np.random.randint(C, size=(N,))
         for reg in [0, 3.14]:
           print('Running check with reg = {}'.format(reg))
           model = FullyConnectedNet([H1, H2], input_dim=D, num_classes=C,
                                      reg=reg, weight scale=5e-2, dtype=np.float64)
           loss, grads = model.loss(X, y)
           print('Initial loss: {}'.format(loss))
           for name in sorted(grads):
             f = lambda : model.loss(X, y)[0]
             grad num = eval numerical gradient(f, model.params[name], verbose=False, h
         =1e-5)
             #print(grad_num, grads[name]*X.shape[0])
             print('{} relative error: {}'.format(name, rel error(grad num, grads[name
         ])))
```

```
Running check with reg = 0
Initial loss: 2.2968331912697075
W0 relative error: 3.6326444228315726e-08
W1 relative error: 1.5131639813011978e-06
W2 relative error: 1.2143928868677336e-06
b0 relative error: 3.3810222914195847e-09
b1 relative error: 2.6252880018410976e-09
b2 relative error: 1.502397065292582e-10
Running check with reg = 3.14
Initial loss: 7.140821385251918
W0 relative error: 2.9472455013329315e-07
W1 relative error: 1.0760668517647348e-07
W2 relative error: 2.1939681139615717e-08
b0 relative error: 1.791998126910202e-08
b1 relative error: 5.020177751466017e-08
b2 relative error: 1.3193392969855164e-10
```

```
In [16]: # Use the three layer neural network to overfit a small dataset.
         num train = 50
         small data = {
           'X_train': data['X_train'][:num_train],
            'y_train': data['y_train'][:num_train],
            'X_val': data['X_val'],
           'y_val': data['y_val'],
         #### !!!!!!
         # Play around with the weight_scale and learning_rate so that you can overfit
          a small dataset.
         # Your training accuracy should be 1.0 to receive full credit on this part.
         weight_scale = 1e-2
         learning_rate = 1e-3
         model = FullyConnectedNet([100, 100],
                       weight scale=weight scale, dtype=np.float64)
         solver = Solver(model, small_data,
                          print_every=10, num_epochs=115, batch_size=25,
                          update_rule='sgd',
                          optim config={
                            'learning_rate': learning_rate,
         solver.train()
         plt.plot(solver.loss history, 'o')
         plt.title('Training loss history')
         plt.xlabel('Iteration')
         plt.ylabel('Training loss')
         plt.show()
```

```
(Iteration 1 / 230) loss: 2.319922
(Epoch 0 / 115) train acc: 0.080000; val_acc: 0.081000
(Epoch 1 / 115) train acc: 0.080000; val acc: 0.086000
(Epoch 2 / 115) train acc: 0.260000; val acc: 0.094000
(Epoch 3 / 115) train acc: 0.320000; val acc: 0.111000
(Epoch 4 / 115) train acc: 0.300000; val_acc: 0.109000
(Epoch 5 / 115) train acc: 0.320000; val acc: 0.116000
(Iteration 11 / 230) loss: 2.206508
(Epoch 6 / 115) train acc: 0.340000; val_acc: 0.124000
(Epoch 7 / 115) train acc: 0.340000; val acc: 0.125000
(Epoch 8 / 115) train acc: 0.400000; val acc: 0.128000
(Epoch 9 / 115) train acc: 0.380000; val acc: 0.129000
(Epoch 10 / 115) train acc: 0.460000; val acc: 0.126000
(Iteration 21 / 230) loss: 1.961897
(Epoch 11 / 115) train acc: 0.480000; val acc: 0.121000
(Epoch 12 / 115) train acc: 0.500000; val acc: 0.127000
(Epoch 13 / 115) train acc: 0.540000; val acc: 0.132000
(Epoch 14 / 115) train acc: 0.540000; val acc: 0.138000
(Epoch 15 / 115) train acc: 0.480000; val acc: 0.139000
(Iteration 31 / 230) loss: 1.940253
(Epoch 16 / 115) train acc: 0.540000; val_acc: 0.138000
(Epoch 17 / 115) train acc: 0.540000; val acc: 0.144000
(Epoch 18 / 115) train acc: 0.560000; val acc: 0.145000
(Epoch 19 / 115) train acc: 0.540000; val_acc: 0.137000
(Epoch 20 / 115) train acc: 0.560000; val_acc: 0.141000
(Iteration 41 / 230) loss: 1.755426
(Epoch 21 / 115) train acc: 0.580000; val acc: 0.142000
(Epoch 22 / 115) train acc: 0.620000; val acc: 0.145000
(Epoch 23 / 115) train acc: 0.620000; val acc: 0.143000
(Epoch 24 / 115) train acc: 0.600000; val acc: 0.148000
(Epoch 25 / 115) train acc: 0.600000; val_acc: 0.146000
(Iteration 51 / 230) loss: 1.558535
(Epoch 26 / 115) train acc: 0.600000; val acc: 0.144000
(Epoch 27 / 115) train acc: 0.600000; val acc: 0.146000
(Epoch 28 / 115) train acc: 0.660000; val acc: 0.145000
(Epoch 29 / 115) train acc: 0.640000; val acc: 0.141000
(Epoch 30 / 115) train acc: 0.640000; val_acc: 0.147000
(Iteration 61 / 230) loss: 1.269664
(Epoch 31 / 115) train acc: 0.620000; val acc: 0.151000
(Epoch 32 / 115) train acc: 0.680000; val acc: 0.157000
(Epoch 33 / 115) train acc: 0.660000; val acc: 0.160000
(Epoch 34 / 115) train acc: 0.700000; val acc: 0.163000
(Epoch 35 / 115) train acc: 0.760000; val acc: 0.168000
(Iteration 71 / 230) loss: 1.270540
(Epoch 36 / 115) train acc: 0.780000; val acc: 0.174000
(Epoch 37 / 115) train acc: 0.780000; val acc: 0.160000
(Epoch 38 / 115) train acc: 0.800000; val_acc: 0.175000
(Epoch 39 / 115) train acc: 0.800000; val acc: 0.164000
(Epoch 40 / 115) train acc: 0.800000; val acc: 0.162000
(Iteration 81 / 230) loss: 1.026558
(Epoch 41 / 115) train acc: 0.800000; val acc: 0.158000
(Epoch 42 / 115) train acc: 0.820000; val acc: 0.156000
(Epoch 43 / 115) train acc: 0.820000; val_acc: 0.155000
(Epoch 44 / 115) train acc: 0.840000; val acc: 0.155000
(Epoch 45 / 115) train acc: 0.840000; val acc: 0.151000
(Iteration 91 / 230) loss: 1.101510
(Epoch 46 / 115) train acc: 0.860000; val acc: 0.152000
```

```
(Epoch 47 / 115) train acc: 0.900000; val acc: 0.156000
(Epoch 48 / 115) train acc: 0.880000; val_acc: 0.160000
(Epoch 49 / 115) train acc: 0.900000; val_acc: 0.163000
(Epoch 50 / 115) train acc: 0.900000; val acc: 0.165000
(Iteration 101 / 230) loss: 0.846601
(Epoch 51 / 115) train acc: 0.900000; val acc: 0.166000
(Epoch 52 / 115) train acc: 0.920000; val acc: 0.163000
(Epoch 53 / 115) train acc: 0.900000; val_acc: 0.162000
(Epoch 54 / 115) train acc: 0.920000; val_acc: 0.160000
(Epoch 55 / 115) train acc: 0.940000; val acc: 0.162000
(Iteration 111 / 230) loss: 0.517078
(Epoch 56 / 115) train acc: 0.920000; val_acc: 0.169000
(Epoch 57 / 115) train acc: 0.960000; val acc: 0.169000
(Epoch 58 / 115) train acc: 0.960000; val_acc: 0.169000
(Epoch 59 / 115) train acc: 0.960000; val acc: 0.166000
(Epoch 60 / 115) train acc: 0.960000; val acc: 0.174000
(Iteration 121 / 230) loss: 0.630985
(Epoch 61 / 115) train acc: 0.960000; val acc: 0.166000
(Epoch 62 / 115) train acc: 0.960000; val acc: 0.166000
(Epoch 63 / 115) train acc: 0.960000; val acc: 0.168000
(Epoch 64 / 115) train acc: 0.960000; val_acc: 0.172000
(Epoch 65 / 115) train acc: 0.960000; val acc: 0.169000
(Iteration 131 / 230) loss: 0.513243
(Epoch 66 / 115) train acc: 0.980000; val acc: 0.174000
(Epoch 67 / 115) train acc: 0.960000; val_acc: 0.180000
(Epoch 68 / 115) train acc: 0.960000; val acc: 0.171000
(Epoch 69 / 115) train acc: 0.960000; val acc: 0.177000
(Epoch 70 / 115) train acc: 1.000000; val acc: 0.178000
(Iteration 141 / 230) loss: 0.486122
(Epoch 71 / 115) train acc: 1.000000; val acc: 0.178000
(Epoch 72 / 115) train acc: 1.000000; val_acc: 0.178000
(Epoch 73 / 115) train acc: 1.000000; val acc: 0.172000
(Epoch 74 / 115) train acc: 1.000000; val_acc: 0.171000
(Epoch 75 / 115) train acc: 1.000000; val acc: 0.173000
(Iteration 151 / 230) loss: 0.253726
(Epoch 76 / 115) train acc: 1.000000; val acc: 0.172000
(Epoch 77 / 115) train acc: 1.000000; val_acc: 0.180000
(Epoch 78 / 115) train acc: 1.000000; val_acc: 0.175000
(Epoch 79 / 115) train acc: 1.000000; val acc: 0.181000
(Epoch 80 / 115) train acc: 1.000000; val acc: 0.179000
(Iteration 161 / 230) loss: 0.230596
(Epoch 81 / 115) train acc: 1.000000; val acc: 0.181000
(Epoch 82 / 115) train acc: 1.000000; val_acc: 0.177000
(Epoch 83 / 115) train acc: 1.000000; val acc: 0.180000
(Epoch 84 / 115) train acc: 1.000000; val acc: 0.173000
(Epoch 85 / 115) train acc: 1.000000; val acc: 0.181000
(Iteration 171 / 230) loss: 0.181252
(Epoch 86 / 115) train acc: 1.000000; val acc: 0.183000
(Epoch 87 / 115) train acc: 1.000000; val_acc: 0.179000
(Epoch 88 / 115) train acc: 1.000000; val_acc: 0.178000
(Epoch 89 / 115) train acc: 1.000000; val acc: 0.180000
(Epoch 90 / 115) train acc: 1.000000; val acc: 0.177000
(Iteration 181 / 230) loss: 0.185034
(Epoch 91 / 115) train acc: 1.000000; val acc: 0.174000
(Epoch 92 / 115) train acc: 1.000000; val_acc: 0.175000
(Epoch 93 / 115) train acc: 1.000000; val acc: 0.173000
(Epoch 94 / 115) train acc: 1.000000; val acc: 0.181000
```

```
(Epoch 95 / 115) train acc: 1.000000; val acc: 0.180000
(Iteration 191 / 230) loss: 0.164014
(Epoch 96 / 115) train acc: 1.000000; val_acc: 0.180000
(Epoch 97 / 115) train acc: 1.000000; val acc: 0.179000
(Epoch 98 / 115) train acc: 1.000000; val acc: 0.186000
(Epoch 99 / 115) train acc: 1.000000; val_acc: 0.182000
(Epoch 100 / 115) train acc: 1.000000; val acc: 0.181000
(Iteration 201 / 230) loss: 0.185446
(Epoch 101 / 115) train acc: 1.000000; val_acc: 0.179000
(Epoch 102 / 115) train acc: 1.000000; val acc: 0.182000
(Epoch 103 / 115) train acc: 1.000000; val acc: 0.178000
(Epoch 104 / 115) train acc: 1.000000; val_acc: 0.183000
(Epoch 105 / 115) train acc: 1.000000; val acc: 0.185000
(Iteration 211 / 230) loss: 0.067611
(Epoch 106 / 115) train acc: 1.000000; val acc: 0.183000
(Epoch 107 / 115) train acc: 1.000000; val acc: 0.179000
(Epoch 108 / 115) train acc: 1.000000; val acc: 0.181000
(Epoch 109 / 115) train acc: 1.000000; val acc: 0.180000
(Epoch 110 / 115) train acc: 1.000000; val acc: 0.180000
(Iteration 221 / 230) loss: 0.093625
(Epoch 111 / 115) train acc: 1.000000; val_acc: 0.185000
(Epoch 112 / 115) train acc: 1.000000; val acc: 0.185000
(Epoch 113 / 115) train acc: 1.000000; val acc: 0.183000
(Epoch 114 / 115) train acc: 1.000000; val_acc: 0.181000
(Epoch 115 / 115) train acc: 1.000000; val_acc: 0.185000
```

#### Training loss history

