

Computer Code for Beginners

Week 1

Variable Swap

The file `varSwap.py` declares two variables, `x` and `y`, with different values and prints them twice.

Try running the program and you should see:

```
x = 10 y = 20 x = 10 y = 20
```

Add to this program to swap the variables `x` and `y`, so that the program prints:

```
x = 10 y = 20 x = 20 y = 10
```

Without changing the rest of the program.

You will need to use: * Another, temporary, variable to let you swap the values over

Logo Shapes

The file `triangle.py` contains a program to draw a green triangle. It is written using the `turtle` library, which gives us some simple drawing commands, based on a language called Logo. It imagines that we have a cursor (called the turtle) that we can move across the screen that can draw a line behind it.

Run the program and you should see a window appear with a green triangle.

- `from turtle import *` imports everything from the turtle library
- Turtle Commands this program uses:
- `penup()` and `pendown()` control whether the turtle draws as it moves
- `setpos(-200,200)` Moves the turtle to a new position
- `color('green')` Sets the colour we want to fill the shape with
- To fill a shape we use `begin_fill()` before drawing the shape and `end_fill()` when we're done
- `forward(length)` Moves the turtle forwards by the value of `length` (which is 100)
- `left(angle)` Turns the turtle left by 120 degrees

Using these commands, add some code to the `square.py` file to make it draw a blue square. You can use `colour('blue')` to change the fill colour.

Now, add some code to the `rectangle.py` file to make it draw a purple rectangle. This will be very similar to the square, but will need another variable.

Maths Quiz

Write a program that quizzes the user on multiplication. It should pick two random numbers, ask the user what the result of multiplying them together is, and tell the user if they got it right or wrong.

The module in the file `quiz.py` picks two random numbers `num1` and `num2`, you need to add to the program to ask the user for their guess and store it in `guess`, then check if the user guessed correctly. It uses `import random` to import the `random` library, and `random.randrange(1,10)` to generate a random number between 1 and 9.

You will need to use: * `str(num)` if you want to convert `num` to a string * `int(input())` to convert the result of `input()` to an integer * An `if...else` branch to check if the user got the answer right

When is Multiplication not Multiplication?

We can multiply two numbers by repeatedly adding, for example $5 * 2$ can be rewritten as $5 + 5$ and $6 * 4$ can be rewritten as $6 + 6 + 6 + 6$. Make a new file called `repeatedAddition.py`, write a program to ask the user for two numbers and then multiply them using repeated addition. Print the result.

You will need to use: * `int(input())` to convert the result of `input()` to an integer * `str(num)` if you want to convert `num` to a string * A `while` loop to repeat the addition

What's that in Old Money?

Write a program to convert a temperature in Celsius to Fahrenheit. The formula for the conversion is $F = (9 / 5) * C + 32$, where `F` is the Fahrenheit temperature you want and `C` is the Celsius temperature.

Be careful: * The brackets are needed to make sure the division is performed first * The division needs to return a floating point result, not an integer result

- What happens if you try to convert 15.5C into F?
- Change the `int(input(...))` to `float(input(...))` and try again

Tea Totaller

The module in the file `teaTotaller.py` contains a simple program representing a hot drinks vending machine. The program asks the user how many cups of tea they want and prints the total price. It calculates the total by multiplying the number of cups of tea by the price, which is declared at the beginning of the program.

- Run the program using IDLE and make sure that it works.
- Note how we use `int(input())` to convert the result of `input()` to an integer
- Note how we use `str()` to convert integer variables to string in the `print()` statement

Now, we're going to add some more functionality to our program.

First, we're going to modify it to also ask the user how many cups of coffee they want. It will then print the total price of the requested coffee, and the total price of the requested tea and coffee.

- We need to store a price for each cup of coffee
- We need to duplicate the lines of code that ask the user for their input
- Change the input statement so that it asks for coffee
- Store the result in a new variable
- We need to duplicate the lines of code that print the total price of tea
- Change it so that it now prints the total price of coffee
- Now add a line to print the total cost of both tea and coffee

Next, we're going to improve the algorithm and the output of the program.

- If the user has asked for 0 teas or 0 coffees, then we don't need to calculate the total price
- We can use an `if` statement to check the number of teas the user has input
- If the user asks for exactly 1 tea or coffee, we should print "tea" or "coffee" when printing the totals, otherwise we should print "teas" or "coffees"

Finally, we're going to make our program a little more useful by altering it to accept orders of tea and coffee until told to stop.

- We can use a **while** loop to repeat parts of our program so that it:
- Asks if the user wants to order a drink, exiting the loop if they say no
- Asks the user for the number of teas and coffees they want
- Calculates and prints to totals
- Be careful:
- Make sure that the user can exit the loop
- Make sure that only the things we need to do multiple times are inside the loop
- Extra User Input Handling:
- Print some user feedback if they don't reply as you expect when asked if they want a drink
- Check that the user can't crash the program by typing something that isn't an integer when asked how many teas or coffees they want