

# Chapter 2 - Operations

December 2, 2020

From "Book of Abstract Algebra" by Charles C. Pinter

## A. Examples of Operations

Which of the following rules are operations on the indicated set? ( $\mathbb{Z}$  designates the set of integers,  $\mathbb{Q}$  the rational numbers, and  $\mathbb{R}$  the real numbers.) For each rule which is not an operation, explain why it is not.

- 1  $a * b = \sqrt{|ab|}$ , on the set  $\mathbb{Q}$ .
- 2  $a * b = a \ln b$ , on the set  $\{x \in \mathbb{R} : x > 0\}$ .
- 3  $a * b$  is a root of the equation  $x^2 - a^2b^2 = 0$ , on the set  $\mathbb{R}$ .
- 4 Subtraction, on the set  $\mathbb{Z}$ .
- 5 Subtraction, on the set  $\{n \in \mathbb{Z} : n \geq 0\}$ .
- 6  $a * b = |a - b|$ , on the set  $\{n \in \mathbb{Z} : n \geq 0\}$ .

*Solution*

- 1 This is not an operation on  $\mathbb{Q}$  because  $a * b$  is not uniquely defined and  $\mathbb{Q}$  is not closed under  $*$ . If  $a$  and  $b$  are rational numbers they can be written as  $a = \frac{c}{d}$  and  $b = \frac{e}{f}$  where  $c, d, e$ , and  $f$  are integers,  $d \neq 0$ , and  $f \neq 0$ . If we let  $c = 2$ ,  $d = 1$ ,  $e = 2$ , and  $f = 1$  then

$$\sqrt{\frac{2}{1} \cdot \frac{2}{1}} = \sqrt{2 \cdot 2} = \sqrt{4}$$

and since  $\sqrt{4} = \pm 2$  we see that  $a * b$  is not uniquely defined. Now let  $c = 3$ ,  $d = 1$ ,  $e = 2$ , and  $f = 1$  then

$$\sqrt{\frac{3}{1} \cdot \frac{2}{1}} = \sqrt{6}$$

and we see that there is no rational number  $f$  such that  $f \cdot f = 6$ , therefore  $\sqrt{6}$  is not a rational number. Thus,  $\mathbb{Q}$  is not closed under  $*$ .

- 2 This is not an operation on the set  $\{x \in \mathbb{R} : x > 0\}$  because the set  $\{x \in \mathbb{R} : x > 0\}$  is not closed under  $*$ . For example, if we let  $a = 2$  and  $b = 1$  then

$$a \ln b = 2 \ln 1 = 0$$

and  $0 \notin \{x \in \mathbb{R} : x > 0\}$ . Therefore the set  $\{x \in \mathbb{R} : x > 0\}$  is not closed under  $*$  and  $*$  is not an operation on the set  $\{x \in \mathbb{R} : x > 0\}$ .

- 3 This is not an operation on  $\mathbb{R}$  because  $a * b$  is not uniquely defined. If we solve for  $x$  we see

$$\begin{aligned} x^2 - a^2 b^2 &= 0 \\ x^2 &= a^2 b^2 \end{aligned}$$

since  $a^2$  and  $b^2$  will always be positive numbers, then  $a^2 b^2$  will be positive as well. Then solving for  $x$  we have

$$x = (ab, -ab)$$

and we see that  $a * b$  is not uniquely defined and therefore  $*$  is not an operation on  $\mathbb{R}$ .

- 4 This is an operation on  $\mathbb{Z}$ .
- 5 This is not an operation on  $\mathbb{Z}$  because the set  $\{n \in \mathbb{Z} : n \geq 0\}$  is not closed under  $*$ . For example, if we let  $a = 10$  and  $b = 5$  then  $5 - 10 = -5$  and  $-5 \notin \{n \in \mathbb{Z} : n \geq 0\}$ . Therefore the set  $\{n \in \mathbb{Z} : n \geq 0\}$  is not closed under  $*$ .
- 6 This is an operation on the set  $\{n \in \mathbb{Z} : n \geq 0\}$ .

## B. Properties of Operations

Each of the following is an operation  $*$  on  $\mathbb{R}$ . Indicate whether or not

- (i) it is commutative,
- (ii) it is associative,
- (iii)  $\mathbb{R}$  has an identity element with respect to  $*$ ,
- (iv) every  $x \in \mathbb{R}$  has an inverse with respect to  $*$ .

**Instructions** For (i), compute  $x * y$  and  $y * x$ , and verify whether or not they are equal. For (ii), compute  $x * (y * z)$  and  $(x * y) * z$ , and verify whether or not they are equal. For (iii), first solve the equation  $x * e = x$  for  $e$ ; if the equation cannot be solved, there is no identity element. If it *can* be solved, it is still necessary to check that  $e * x = x * e = x$  for any  $x \in \mathbb{R}$ . If it checks, then  $e$  is an identity element. For (iv), first note that if there is no identity element, there can be no inverses. If there is an identity element  $e$ , first solve the equation  $x * x' = e$  for  $x'$ ; if the equation cannot be solved,  $x$  does not have an inverse. If it can be solved, check to make sure that  $x * x' = x' * x = e$ . If this checks,  $x'$  is the inverse of  $x$ .

1)  $x * y = \sqrt{x^2 + y^2}$

*Solution*

Although the instructions for this section state that  $x * y = \sqrt{x^2 + y^2}$  is an operation on  $\mathbb{R}$ , I don't think it is an operation on  $\mathbb{R}$  because  $\sqrt{x^2 + y^2}$  is not uniquely defined on  $\mathbb{R}$ . For example, if we let  $x = 1$  and  $y = 0$ , then  $x * y = \sqrt{1^2 + 0^2} = \sqrt{1} = (-1, 1)$  and we see that  $\sqrt{x^2 + y^2}$  is not uniquely defined on  $\mathbb{R}$ . Therefore,  $x * y = \sqrt{x^2 + y^2}$  is not an operation on  $\mathbb{R}$ .

2)  $x * y = |x + y|$

*Solution*

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

(a)  $x * y = |x + y|$

$y * x = |y + x| = |x + y|$  because  $+$  is a commutative operation on  $\mathbb{R}$   
Therefore  $*$  is commutative on  $\mathbb{R}$ .

(b)  $x * (y * z) = x * |y + z| = |x + |y + z||$

Let  $x = -5$ ,  $y = 10$ , and  $z = -20$ , then

$$|-5 + |10 - 20|| = |-5 + |-10|| = |-5 + 10| = |5| = 5$$

$$(x * y) * z = |x + y| * z = ||x + y| + z|$$

Again, let  $x = -5$ ,  $y = 10$ , and  $z = -20$ , then

$$||-5 + 10| - 20| = ||5| - 20| = |5 - 20| = |-15| = 15$$

Since  $5 \neq 15$  then  $*$  is not associative on  $\mathbb{R}$

(c) There is no identity element with respect to  $*$  on  $\mathbb{R}$  because there is no  $e \in \mathbb{R}$  such that  $e * a = a$  and  $a * e = a$  for every element  $a$  in  $\mathbb{R}$ . For example, if  $a = -1$  there is no  $e \in \mathbb{R}$  such that  $|e + (-1)| = -1$  because the operation  $*$  defined by  $x * y = |x + y|$  always returns a positive number.

(d) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .

3)  $x * y = |xy|$

*Solution*

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

(a)  $x * y = |xy| = \begin{cases} xy & \text{if } xy \geq 0 \\ -(xy) & \text{if } xy < 0 \end{cases}$

$$y * x = |xy| = \begin{cases} yx & \text{if } yx \geq 0 \\ -(yx) & \text{if } yx < 0 \end{cases}$$

Assuming multiplication is commutative on  $\mathbb{R}$  (not proven here) then  $xy = yx$  and  $-(xy) = -(yx)$ . Therefore,  $*$  is commutative on  $\mathbb{R}$ .

(b)  $x * (y * z) = x * |yz| = |x|yz|| = xyz$

$$(x * y) * z = |xy| * z = ||xy|z| = xyz$$

Therefore  $*$  is associative on  $\mathbb{R}$ .

- (c) There is no identity element with respect to  $*$  on  $\mathbb{R}$  because there is no  $e \in \mathbb{R}$  such that  $e * a = a$  and  $a * e = a$  for every element  $a$  in  $\mathbb{R}$ . For example, if  $a = -5$  there is no  $e \in \mathbb{R}$  such that  $|-5e| = -5$ . Therefore there is no identity element with respect to  $*$  on  $\mathbb{R}$ .
- (d) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .

4)  $x * y = x - y$

*Solution*

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

- (a) The operation  $*$  defined by  $x * y = x - y$  is not commutative because  $x - y \neq y - x$  for all  $x$  and  $y$  in  $\mathbb{R}$ . For example, if  $x = 1$  and  $y = 2$ , then  $x - y = 1 - 2 = -1$  and  $y - x = 2 - 1 = 1$ . Since  $-1 \neq 1$  then the operation  $*$  defined by  $x * y = x - y$  is not commutative on  $\mathbb{R}$ .
- (b) The operation  $*$  defined by  $x * y = x - y$  is not associative on  $\mathbb{R}$  because  $x * (y * z) \neq (x * y) * z$  for all  $x, y$ , and  $z$  in  $\mathbb{R}$ . For example, if  $x = 5$ ,  $y = -1$ , and  $z = 2$  then  $x * (y * z) = 5 - (-1 - 2) = 8$  and  $(x * y) * z = (5 - (-1)) - 2 = 4$ . Since  $8 \neq 4$  then the operation  $*$  defined by  $x * y = x - y$  is not associative on  $\mathbb{R}$ .
- (c) Solving  $x * e = x$  for  $e$  we have that  $x - e = x \Rightarrow e = 0$ . However checking that  $x * e = e * x = x$  we see that  $x - 0 = x$  and  $0 - x = -x$ . Since  $x \neq -x$  then 0 is not the identity element with respect to the operation  $*$  defined by  $x * y = x - y$  on  $\mathbb{R}$ . Therefore there is no identity element with respect to the operation  $*$  defined by  $x * y = x - y$  on  $\mathbb{R}$ .
- (d) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .

5)  $x * y = xy + 1$

*Solution*

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

- (a)  $x * y = xy + 1$   
 $y * x = yx + 1 = xy + 1$  because  $\times$  is commutative on  $\mathbb{R}$ .  
 Therefore, the operation  $*$  defined by  $xy + 1$  is commutative on  $\mathbb{R}$ .
- (b) The operation  $*$  defined by  $x * y = xy + 1$  is not associative on  $\mathbb{R}$  because  
 $x * (y * z) \neq (x * y) * z$ .  
 $x * (y * z) = x * (yz + 1) = x(yz + 1) + 1 = xyz + x + 1$   
 $(x * y) * z = (xy + 1) * z = (xy + 1)z + 1 = xyz + z + 1$   
 Since  $xyz + x + 1 \neq xyz + z + 1$  then the operation  $*$  defined by  $x * y = xy + 1$  is not associative on  $\mathbb{R}$ .
- (c) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .

6)  $x * y = \max\{x, y\}$

*Solution*

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

(a) If  $x \neq y$  then  $x * y = \max(x, y) = \begin{cases} x & \text{if } x > y \\ y & \text{if } y > x \end{cases}$

$$y * x = \max(y, x) = \begin{cases} y & \text{if } y > x \\ x & \text{if } x > y \end{cases}$$

If  $x = y$  then  $\max(x, y) = z$  where  $z = x = y$ .

Therefore  $x * y = y * x$  and the operation  $*$  defined by  $\max\{x, y\}$  is commutative on  $\mathbb{R}$ .

(b) The operation  $*$  defined by  $\max\{x, y\}$  is associative on  $\mathbb{R}$

$$x * (y * z) = x * \max\{y, z\} = \max\{x, \max\{y, z\}\} = \max\{x, y, z\}$$

$$(x * y) * z = \max\{x, y\} * z = \max\{\max\{x, y\}, z\} = \max\{x, y, z\}$$

Since  $\max\{x, y, z\} = \max\{x, y, z\}$  the operation  $*$  defined by  $\max\{x, y\}$  is associative on  $\mathbb{R}$ .

(c) Solving  $x * e = x$  for  $e$  we see that  $\max\{x, e\} = x \Rightarrow e = -\infty$  However,  $-\infty \notin \mathbb{R}$  as is required for an identity element. There is no other  $e \in \mathbb{R}$  such that  $e * a = a$  and  $a * e = a$  for every element  $a$  in  $\mathbb{R}$ . Therefore there is not an identity element with respect to the operation  $*$  defined by  $\max\{x, y\}$  on  $\mathbb{R}$ .

(d) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .

7)  $x * y = \frac{xy}{x+y+1}$

<i>Commutative</i>	<i>Associative</i>	<i>Identity</i>	<i>Inverses</i>
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

(a)  $x * y = \frac{xy}{x+y+1}$ ;  $y * x = \frac{yx}{y+x+1}$

Since  $\times$  and  $+$  are commutative on  $\mathbb{R}$  then  $\frac{xy}{x+y+1} = \frac{yx}{y+x+1}$ . Therefore, the operation  $*$  defined by  $x * y = \frac{xy}{x+y+1}$  is commutative on  $\mathbb{R}$ .

(b) The operation  $*$  defined by  $x * y = \frac{xy}{x+y+1}$  is associative on  $\mathbb{R}$ .

$$x * (y * z) = x * \frac{yz}{y+z+1} = \frac{x \left( \frac{yz}{y+z+1} \right)}{x + \frac{yz}{y+z+1} + 1} = \frac{xyz}{1 + x + y + z + xy + xz + yz}$$

$$(x * y) * z = \frac{xy}{x+y+1} * z = \frac{z \left( \frac{xy}{x+y+1} \right)}{\frac{xy}{x+y+1} + z + 1} = \frac{xyz}{1 + x + y + z + xy + xz + yz}$$

$x * (y * z) = (x * y) * z$  and therefore the operation  $*$  defined by  $x * y = \frac{xy}{x+y+1}$  is associative on  $\mathbb{R}$ .

(c) Solving  $x * e = x$  for  $e$  we see that  $\frac{xe}{x+e+1} = x \Rightarrow x = -1$  and therefore there is no  $e \in \mathbb{R}$  such that  $e * a = a$  and  $a * e = a$  for every element  $a$  in  $\mathbb{R}$ . Therefore there is not an identity element with respect to the operation  $*$  defined by  $x * y = \frac{xy}{x+y+1}$  on  $\mathbb{R}$ .

- (d) Since there is no identity element with respect to  $*$  on  $\mathbb{R}$  then there is no inverse with respect to  $*$  on  $\mathbb{R}$ .