


colocar numero de lineas en nano-linux



```
GNU nano 6.2 /etc/nanorc
# set fill -8

## Draw a vertical stripe at the given column, to help judge text width.
## (This option does not have a default value.)
# set guidestripe 75


## Remember the used search/replace strings for the next session.
set historylog

## Display a "scrollbar" on the righthand side of the edit window.
# set indicator

## Scroll the buffer contents per half-screen instead of per line.
# set jumpyscrolling

## Display line numbers to the left (and any anchors in the margin).
# set linenumbers

^G Ayuda      ^O Guardar    ^W Buscar     ^K Cortar     ^T Ejecutar   ^C Ubicación
^X Salir      ^R Leer fich. ^\ Reemplazar ^U Pegar      ^J Justificar ^_ Ir a línea
```



```
GNU nano 6.2 /etc/nanorc *
# set fill -8

## Draw a vertical stripe at the given column, to help judge text width.
## (This option does not have a default value.)
# set guidestripe 75

## Remember the used search/replace strings for the next session.
set historylog

## Display a "scrollbar" on the righthand side of the edit window.
# set indicator

## Scroll the buffer contents per half-screen instead of per line.
# set jumpyscrolling

## Display line numbers to the left (and any anchors in the margin).
set linenumbers

^G Ayuda      ^O Guardar    ^W Buscar     ^K Cortar     ^T Ejecutar   ^C Ubicación
^X Salir      ^R Leer fich. ^\ Reemplazar ^U Pegar      ^J Justificar ^_ Ir a línea
```

