



Azure CosmosDB – AltGraph

Chris Joakim, Microsoft, CosmosDB Global Black Belt (GBB)

<https://www.linkedin.com/in/chris-joakim-4859b89>

<https://github.com/cjoakim/azure-cosmosdb-altgraph>



What is AltGraph?

AltGraph is an Alternative Graph Implementation built on:

A Design:

- Azure **CosmosDB SQL API**
- RDF-like **“Triples”**
- Azure Redis Cache or CosmosDB Integrated **Cache**
- **Fast In-memory processing** vs DB and Disk Traversal

A Reference Implementation:

- Java programming language
- **Spring Boot** and **Spring Data** frameworks
- <https://github.com/cjoakim/azure-cosmosdb-altgraph>

Presentation Outline

- **Influences**
 - Previous CosmosDB Live TV Sessions
 - Real-world Use Cases
- **Perception:** How you See the Problem often determines your solution
 - Sample Database Diagrams
 - Types of Databases
- **Think Differently:** Why another Graph Implementation?
- **Design**
- **Demonstration** of the Reference Application

Influences


Previous CosmosDB Live TV Sessions

- **Kushagra Thapar, Spring Data**, 2022/02/03
- **Mark Heckler, Spring Boot**, 2022/06/23
Spring Boot: Up and Running – O'Reilly Media Book
- List of Episodes
<https://www.youtube.com/playlist?list=PLmamF3YkHLoKMzT3gP4oqHiJbjMaiiLEh>


Real-World Customer Use-Cases

- Manufacturing Bill-of-Material (BOM)
- Social Network Systems - People, Messages, Posts, Tags, etc.
- Knowledge Graphs
- Java and Spring and Spring Data

Perception: What solution would you use if the problem was drawn like this?



Perception: Or if the problem was drawn like this?



I see this a lot in the field.


AltGraph Architecture and CosmosDB SQL API Integrations

Direct Integrations in **Bold** and with **Red Lines**

A Total Solution involves **more than just the Database.**

Database Integrations are important.

The **CosmosDB SQL API** offers excellent integration with other Azure PaaS Services.



Database Solutions


- **Types of Databases**

- **Relational**: Transactional use-cases
- **Graph**: Graph-specific use-cases. **RDF (triplestores)** and **LPG (vertices, edges)**
- **NoSQL**: including the CosmosDB SQL API: **General Purpose**

- **Think Differently; Why another Graph Solution?**

- **Fast execution speed**, and **lower CosmosDB RU costs**
- Lower barrier to entry for new apps: **conceptual simplicity, based on SQL**
- **Reusable design**
- **Faster time-to-market**. Zero to POC in days. A Reference Implementation
- Enables **better integration** with the rest of Azure

Design Foundations: The concept of RDF Triples and Triplestores



Examples:

Microsoft	is_a	Technology Company
Java	is_a	Programming Language
C	is_a	Programming Language
CosmosDB	is_a	Database System
CosmosDB	is_a	NoSQL Database System
CosmosDB	has_a_sdk_for	Java
CosmosDB	has_a_sdk_for	C#
Chris	works_at	Microsoft
Chris	has_role	GBB

The triples are quite granular, typical solution has many many of these

Design Foundations: The concept of an Index (as in Book)

Indexes enable you to quickly find what you're looking for.

It's quite small relative to the size of the Book it indexes.

248

INDEX

starters (*continued*)
 spring-boot-starter-groovy-templates 190
 spring-boot-starter-hateoas 190
 spring-boot-starter-honnetq 190
 spring-boot-starter-integration 190
 spring-boot-starter-jdbc 190
 spring-boot-starter-jersey 191
 spring-boot-starter-jetty 191
 spring-boot-starter-jooq 191
 spring-boot-starter-jta-atomikos 191
 spring-boot-starter-jta-bitronix 191
 spring-boot-starter-log4j 191
 spring-boot-starter-log4j2 192
 spring-boot-starter-logging 192
 spring-boot-starter-mail 192
 spring-boot-starter-mobile 192
 spring-boot-starter-mustache 192
 spring-boot-starter-parent 192
 spring-boot-starter-redis 192
 spring-boot-starter-remote-shell 192
 spring-boot-starter-security 193
 spring-boot-starter-social-facebook 193
 spring-boot-starter-social-linkedin 193
 spring-boot-starter-social-twitter 193
 spring-boot-starter-test 193
 spring-boot-starter-thymeleaf 193
 spring-boot-starter-tomcat 193
 spring-boot-starter-undertow 194
 spring-boot-starter-validation 194
 spring-boot-starter-velocity 194
 spring-boot-starter-web 194

 spring-boot-starter-websocket 194
 spring-boot-starter-ws 194
symbolic links 8

T

test-on-borrow property 166
test-on-return property 166
test-while-idle property 166
testing
 integration testing auto-configuration 77–79
 running applications
 overview 86–87
 starting server on random port 87–88
 testing pages with Selenium 88–90
 web applications
 mocking Spring MVC 80–83
 overview 79–80
 security testing 83–85
tests
 class created by Spring Initializr 28–29
 running for CLI-based applications 102–105
 testService() method 78
 Thymeleaf
 configuration properties 229–230
 template caching for 58
 time-between-eviction-runs-millis property 166
 Tomcat configuration 205–206
 trace endpoint 125, 136
 TraceRepository interface 153
 transitive dependencies, overriding 35–37
 trigger-file property 182
 Twitter support 193, 229

U

Undertow configuration 206–207
uploads, multi-part 195
url property 166

use command 10
UserDetails interface 55
UserDetailsService interface 112, 157
username property 166

V

validation-query property 166
VCAP_SERVICES environment variable 176
Velocity configuration 230–231
views, using Grails 120–123

W

WAR files 162–164
web applications, testing
 mocking Spring MVC 80–83
 overview 79–80
 security testing 83–85
 @WebAppConfiguration annotation 80–81
 webApplicationContextSetup() method 80
 @WebIntegrationTest annotation 86–87, 89
 WebSecurityConfigurerAdapter class 51–52
 Windows, command-line completion and 12
 withDetail() method 156
 @WithMockUser annotation 84–85
 @WithUserDetails annotation 84–85

X

-x parameter 21
XSS (cross-site scripting) 200


Y

YAML files 70–71

Z

ZooKeeper 210

Design Foundations: CosmosDB Partitioning



Reads within the same logical and physical partition are faster.
The Triples (see following pages) can reside in the same logical partition.

Design Foundations: Performance Optimizations


- **CosmosDB Indexing and Composite Indexes**
Index individual attributes, and as well as sets of attributes (i.e. – composite indexes) to match your queries
- **CosmosDB "Point Reads"**
Read by Document ID and Partition Key for fastest speed and lowest cost
- **In-Memory Processing is much faster than DB Processing**
Traversing an in-memory data structure is 1000s of times faster than reading a DB or disk
- **Caching**
 - Eliminate costly and redundant reads to the database
 - **Azure Redis Cache**
 - <https://azure.microsoft.com/en-us/services/cache/>
 - **CosmosDB Integrated Cache** (currently in preview mode)
 - <https://docs.microsoft.com/en-us/azure/cosmos-db/integrated-cache>

Design Foundations: Spring Boot, Spring Data, Project Lombok

- **Spring Boot**
 - Dependency Injection, "Convention over Configuration"
 - Similar to Ruby on Rails – lots of magick happens if you follow the conventions
 - Thus, high Developer productivity
 - <https://spring.io/projects/spring-boot>
- **Spring Data**
 - Nice abstraction and simplification for database access. Repositories, Templates
 - <https://spring.io/projects/spring-data>
 - **Spring Data for CosmosDB SDK**
 - <https://docs.microsoft.com/en-us/azure/developer/java/spring-framework/how-to-guides-spring-data-cosmosdb>
- **Project Lombok**
 - Eliminates verbose and low-value boilerplate code. Getters, setters, constructors, etc.
 - Generates bytecode at compile time. Nice IDE support, too
 - <https://projectlombok.org>


Design Foundations: D3.js

- **D3.js JavaScript library for in-browser data visualizations**
 - Many out-of-the-box visualizations. Open-source. <https://d3js.org>
 - Or, Bring-Your-Own-UI-Library
 - <https://learn.microsoft.com/en-us/azure/cosmos-db/graph/graph-visualization-partners>



Design Foundations: My Previous Implementation

- **CosmosDB Gremlin API Implementation of a Node.js NPM “Bill-of-Material” Graph**
 - I wanted to use the **same data** in AltGraph, but re-implement the solution w/AltGraph
 - <https://github.com/Azure-Samples/azure-cosmos-db-graph-npm-bom-sample>



Implementation: CosmosDB SQL API

- **Use a Single Container: altgraph**
 - Partition key is **/pk**
 - Each document has a **doctype** attribute to distinguish the various entities
 - Reference implementation has a **tenant Id** attribute for multi-tenant use-cases
 - Reference implementation has a **lob** attribute for multiple lines-of-business in a tenant
 - Document types for this NPM graph are: **triple, library, author, maintainer**
- Enabling **Synapse Link** is optional, depending on your requirements
 - This is one of the excellent integrations that CosmosDB offers
 - <https://docs.microsoft.com/en-us/azure/cosmos-db/synapse-link>
 - <https://github.com/cjoakim/azure-cosmosdb-synapse-link>
- **Heirarchical Partition Keys** (currently in preview mode) may also be used
 - <https://docs.microsoft.com/en-us/azure/cosmos-db/hierarchical-partition-keys>
- Provision the Request Units (RU) as necessary – Serverless, Manual, or Autoscale
 - <https://docs.microsoft.com/en-us/azure/cosmos-db/set-throughput>
 - <https://docs.microsoft.com/en-us/azure/cosmos-db/serverless>

Implementation: Sample Library Document

This is a JSON document which describes a Node.js NPM Library. Libraries are the “raw material” for the graph.

The **dependencies** object (at line 14) is the data that we’ll use to build a graph. This sample document is intentionally small. This library has only one dependency: **xml2js**

Note the **author** and **maintainers** attributes, as well. The graph will include these.

```
1  {
2    "doctype" : "library",
3    "label" : "tcx-js",
4    "id" : "f0b734d9-3240-44c5-9868-cb25597f1e3b",
5    "pk" : "tcx-js",
6    "_etag" : "\"9c00f125-0000-0100-0000-62d9c5440000\"",
7    "tenant" : "123",
8    "lob" : "npm",
9    "cacheKey" : "library|tcx-js",
10   "graphKey" : "library^tcx-js^f0b734d9-3240-44c5-9868-cb25597f1e3b^tcx-js",
11   "name" : "tcx-js",
12   "desc" : "A Node.js library for parsing TCX/XML files, such as from a Garmin GPS device.",
13   "keywords" : [ "tcx", "garmin", "forerunner", "gps" ],
14   "dependencies" : {
15     "xml2js" : "^0.4.19"
16   },
17   "devDependencies" : {
18     "mocha-multi-reporters" : "^1.1.7",
19     "chai" : "^4.2.0",
20     ... others omitted ...
21     "typescript" : "^3.5.2"
22   },
23   "author" : "Chris Joakim",
24   "maintainers" : [ "cjoakim <christopher.joakim@gmail.com>" ],
25   "version" : "1.0.1",
26   "versions" : [ "0.0.1", "0.1.0", "0.1.1", "0.1.2", "1.0.0", "1.0.1" ],
27   "homepage" : "https://github.com/cjoakim/tcx-js",
28   "library_age_days" : 1755,
29   "version_age_days" : 32
30 }
```

Implementation: Sample Array of Triples

Triple documents have a Subject, Predicate, and Object just like RDF triples. Up to **20 million** of these 1K docs can reside in the same **logical partition** (20GB limit).

This graph contains 6382 triples. They are small in size (1kb) and many can be read into the JVM for **in-memory processing** and traversal. Pagination-based processing is also possible.

They point to the adjacent "Vertices" via the Id/Pk attributes for **point-reads**.

The **tags** enable optimized searching of important Vertex attributes.

```
22949 }, {
22950   "id" : "0e2cc67f-b566-4b22-aba3-b9a9a7cb6b81",
22951   "pk" : "triple|123",
22952   "_etag" : "\"0f0082b6-0000-0100-0000-62d9c5840000\"",
22953   "tenant" : "123",
22954   "lob" : "npm",
22955   "doctype" : "triple",
22956   "subjectType" : "library",
22957   "subjectLabel" : "tedious",
22958   "subjectId" : "4cc0e552-e501-47d4-ada1-2e0cfdaafc388",
22959   "subjectPk" : "tedious",
22960   "subjectKey" : "library^tedious^4cc0e552-e501-47d4-ada1-2e0cfdaafc388^tedious",
22961   "subjectTags" : [ "author|Mike D Pilsbury <mike.pilsbury@gmail.com>", "maintainer|artur",
22962   "predicate" : "used_in_lib",
22963   "objectType" : "library",
22964   "objectLabel" : "mssql",
22965   "objectId" : "2aa4fc9e-7cd5-41a7-a521-b303ff184303",
22966   "objectPk" : "mssql",
22967   "objectKey" : "library^mssql^2aa4fc9e-7cd5-41a7-a521-b303ff184303^mssql",
22968   "objectTags" : [ "author|Patrik Simek (https://patriksimek.cz)", "maintainer|artur",
22969 }, {
```

Implementation: Primary Java Classes

Cache.java - implements caching logic, to local disk or Azure Redis Cache

D3CsvBuilder.java - Creates node and edge CSV files for D3.js

Graph.java - An in-memory graph created from a TripleQueryStruct

GraphBuilder.java - Builds a graph by iterating an in-memory TripleQueryStruct

TripleQueryStruct.java - Represents **an Array of the Triples** for your graph. It is the "Index".

Library.java - An NPM library document

Triple.java - One Triple document

LibraryRepository.java - **Spring Data Repository** for Libraries

TripleRepository.java - Spring Data Repository for Libraries

TripleRepositoryExtensions.java - Extensions of the Repository for more complex SQL

TripleRepositoryExtensionsImpl.java

GraphController.java - The primary Controller, handles interaction with the UI

Implementation: The Spring Data TripleRepository

```

17  @Component
18  @Repository
19  public interface TripleRepository extends CosmosRepository<Triple, String>, TripleRepositoryExtensions {
20      Iterable<Triple> findBySubjectType(String subjectType);
21      Iterable<Triple> findBySubjectLabel(String subjectLabel);
22      // 1 usage
23      Iterable<Triple> findByTenantAndSubjectLabel(String tenant, String subjectLabel);
24      // 1 usage
25      @Query("select value count(1) from c")
26      long countAllTriples();
27      // 1 usage
28      @Query("select value count(1) from c where c.subjectLabel = @subjectLabel")
29      long getNumberOfDocsWithSubjectLabel(@Param("subjectLabel") String subjectLabel);
30      // 1 usage
31      @Query("select * from c where c.pk = @pk and c.lob = @lob and c.subjectType = @subjectType and c.objectType = @objectType")
32      List<Triple> getByPkLobAndSubjects(
33          @Param("pk") String pk,          // "pk": "triple|123"
          @Param("lob") String lob,
          @Param("subjectType") String subjectType,
          @Param("objectType") String objectType);


```

Method **getByPkLobAndSubjects** is used to query the Triples and load them into memory as a **TripleQueryStruct** that can then be **cached**. It is the “Index” to your graph.

Implementation: Building the Graph and Creating D3.js CSV

- **Ok, great, we have a TripleQueryStruct in memory, now what?**
- **Optionally Cache it for the next Web Request**
 - Class **Cache**
- **Build The Graph in Memory**
 - Class **GraphBuilder**
 - **Iterates, in memory, the many Triples** in the TripleQueryStruct to build the Graph object
 - Alternatively, for huge graphs, paginate the Triples and build the graph with each page
- **Build the two CSV files for D3.js UI visualizations**
 - Class **D3CsvBuilder**
- **Can we please see the demo now?**

Demonstration: The Search Form



AltGraph

Graph Solutions with the Azure CosmosDB SQL API

Library Name


☐ Author

Graph Depth

Cache Opts L T


Search

Elapsed ms



Enter a Library name, and integer graph "depth".
Optional Cache Opts "L" for Library caching, "T" for Triple caching.
The Elapsed ms field will be populated when the graph is displayed.
The Author checkbox will toggle between a Library and Author graph.

Demonstration: Graph with a Depth of 1




Graph with a depth of 1 and no caching.
Single click a node for Library info. Double-click to show the graph for that node.

Demonstration: Graph with a Depth of 2

AltGraph

Graph Solutions with the Azure CosmosDB SQL API




Graph with a depth of 2 and no caching. D3.js positions the nodes.

Demonstration: Graph with a Depth of 2, with Caching

AltGraph


Graph Solutions with the Azure CosmosDB SQL API



Graph with a depth of 2 and **caching**. Notice the **speed improvement**. This example used Azure Redis Cache from my (slow) home WiFi network.

Demonstration: Author-to-Library Graph using the Triple tag values

```
}, {  
  "id" : "7da48a99-23d3-44bf-a878-c3d41c833f32",  
  "pk" : "triple|123",  
  "_etag" : "\"0f001bb8-0000-0100-0000-62d9c5920000\"",  
  "tenant" : "123",  
  "lob" : "npm",  
  "doctype" : "triple",  
  "subjectType" : "library",  
  "subjectLabel" : "pug",  
  "subjectId" : "0b92a30f-8341-4739-8225-a3287afdb54d",  
  "subjectPk" : "pug",  
  "subjectKey" : "library^pug^0b92a30f-8341-4739-8225-a3287afdb54d^pug",  
  "subjectTags" : [ "author|TJ Holowaychuk <tj@vision-media.ca>", "maintainer|forbeslindesay <forbes@lindesay.co.uk>" ],  
  "predicate" : "uses_lib",  
  "objectType" : "library",  
  "objectLabel" : "pug-linker",  
  "objectId" : "3649661e-f7ba-4a57-9b40-4ba3034cdf3b",  
  "objectPk" : "pug-linker",  
  "objectKey" : "library^pug-linker^3649661e-f7ba-4a57-9b40-4ba3034cdf3b",  
  "objectTags" : [ "author|Forbes Lindesay", "maintainer|forbeslindesay <forbes@lindesay.co.uk>" ],  
}, {
```





Thank you!

Questions?