Homework #6

Due Monday (November 18th)

This homework is designed to be used as a study guide for the upcoming test. I am grading this homework based on your effort alone. On Monday, I'll post the solutions to this homework on canvas, so you can compare your answers to the solutions I give.

(1) $f(x) = x^3 - 5.85x^2 + 5.27x + 13.56$ hundred dollars gives the stock price of Company A, x hours after 9:30 am on a given day, on the closed interval $0 \le x \le 5$.

(1.a) At what x value(s) does the function have a relative maximum?

(1.b) At what *x* value(s) does the function have a relative minimum?


(1.c) At what *x* value(s) does the function have an inflection point?

(1.d) On the closed interval $0 \le x \le 5$, the stock price was *highest* _____ hours after 9:30 am, at which the price of the stock was _____ (make sure to include units!).

(1.e) On the closed interval $0 \le x \le 5$, the stock price was *lowest* _____ hours after 9:30 am, at which the price of the stock was _____ (make sure to include units!).

(1.f) On the closed interval $0 \le x \le 5$, the stock price was *decreasing most rapidly* _____ hours after 9:30 am, at a rate of _____ (make sure to include units!).

(2) Consider the function f(x) defined on the whole real line below whose *slope* graph (i.e. the graph of f'(x)) is given below



(2.a) Where are the relative maxes of f(x) located? (If there are none, just say "there are none")

(2.b) Where are the absolute maxes of f(x) located? (If there are none, just say "there are none")


(2.c) Where are the relative mins of f(x) located? (If there are none, just say "there are none")

(2.d) Where are the absolute mins of f(x) located? (If there are none, just say "there are none")


(2.e) Where are the critical points of f(x) located? (If there are none, just say "there are none")

(2.f) Where are the inflection points of f(x) located? (If there are none, just say "there are none")

(2.g) Sketch how the shape of the graph of f(x) should look (there's actually many different functions whose slope graph corresponds to the one above but they all have the same shape):



(3) Consider the function f(x) defined on the whole real line below whose *slope* graph is given below



(3.a) Where are the relative maxes of f(x) located? (If there are none, just say "there are none")

(3.b) Where are the absolute maxes of f(x) located? (If there are none, just say "there are none")


(3.c) Where are the relative mins of f(x) located? (If there are none, just say "there are none")

(3.d) Where are the absolute mins of f(x) located? (If there are none, just say "there are none")


(3.e) Where are the critical points of f(x) located? (If there are none, just say "there are none")

(3.f) Where are the inflection points of f(x) located? (If there are none, just say "there are none")

(3.g) Sketch how the shape of the graph of f(x) should look:



(4) Consider the function f(x) defined on the closed interval [0,4] whose graph is given below




(4.a) Where are the relative maxes of f(x) located? (If there are none, just say "there are none")

(4.b) Where are the absolute maxes of f(x) located? (If there are none, just say "there are none")

(4.c) Where are the relative mins of f(x) located? (If there are none, just say "there are none")

(4.d) Where are the absolute mins of f(x) located? (If there are none, just say "there are none")

(5) Consider the function f(x) defined on the whole real line whose graph is given below



(5.a) Where are the critical points of f(x) located? (If there are none, just say "there are none")


(5.b) Where are the relative maxes of f(x) located? (If there are none, just say "there are none")

(5.c) Where are the absolute maxes of f(x) located? (If there are none, just say "there are none")

(5.d) Where are the relative mins of f(x) located? (If there are none, just say "there are none")

(5.e) Where are the absolute mins of f(x) located? (If there are none, just say "there are none")

(5.f) Sketch the graph of f''(x) below (hint: keep in mind that there are two places where f''(x) is not defined):



4

(6) Let f(x) a continuous differentiable function on the whole real line and let a be a real number.


(6.a) True or False: If $f''(a) \neq 0$, then the function may have an inflection point at x = a.

(6.b) True or False: If f''(a) = 0, then the function has an inflection point at x = a. (this one is a little more subtle than you think)

(6.c) True or False: If f''(a) > 0, then the function is concave up at x = a.

(6.d) True or False: If f'(a) = 0 and f''(a) > 0, then the function has a relative max at x = a.

(7) Consider the graphs of the two functions below:



One of them is f(x) and one of them is f'(x). Which is which?

(8.a) Let $h(x) = 11(1.8^x)$ and $g(h) = h^3$. Find the derivative of g(h(x)).

(8.b) Write $f(x) = e^{\sqrt{x^2+1}}$ as a composition g(h(x)).

$$g(h) =$$

$$h(x) =$$

(8.c) Write $f(x) = \sqrt{x^3 + 1}$ as a composition g(h(x)).

$$g(h) =$$

$$h(x) =$$

(8.d) Find the derivative of $f(x) = (x^2 + 2)e^{3x^2+1}$.

(8.e) Find the derivative of $f(x) = \frac{2+x}{3+\ln(x)}$.

(8.f) Find the *second* derivative of ln(3x + 1).

- (8.g) Find the derivative of $2^{(x^3-1)}e^{2x}$.
- (9) Let f be a differentiable function and suppose that f(3) = 5 and f'(3) = -2.
- (9.a) Find the linearization of f at a = 3.
- (9.b) Estimate the change between x = 3 and x = 4.
- (9.c) Estimate f(4). If f(x) is concave up, then is this an overestimate or an underestimate?
- (9.d) p(t) cents is the average retail price of a pound of salted, graded A butter, t years since 1990. Suppose that in 1998, the average retail price of salted, graded A butter was 296 cents and was increasing by 54 cents per year. Use a linear estimation to find the average retail price of salted, graded A butter in 1999.