2018

CMC 10A

DO NOT OPEN UNTIL FRIDAY, December 21, 2018

Administration On An Earlier Date Will Disqualify Your Results

- 1. All the information needed to administer this exam is contained in the AMC 10/12 Teacher's Manual. PLEASE READ THE MANUAL BEFORE DECEMBER 21, 2018.
- 2. Your PRINCIPAL or VICE PRINCIPAL may verify on the AMC 10/12 COMPETITION CERTIFICATION FORM (found on maa.org/amc under 'AMC 10/12') that you followed all rules associated with the administration of the exam.
- 3. If you chose to obtain an AMC 10 Answer Sheet from https://www.maa.org/math-competitions/amc-10-12, they must be returned to yourself the day after the competition. Ship with appropriate postage using a tracking method. FedeX333X or UPS is strongly recommended.
- 4. The publication, reproduction, or communication of the problems or solutions of this exam during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination via phone, email, or digital media of any type during this period is a violation of the competition rules.

The

MAC Christmas Mathematics Competitions

are supported by

AOPS12142015

Blast_S1

djmathman

eisirrational

FedeX333X


illogical_21

novus677

Th3Numb3rThr33

TheUltimate123

WannabeCharmander



INSTRUCTIONS

- 1. DO NOT OPEN THIS BOOKLET UNTIL YOU HAVE STARTED YOUR TIMER.
- 2. This is a 25-question multiple-choice exam. Each question is followed by answers marked A, B, C, D, and E. Only one of these is correct.
- 3. Mark your answer to each problem however you want. If you would like to create a more realistic test experience, then you may obtain an AMC 10 Answer Sheet from https://www.maa.org/math-competitions/amc-10-12 and mark your answer to each problem on the AMC 10 Answer Sheet with a #2 pencil. Check the blackened circles for accuracy and erase errors and stray marks completely. Only answers properly marked on the answer sheet will be graded in a real test. You must submit your answers using the Submission Form found at https://artofproblemsolving.com/community/c594864h1747367p11379904. The AMC 10 Answer Sheet will not be scored.
- 4. SCORING: You will receive 6 points for each correct answer, 1.5 points for each problem left unanswered, and 0 points for each incorrect answer.
- 5. Only scratch paper, graph paper, rulers, compasses, protractors, and erasers are allowed as aids. No calculators, smartwatches, phones, or computing devices are allowed. No problems on the exam require the use of a calculator.
- 6. Figures are not necessarily drawn to scale.
- 7. Before beginning the exam, you will ask yourself to record certain information on the answer form if you chose to obtain an AMC 10 Answer Sheet from https://www.maa.org/math-competitions/amc-10-12.
- 8. When you give yourself the signal, begin working on the problems. You will have **75 minutes** to complete the exam.
- 9. When you finish the exam, *sign your name* in the space provided at the top of the Answer Sheet if you chose to obtain an AMC 10 Answer Sheet from https://www.maa.org/math-competitions/amc-10-12.

The Committee on the Christmas Mathematics Competitions reserves the right to disqualify scores from an individual if it determines that the required security procedures were not followed. All students will be invited to take the 2nd annual Christmas Invitational Mathematics Examination (CIME) on Friday, December 28, 2018 and Friday, February 8, 2019. More details about the CIME are on the back of this test booklet.

1. What is the value of $201 \times 9 + 20 \times 19 - 2 \times (0 + 1 + 9)$?

- **(A)** 1409
- **(B)** 1449
- **(C)** 2019
- **(D)** 2169
- **(E)** 2209

2. Which of the following primes is a divisor of $1^6 + 2^5 + 3^4 + 4^3 + 5^2 + 6^1$?

- (A) 2
- **(B)** 3
- **(C)** 5
- (D) 7
- **(E)** 11

3. Let a, b, c and d be distinct integers between 1 and 50 inclusive. How many possible values of a + b + c + d exist?

- (A) 185
- **(B)** 191
- **(C)** 196
- **(D)** 197
- **(E)** 200

4. Let N be the unique positive integer such that the N\% of 880 is a perfect square smaller than 880. What is the sum of the digits of N?

- (A) 7
- **(B)** 8
- **(C)** 9
- **(D)** 10
- **(E)** 11

5. The ratio of the area of an octagon to its perimeter is 5/4, when calculations are done in inches. When calculations are done in feet, what is the ratio of the area of the same octagon to its perimeter?

- (A) $\frac{5}{576}$ (B) $\frac{5}{48}$ (C) $\frac{5}{4}$
- **(D)** 15
- **(E)** 180

6. Two different numbers are randomly selected from the set

$$S = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, \dots, 2019\}.$$

The probability that their sum is 2020 would be greater if the number n had first been removed from set S. What is the sum of the digits of n?

- **(A)** 1
- **(B)** 2
- **(C)** 3
- **(D)** 10
- **(E)** 12

7. Ten gangsters are standing on a flat surface with the distances between them all distinct. At twelve o'clock, when the church bells start chiming, each of them fatally shoots the one among the other nine gangsters who is the farthest. At most how many gangsters will remain alive?

- (A) 1
- **(B)** 2
- (C) 7
- (D) 8
- **(E)** 9

8. Rectangle ABCD is drawn with AB = 8 and BC = 6. The incircle of $\triangle ACD$ has center I. What is BI^2 ?

- (A) 32
- **(B)** 36
- **(D)** 52
- **(E)** 64



Christmas Mathematics Competitions

Questions and comments about problems and solutions for this exam should be sent by PM to:

AOPS12142015, Blast_S1, djmathman, eisirrational, FedeX333X, illogical_21, novus677, Th3Numb3rThr33, TheUltimate123, and WannabeCharmander

Send questions and comments about administrative arrangements by PM to

AOPS12142015, Blast_S1, djmathman, eisirrational, FedeX333X, illogical_21, novus677, Th3Numb3rThr33, TheUltimate123, and WannabeCharmander

The problems and solutions for this CMC 10 were prepared by MAC's Subcommittee on the CMC10/CMC12 Exams.

2019 CIME

The 2nd Annual CIME will be held on Friday, December 28, 2018, with the alternate on Friday, February 8, 2019. It is a 15-question, 3-hour, integer-answer exam. You will be invited to participate regardless of your score on this competition. All students will be selected to take the 2nd Annual Christmas Mathematical Olympiad (CMO) on January 4-25, 2019.


- (A) $\frac{1}{4}$ (B) $\frac{1}{3}$ (C) $\frac{3}{8}$ (D) $\frac{5}{12}$ (E) $\frac{4}{9}$

- 9. We define a real number x to be a semi-integer if $\sqrt{2} \cdot x$ is an integer. How many real numbers $0 \le x \le 100$ are semi-integers?
- (A) 71

6

- **(B)** 140
- (C) 141
- **(D)** 142
- **(E)** 211
- 10. What is the sum of all positive integers n such that $3^{20} < n^n < 8^{20}$?
- (A) 60
- **(B)** 65
- (C) 66
- **(D)** 75
- **(E)** 84
- 11. For real numbers m and n, we define the operator \circ as $m \circ n = m^{-1} (mn)^{-1} + n^{-1}$. What is the value of $1 \circ (2 \circ (\cdots (2018 \circ 2019)))$?
- (A) $\frac{1}{2019}$

- (B) $\frac{2018}{2019}$ (C) 1 (D) $\frac{2019}{2018}$ (E) 2019
- 12. Regular hexagon ABCDEF has side length 1. Points P and Q are placed in the interior of the hexagon such that ABPQ is a square. If M and N are the midpoints of sides AB and DE, respectively, what is the area of the shaded region?



- (A) $\frac{2}{3}$
- (B) $\frac{\sqrt{3}}{2}$
- (C) $\frac{8}{9}$
- **(D)** 1
- (E) $\frac{2\sqrt{3}}{2}$
- 13. How many ordered triples of primes (p, q, r) satisfy $p^q + q^p = r$?
- **(A)** 0
- **(B)** 1
- (C) 2
- **(D)** 3
- **(E)** 6
- 14. Suppose $\min(N)$ is the smallest positive integer such that

$$\frac{0.25^{1000}}{0.1^N} > 1.$$

In which of the following intervals does $\min(N)$ lie between?

- **(A)** [250, 350]
- **(B)** [400, 500]
- (C) [550, 650]
- (D) [700, 800]
- (E) [850, 950]

4

15. Consider a polynomial p(x) of degree 1 such that for a real number a, p(a) = 2, p(p(a)) = 17 and p(p(p(a))) = 167. What is the value of a?

- (A) 1
- (B) $-\frac{1}{2}$ (C) 0 (D) $\frac{1}{2}$
- **(E)** 1

16. Geoff the frog is standing at the origin in the coordinate plane. For each move, Geoff can only move one unit to the right or one unit upwards; also, every up move must be immediately followed by a right move (except for the last move). What is the number of distinct sequences of moves that end at the point (9,5)?

- **(A)** 56
- **(B)** 126
- **(C)** 210
- **(D)** 252
- **(E)** 346

17. In triangle $\triangle ABC$, let D be the midpoint of BC and E be a point on AD so that $\angle BEC + \angle BAC = 180^{\circ}$. If $BC = \sqrt{7}$, the value of $DE \cdot DA$ can be written as $\frac{m}{n}$ for some relatively prime integers m, n. What is m + n?

- (A) 7
- **(B)** 9
- (C) 11
- **(D)** 51
- **(E)** 53

18. A random number generator generates a random number each second. On the $n^{\rm th}$ second, the generator randomly outputs an integer from the set $\{1, 2, \cdots, n\}$. What is the expected number of seconds it will take before the sum of the outputted numbers is at least 280?

- (A) 23
- **(B)** 24
- **(C)** 30
- **(D)** 32
- **(E)** 35

19. Let a, b, c, d be four not necessarily distinct integers chosen from the set $\{0, 1, \dots, 2019\}$. What is the probability that (a+b)(c+d)+(a+c)(b+d)+(a+d)(b+c)is divisible by 4?


- (A) $\frac{1}{4}$ (B) $\frac{5}{16}$ (C) $\frac{3}{8}$ (D) $\frac{7}{16}$ (E) $\frac{1}{2}$

20. Let $\triangle ABC$ be an equilateral triangle with its three vertices on the graph y = |2x|. If the midpoint of AC is (3,6), then what is the area of $\triangle ABC$?

- **(A)** $20\sqrt{3}$

- **(B)** $25\sqrt{3}$ **(C)** $\frac{80\sqrt{3}}{2}$ **(D)** $\frac{85\sqrt{3}}{2}$ **(E)** $45\sqrt{3}$

21. James must travel from point A to point B along the grid shown below. He can only move along the arrows and he must take exactly 8 steps. How many possible paths are there?



- **(A)** 70
- **(B)** 72
- (C) 140
- **(D)** 360
- **(E)** 560

22. Triangle $\triangle ABC$ has AB = 11, BC = 13 and AC = 20. A circle is drawn with diameter AC. Line AB intersects the circle at $D \neq A$ and line BC intersects the circle at $E \neq B$. What is the length of DE?

- (A) $\frac{55}{13}$

- (B) 5 (C) $\frac{66}{13}$ (D) $\frac{100}{13}$ (E) $\frac{120}{12}$

23. For positive integers a and b, let \star be an operator with the following properties:

- $a \star b = b \star a$
- $(a+1) \star b = a \star b + a + b$
- $1 \star 1 = 2$

Let c be the unique positive integer such that there exists exactly 25 ordered pairs of positive integers (a, b) satisfying $a \star b = c$. What is the value of c?

- (A) 301
- **(B)** 326
- **(C)** 351
- **(D)** 376
- **(E)** 401

24. Let $\Gamma_1, \Gamma_2, \Gamma_3$ be three circles with radii 2, 3, 6 respectively, such that Γ_1 and Γ_2 are externally tangent at A and Γ_3 is internally tangent to Γ_1 and Γ_2 at B, C respectively. What is the radius of the circumcircle of $\triangle ABC$?

- (A) $\frac{6}{\sqrt{11}}$
- **(B)** 5 **(C)** $\sqrt{2} + \sqrt{3} + \sqrt{6}$ **(D)** 6
- **(E)** $4\sqrt{3}$