# R53 Data Flow Diagrams


Leon Starr 2025-9-14/ v1.0.0 State name: NO TRANSFER

No actions

```
state NO TRANSFER
activity
    // Waiting for service request
transitions
    Service requested > Search for new destination
```

## **A9**

F1




```
state Search for new destination
activity
   // The Cabin in this Shaft is stationary and has no Transfer
   cabin in shaft .= /R2/Cabin
   destination aslev .= cabin in shaft.Ping both ways()
   destination aslev? {
       Execute -> *Transfer &R53 cabin in shaft, destination aslev
       Transfer created -> me
   } : No destination -> me
transitions
   No destination > NO TRANSFER
   Transfer created > TRANSFER IN PROGRESS
```

Transfer created

Execute( cabin in shaft: Cabin, destination aslev: Accessible Shaft Level )


#### **Delegated Creation Activity on Transfer**

### **A38**



## **A9**

Added Tint/Color attributes to test setting of explicit and default scalar attribute values




#### **Delegated Creation Activity on Transfer**

### **A37**


Added Tint/Color attributes to test setting of explicit and default scalar attribute values

cabin in shaft



destination aslev

**A11** 



```
state Search for alternate destination
       activity
          cabin in shaft .= /R2/Cabin
          fwd = cabin in shaft.Travel direction
          xfer .= cabin in shaft/R53/Transfer
          call in progress .= xfer/R53/Accessible Shaft Level/R49/Floor Service( Direction: fwd )
        5 fwd dest .= cabin in shaft.Ping( dir: fwd )
       6 fwd dest? dest aslev .= fwd dest :
              !call in progress? {
                 // Search opposite the travel direction only if not servicing
                 // a floor request in the current direction
rev = fwd.opposite
                 rev dest .= cabin in shaft.Ping( dir: rev )
                 rev dest? cabin in shaft.Travel direction = rev
                 // may be empty
                 dest aslev .= rev dest
      7 dest aslev? {
              dest floor = dest aslev.Floor
              dest floor != xfer.Destination floor?
                 Dest change request( new dest: dest floor ) -> xfer
       8 Dest change evaluated -> me
```

