

HOLDER FOR 3 MODULES, PLASTIC



product brand name	SIRIUS ACT
Product designation	Commanding and signaling devices

Actuator:

Design of the product	Holder
Design of the operating mechanism	3-way without module
Product component	
• series resistor	No
• Light source	No
• diode	No
• lamp transformer	No
Product function / positive opening	No
Suitability for integration	
• pressure selection button	Yes
• front element	Yes
• Pendant switch	Yes
• Pendant pushbutton	Yes
Number of contact modules	0
Number of LED modules	0

Holder:

Material / of the holder	Plastic
--------------------------	---------

Tightening torque		
• of the screws in the bracket	N·m	1 ... 1.2

Contact module/ LED module:		
Number of NC contacts / for auxiliary contacts		0
Number of NO contacts / for auxiliary contacts		0
Number of CO contacts / for auxiliary contacts		0

General technical data:		
Insulation voltage / Rated value	V	500
Surge voltage resistance / Rated value	kV	6
Vibration resistance / acc. to IEC 60068-2-6		10 ... 500 Hz: 5g
Mechanical service life (switching cycles) / typical		10
Reference code		
• acc. to DIN EN 61346-2		U
• acc. to DIN EN 81346-2		U

Ambient conditions:		
Ambient temperature		
• during operation	°C	-25 ... +70
• during storage	°C	-40 ... +80
Climate class / during operation / acc. to EN 60721		3K6, 3C3, 3S2, 3M6
Degree of pollution		3

Installation/ mounting/ dimensions:		
Shape / of the installation opening		round
Installation width	mm	30
Installation depth	mm	25

Certificates/ approvals:		
---------------------------------	--	--

Further information:		
Information- and Downloadcenter (Catalogs, Brochures,...)		
http://www.siemens.com/industrial-controls/catalogs		
Industry Mall (Online ordering system)		
http://www.siemens.com/industrymall		
Cax online generator		
http://www.siemens.com/cax		
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)		
http://support.automation.siemens.com/VW/view/en/3SU1500-0AA10-0AA0/all		
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)		
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SU1500-0AA10-0AA0		

last change:

Nov 17, 2014