## **SIEMENS**

Product data sheet 3RV2901-2E

TRANSVERSE AUX. SWITCH, 1NO+1NC, SPRING-L. CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0



General technical data:			
product brand name		SIRIUS	
product designation		auxiliary switch, transverse on the front	
Design of the product		transverse auxiliary switches	
Size of the circuit-breaker		S00	
Protection class IP / on the front		IP20	
Ambient temperature			
during storage	°C	-50 80	
during the operating phase	°C	-20 60	

Auxiliary circuit:			
Number of NC contacts / for auxiliary contacts			
instantaneous switching		1	
Number of NO contacts / for auxiliary contacts			
instantaneous switching		1	
Number of changeover contacts / of the auxiliary contacts			
instantaneous switching		0	
Operating current / of the auxiliary contacts			
• at AC-12			
• at 24 V	Α	2.5	
• at 230 V	А	2.5	

• maximum	Α	10
• at AC-15		
• at 24 V	Α	2
• at 230 V	Α	0.5
• at DC-13		
• at 24 V	Α	1
• at 48 V	Α	0.3
• at 60 V	Α	0.15

Installation/mounting/dimensions:			
Type of mounting		plug-in fixing	
Width	mm	45	
Height	mm	13	
Depth	mm	17	

Connections:			
Design of the electrical connection			
for auxiliary and control current circuit	spring-loaded terminals		
Type of the connectable conductor cross-section			
for auxiliary contacts			
• solid	2x (0.5 1.5 mm2)		
• finely stranded			
<ul> <li>with conductor end processing</li> </ul>	2x (0.5 1.5 mm2)		
<ul> <li>without conductor final cutting</li> </ul>	2 x (0.5 1.5 mm2)		
• for AWG conductors / for auxiliary contacts	2x (20 14)		

Certificates/approvals:				
Verification of s	suitability		CE /	UL/CSA/CCC
General Product Approval		Test Certificates	Test Certificates	
CQC	<b>®</b>	(UL)	Manufacturer	
Shipping Appr	roval		other	
ABS	PRS	RINA	Manufacturer	other

## Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)


http://www.siemens.com/industrial-controls/mall


## Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


http://support.automation.siemens.com/WW/view/en/3RV2901-2E/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3RV2901-2E







last change: Apr 4, 2011