

Cucumber Report

16 Dec 2024, 5:07:28 pm

Start : Dec 16, 5:06:52.971 pm

End : Dec 16, 5:07:27.755 pm

Duration : 34.784 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 5
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Demo Feature</u>	34.784 s	2	1	1	0	8	5	1	2

#	Feature Name	Scenario Name
1	<u>Demo Feature</u>	<u>Verify Statistics section in web browser</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	2	1	1	0	1	0	1	0
@Test2	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	2	1	1	0	34.784 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	<u>Verify Statistics section in web browser</u>	4	4	0	0	4.703 s
2		<u>Verify Statistics section in web browser</u>	4	1	1	2	34.780 s


Demo Feature

FAILED	DURATION - 34.784 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 5:06:52.971 pm // 5:07:27.755 pm /					



Verify Statistics section in web browser

PASSED	DURATION - 4.703 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:06:52.974 pm // 5:06:57.677 pm /				
Demo Feature				
@Regression @Test2				

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	3.031 s
2	When send key text "covid-19 stats malaysia" into the google search bar and press enter	PASSED	1.374 s
3	Then assert page title is "covid-19 stats malaysia - Google Search"	PASSED	0.162 s
			
4	Then assert statistics section is displayed	PASSED	0.126 s

#	Step / Hook Details	Status	Duration
			

Verify Statistics section in web browser

FAILED	DURATION - 34.780 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 5:06:52.975 pm // 5:07:27.755 pm /				
Demo Feature				
@Regression @Test2				

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	4.554 s
2	When send key text "covid-19 stats malaysia" into the google search bar and press enter	FAILED	30.083 s
	<pre>org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.xpath: //textarea[@title='Search'] at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$Q5q32Oo7.sendKeys(Unknown Source) at builds.actions.BrowserActions.sendKeys(BrowserActions.java:52) at workDirectory.pages.google.GooglePage.typeAndSearch(GooglePage.java:13) at workDirectory.stepDefinitions.google.GooglePageStepDefinition.sendKeyTextIntoTheGoogleSearchBarAndPressEnter(GooglePageStepDefinition.java:17) at ?.send key text "covid-19 stats malaysia" into the google search bar and press enter(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:14) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@403e8715 (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$Q5q32Oo7.sendKeys(Unknown Source) at builds.actions.BrowserActions.sendKeys(BrowserActions.java:52) at workDirectory.pages.google.GooglePage.typeAndSearch(GooglePage.java:13) at workDirectory.stepDefinitions.google.GooglePageStepDefinition. sendKeysTextIntoTheGoogleSearchBarAndPressEnter(GooglePageStepDefinition.java:17) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//textarea[@title='Search']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: </pre>		

#	Step / Hook Details	Status	Duration
	<p>'d6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f219c96c7905c554fd1f4e7a4829c700, findElement {using=xpath, value=//textarea[@title='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: /var/folders/nt/d7wk43dj5md...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53817}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53817/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f219c96c7905c554fd1f4e7a4829c700</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)</p> <p>java.lang.IllegalStateException: You can not use Scenario.log or Scenario.attach when a step is not being executed at io.cucumber.core.runner.TestCaseState.requireActiveTestStep(TestCaseState.java:157) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:73) at io.cucumber.java.Scenario.attach(Scenario.java:78) at builds.actions.BrowserActions.screenshot(BrowserActions.java:123) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:26)</p>	FAILED	0.134 s
3	Then assert page title is "covid-19 stats malaysia - Google Search"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then assert statistics section is displayed	SKIPPED	0.000 s