

Cucumber Report

17 Dec 2024, 5:37:23 pm

Start : Dec 17, 5:37:02.475 pm

End : Dec 17, 5:37:22.956 pm

Duration : 20.481 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Demo Feature</u>	20.481 s	2	0	2	0	2	0	2	0

#	Feature Name	Scenario Name
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>
2		<u>To Test Android Simulator with Page Factory Approach</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	2	0	2	0	20.481 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	20.454 s
2		<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	20.479 s

Demo Feature

FAILED	DURATION - 20.481 s	Scenarios		Steps	
/ 5:37:02.475 pm // 5:37:22.956 pm /		Total - 2		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

To Test Android Simulator with Page Factory Approach



<div>FAILED</div> <div>DURATION - 20.454 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:37:02.476 pm // 5:37:22.930 pm /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator "Android Device 2"</p> <p>io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://0.0.0.0:1213/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js, --port, 1213, --address, 0.0.0.0] Server log: [35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 8c868ba70e526f1f00561470d58fcbaddb1b4e48) [35m[Appium]?[39m Non-default server args: [35m[Appium]?[39m { port: [33m1213?[39m } [35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium [35m[Appium]?[39m Attempting to load driver uiautomator2... [35m[Appium]?[39m Attempting to load driver xcuitest... [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js [Appium] XCUIDriver has been successfully loaded in 0.705s [Appium] AndroidUiautomator2Driver has been successfully loaded in 1.166s [38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 0.0.0.0:1213 [Appium] Error: listen EADDRINUSE: address already in use 0.0.0.0:1213 [Appium] at Server.setupListenHandle [as _listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) [Appium] at runNextTicks (node:internal/process/task_queues:69:3) [Appium] at processImmediate (node:internal/timers:479:9)</p> <p>at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)</p> <p>at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82)</p>	FAILED	20.440 s

#	Step / Hook Details	Status	Duration
	<p>at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at builds.actions.MobileActions.mobileSetup(MobileActions.java:29) at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35) at ?.launch the Android Simulator "Android Device 2"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:29) Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitForAvailable(AppiumServerAvailabilityChecker.java:72) at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at builds.actions.MobileActions.mobileSetup(MobileActions.java:29) at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.<init>(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:119) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30) </pre>	FAILED	0.005 s

To Test Android Simulator with Page Factory Approach

FAILED		DURATION - 20.479 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 5:37:02.477 pm // 5:37:22.956 pm /						
Demo Feature						
@Regression @Test1						

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator "Android Device 1"</p> <p>io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://0.0.0.0:1212/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js, --port, 1212, --address, 0.0.0.0] Server log: [35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 8c868ba70e526f1f00561470d58fcbaddb1b4e48) [35m[Appium]?[39m Non-default server args: [35m[Appium]?[39m { port: [33m1212?[39m } [35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium [35m[Appium]?[39m Attempting to load driver uiautomator2... [35m[Appium]?[39m Attempting to load driver xcuitest... [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.587s [Appium] XCUISTestDriver has been successfully loaded in 1.107s [38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 0.0.0.0:1212 [Appium] Error: listen EADDRINUSE: address already in use 0.0.0.0:1212 [Appium] at Server.setupListenHandle [as _listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21)</p> <p>at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at builds.actions.MobileActions.mobileSetup(MobileActions.java:29) at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35) at ?.launch the Android Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:25)</p> <p>Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitForAvailable(AppiumServerAvailabilityChecker.java:72) at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at builds.actions.MobileActions.mobileSetup(MobileActions.java:29) at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>	FAILED	20.472 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.<init>(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:119) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		