

411_climb_project

Sam Pruitt & Mason Barnocky

2026-04-01

Abstract

Understanding how rest influences physical performance is a critical element of optimizing training and recovery in sport climbing. Rest times between attempts while gym climbing may have a significant impact on a climber's ability to finish a route, yet this relationship remains unexplored in a statistical context. This paper aims to quantify how different rest intervals impact auto-belay climbing performance for recreational climbers. To put this into motion, a convenience sample of recreational climbers was taken randomly and assigned to repeated climbing attempts with rest intervals of 1, 3, and 5 minutes. Results from a multiple linear regression yield suggestive but not conclusive evidence that rest time influences climbing performance while accounting for attempt number and route difficulty ($p = 0.086$, $R^2=0.26$). While no individual predictors were substantial, trends show that longer rest intervals were associated with some increase in performance, and that performance tended to decline with repeated attempts. The findings of this study highlight the importance of recovery in sport climbing, suggesting that building good rest strategies may positively influence climbing performance, however further research is needed to validate these relationships in climbing.

Intro

Rock climbing is a physically and mentally demanding activity that requires strength, endurance, and strategic thinking. Managing energy levels throughout a session is essential to climbing performance. One factor that may influence a climber's performance is the amount of time they rest between attempts. Resting allows muscles to recover, reduces fatigue, and may improve a climber's ability to perform difficult movements. Rest periods that are too short may lead to accumulated fatigue, while excessively long rest periods may not provide additional benefits and can reduce the efficiency of a climbing session. Resting properly is an essential part of any sport. Without proper rest, athletes are much more prone to injury and underperformance. Many sports have extensive research on the impact of rest. Climbing, however, is a relatively new sport, and the impact of proper rest is generally unstudied and underexplored. Because

climbing involves repeated high intensity efforts, developing a better understanding of how resting properly can enhance climbing sessions is an important task. The research we conducted investigated how rest time between climbing attempts affects the percentage of the climb completed. By collecting and analyzing data on rest duration and climbing success, we aim to examine whether longer rest periods are associated with improved climbing performance. Understanding this relationship may help climbers structure their sessions more effectively and manage fatigue during repeated climbing attempts.

Methods

To explore the relationship between rest time and performance in indoor rock climbing, a convenience sample of 2 climbers was taken. Both climbers are juniors at Montana State University, as well as members of Spire Climbing and Fitness, located in Bozeman, Montana. To control for skill level, participants were asked to provide their threshold grade in the Yosemite Decimal System (YDS). This threshold grade would be the grade at which participants would climb during the study, and using suggestions from the UIAA, would be placed into one of three skill categories, Intermediate (5.10a-d), Advanced (5.11a-d), or Expert (5.12a-d). Climbing was done on auto-belays, to maximize the efficiency and availability of data collection.

Climbs were done in sets of three attempts or six attempts, selected at random. Before a set, climbers were allowed one warm up climb on a climb that was one skill category below their threshold category. The first rest interval would start immediately after the warmup climb was completed. Rest times of 1 minute, 3 minutes, and 5 minutes were selected at random by a random number generator. After each spin, the selected rest time would be removed, as to not repeat any rest times. If a climber was doing a six-attempt set, they would reset the random number generator after the third attempt. Rest intervals were timed using a standard iPhone timer. Once a climber completed an attempt, they would calculate their performance by counting the number of panels reached and then divide that by ten (the total number of panels). Attempts were recorded into an excel spreadsheet with five variables, Climber, Attempt number, Grade, Rest Time, and Date.

Given that this study consists of a single dependent variable and three independent predictor variables, a multiple linear regression (MLR) model was chosen to fit the data. Another reason for using a MLR over other models was due to assumption violations in our data. With the possibility of completing a climb (100%), acquiring normally distributed data would be difficult, however an MLR allows for residuals to be accessed for the assumption of normality instead of the raw data.

Results

To examine the relationship between rest time and climbing performance, a multiple linear regression model was fit with percent of the climb completed as the response variable and rest time, attempt number, and grade category as explanatory variables. The overall model explained a modest portion of the variation in climbing performance ($R^2 = 0.264$, adjusted $R^2 = 0.141$). The overall model was not statistically significant at the $\alpha = 0.05$ level ($F = 2.152$, $p = 0.086$). The estimated coefficients for rest time indicated small increases in climbing performance relative to the 1-minute rest interval. The 3-minute interval was associated with an increase of 0.036 in percent climbed ($p = 0.658$), while the 5 minute interval was associated with an estimated increase of 0.064 ($p = 0.43$). Attempt number showed a slight negative relationship with performance ($\beta = -0.027$, $p = 0.187$), suggesting climbers tended to complete slightly less of the route on later attempts. However, none of the predictors were conclusive, meaning there is insufficient evidence to conclude that rest time, attempt number, or grade category significantly affects the percentage of the climb completed.

Because rest times were randomly assigned for each climbing attempt, this study allows for causal inference about the effect of rest time on climbing performance within the conditions of this experiment. Specifically, differences seen in the percentage of the climb completed can be attributed to the rest interval assigned rather than differences between treatments. However, the study used a convenience sample of two recreational climbers from a single climbing gym, which limits the scope of inference. As a result, the findings can describe causal effects of rest time for the climbers in this experiment, but they cannot be generalized to all climbers or climbing environments.

The assumptions of the multiple linear regression model were considered when completing the analysis. Although the response variable was not normally distributed because of the possibility of climbers completing 100% of the route, linear regression mainly relies on assumptions about the residuals. A residuals vs fitted plot was examined to assess linearity and constant variance. The residuals appeared randomly scattered around zero with no strong patterns, suggesting that the assumption of linearity is reasonable. The spread of the residuals, while having some mild variation, did not display a clear trend, therefore there were no major violations of the constant variance assumption. Because attempts were repeated for the same 2 climbers, there may still be some dependence between observations, which could have an effect on the independence assumption of the model.

Call:

```
lm(formula = percent_climbed ~ rest.time + attempt_adj + grade_category,  
    data = climb_proj)
```

Residuals:

Min	1Q	Median	3Q	Max
-0.28228	-0.14784	-0.00326	0.15594	0.43489

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.83398	0.09558	8.725	9.91e-10 ***
rest.time3	0.03615	0.08074	0.448	0.658
rest.time5	0.06442	0.08053	0.800	0.430
attempt_adj	-0.02701	0.01999	-1.351	0.187
grade_categoryexpert	-0.10682	0.06975	-1.531	0.136
grade_categoryIntermediate	0.18652	0.12815	1.455	0.156

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.1972 on 30 degrees of freedom

(2 observations deleted due to missingness)

Multiple R-squared: 0.264, Adjusted R-squared: 0.1414

F-statistic: 2.152 on 5 and 30 DF, p-value: 0.08623



