



**MONIKA R 2024-CSE** ▾

**M2**

Started on	Wednesday, 17 September 2025, 4:03 PM
State	Finished
Completed on	Wednesday, 17 September 2025, 4:11 PM
Time taken	7 mins 16 secs
Marks	1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct | Mark 1.00 out of 1.00

Write a Program to Implement the Quick Sort Algorithm

Input Format:

The first line contains the no of elements in the list-n

The next n lines contain the elements.

Output:

Sorted list of elements

**For example:**

Input	Result
5	12 34 67 78 98
67 34 12 98 78	

**Answer:**

```

1  #include <stdio.h>
2
3  void swap(int *a, int *b) {
4      int temp = *a;
5      *a = *b;
6      *b = temp;
7  }
8
9  int partition(int arr[], int low, int high) {
10     int pivot = arr[high];
11     int i = low - 1;
12
13     for (int j = low; j < high; j++) {
14         if (arr[j] < pivot) {
15             i++;
16             swap(&arr[i], &arr[j]);
17         }
18     }
19     swap(&arr[i + 1], &arr[high]);
20     return i + 1;
21 }
22
23
24
25 void quickSort(int arr[], int low, int high) {
26     if (low < high) {
27         int pi = partition(arr, low, high);
28
29         quickSort(arr, low, pi - 1);
30         quickSort(arr, pi + 1, high);
31     }
32 }
33
34 int main() {
35     int n;
36     scanf("%d", &n);
37
38     int arr[n];
39     for (int i = 0; i < n; i++)
40         scanf("%d", &arr[i]);
41
42     quickSort(arr, 0, n - 1);
43
44     for (int i = 0; i < n; i++)
45         printf("%d ", arr[i]);
46
47     return 0;
48 }
49

```

	Input	Expected	Got	
✓	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✓
✓	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✓
✓	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)