



Started on	Wednesday, 8 October 2025, 3:14 PM
State	Finished
Completed on	Wednesday, 8 October 2025, 3:17 PM
Time taken	3 mins 16 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

**Question 1** | Correct | Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	<b>g</b>	<b>t</b>	a	<b>b</b>
s2		<b>g</b>	x	<b>t</b>	x	a	y <b>b</b>

**The length is 4**

Solving it using Dynamic Programming

For example:

Input	Result
aab	2
azb	

**Answer:** (penalty regime: 0 %)

```

1  #include <stdio.h>
2  #include <string.h>
3
4  int max(int a, int b) {
5      return (a > b) ? a : b;
6  }
7
8  int lcs(char *s1, char *s2) {
9      int m = strlen(s1);
10     int n = strlen(s2);
11     int dp[m + 1][n + 1];
12
13     for (int i = 0; i <= m; i++)
14         for (int j = 0; j <= n; j++)
15             dp[i][j] = 0;
16
17     for (int i = 1; i <= m; i++) {
18         for (int j = 1; j <= n; j++) {
19             if (s1[i - 1] == s2[j - 1])
20                 dp[i][j] = dp[i - 1][j - 1] + 1;
21             else
22                 dp[i][j] = max(dp[i - 1][j], dp[i][j - 1]);
23         }
24     }
25
26     return dp[m][n];
27 }
28
29 int main() {
30     char s1[100], s2[100];
31
32     scanf("%s", s1);
33     scanf("%s", s2);
34
35     int result = lcs(s1, s2);
36     printf("%d\n", result);
37
38     return 0;
39 }
```

	Input	Expected	Got	
✓	aab azb	2	2	✓
✓	ABCD ABCD	4	4	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)