

Heron's formula

In this activity we will give two proofs of Heron's formula.

We'll start by giving a proof using synthetic geometry.

Part I

Proposition 1. *The bisectors of the angles of a triangle meet at a point that is the center of the triangle's inscribed circle.*

Question 1 *How can we prove this?*

Question 2 *Now draw a triangle with vertices A , B , and C . Draw the incircle. Explain why the radii of the incircle touch the sides of the triangle at right angles.*

Question 3 *Label the intersection of the radii with D between A and B , E between B and C , and F between C and A . Compute the areas of the following triangles:*

$$\triangle AOB, \quad \triangle BOC, \quad \triangle COA.$$

Use this to express the area of $\triangle ABC$.

Part II

Question 4 *Explain why*

$$\triangle AOD \cong \triangle AOF, \quad \triangle BOD \cong \triangle BOE, \quad \triangle COF \cong \triangle EOF.$$

Question 5 *If $AG \cong CE$, explain why $|BG|$ is the semiperimeter.*

Question 6 *Find segments in your drawing equal to the length of*

$$s - a, \quad s - b, \quad s - c.$$

Learning outcomes:
Author(s):

Part III

Proposition 2. *If quadrilateral AHBO has diagonals AB and OH with $\angle HAB$ and $\angle HOB$ being right angles, then AHOB can be inscribed in a circle.*

Question 7 *Can you prove this proposition?*

Proposition 3. *The opposite angles of a cyclic quadrilateral sum to two right angles.*

Question 8 *Can you prove this proposition?*

Question 9 *Now we need to decorate our triangle even more:*

- (a) *Draw OL perpendicular to OB cutting AB at K.*
- (b) *Draw AM perpendicular to OB.*
- (c) *Call the intersection of OL and OM, H.*
- (d) *Draw BH.*

Consider quadrilateral AHBO, explain why opposite angles sum to two right angles.

Question 10 *Explain why $\triangle COF$ is similar to $\triangle BHA$. Use this to explain why*

$$\frac{|AB|}{|AG|} = \frac{|AH|}{r}.$$

Question 11 *Explain why $\triangle KAH$ is similar to $\triangle KDO$. Use this to explain why*

$$\frac{|AK|}{|KD|} = \frac{|AH|}{r}.$$

Question 12 *Now we see*

$$\frac{|AB|}{|AG|} = \frac{|AK|}{|KD|}.$$

Add 1 to both sides to obtain

$$\frac{|BG|}{|AG|} = \frac{|AD|}{|KD|}.$$

Question 13 *Explain why $\triangle KDO$ is similar to $\triangle ODB$. Use this to explain why*

$$|KD| \cdot |BD| = r^2.$$

Question 14 Multiply both sides of

$$\frac{|BG|}{|AG|} = \frac{|AD|}{|KD|}$$

by $\frac{|BD|}{|BD|}$ to obtain

$$r^2 |BG|^2 = |AG| \cdot |BG| \cdot |AD| \cdot |BD|.$$

Question 15 Explain how to deduce Heron's formula.

A modern proof

Question 16 Now give a modern proof that a high school student might give.

Question 17 Which proof was harder? Why didn't the ancient Greeks use our modern proof?