


Texas STAAR 2022 Grade 6 Math

Reference Materials
Pages 2 - 5

Exam Materials
Pages 6 - 30

Answer Key Materials
Pages 31 - 69

STAAR GRADE 6 MATHEMATICS REFERENCE MATERIALS




AREA

Triangle	$A = \frac{1}{2}bh$
Rectangle or parallelogram	$A = bh$
Trapezoid	$A = \frac{1}{2}(b_1 + b_2)h$

VOLUME

Rectangular prism	$V = Bh$
-------------------	----------



STAAR GRADE 6 MATHEMATICS REFERENCE MATERIALS

LENGTH

Customary

1 mile (mi) = 1,760 yards (yd)

1 yard (yd) = 3 feet (ft)

1 foot (ft) = 12 inches (in.)

Metric

1 kilometer (km) = 1,000 meters (m)

1 meter (m) = 100 centimeters (cm)

1 centimeter (cm) = 10 millimeters (mm)

VOLUME AND CAPACITY

Customary

1 gallon (gal) = 4 quarts (qt)

1 quart (qt) = 2 pints (pt)

1 pint (pt) = 2 cups (c)

1 cup (c) = 8 fluid ounces (fl oz)

Metric

1 liter (L) = 1,000 milliliters (mL)

WEIGHT AND MASS

Customary

1 ton (T) = 2,000 pounds (lb)


1 pound (lb) = 16 ounces (oz)


Metric


1 kilogram (kg) = 1,000 grams (g)

1 gram (g) = 1,000 milligrams (mg)

Centimeters







GRADE 6

Mathematics

Administered May 2022

RELEASED

DIRECTIONS

Read each question carefully. For a multiple-choice question, determine the best answer to the question from the four answer choices provided. For a griddable question, determine the best answer to the question. Then fill in the answer on your answer document.

- 1 The tables show the relationship between x and y for each of two data sets.

Data Set I

x	0	1	2	3	4
y	0	4	8	12	16

Data Set II

x	0	1	2	3	4
y	4	5	6	7	8

Which statements describe the relationship between x and y in each of the data sets?

- A** Both data sets show additive relationships.

In Data Set I, y is 3 more than x , and in Data Set II, y is 4 more than x .

- B** Both data sets show multiplicative relationships.

In Data Set I, y is 4 times x , and in Data Set II, y is 2 times x .

- C** Data Set I shows a multiplicative relationship in which y is 4 times x .

Data Set II shows an additive relationship in which y is 4 more than x .

- D** Data Set I shows an additive relationship in which y is 12 more than x .

Data Set II shows a multiplicative relationship in which y is 2 times x .

2 Which expression is equivalent to $\frac{12+6}{2}$?

F $(12 + 6) \div 2$

G $12 + 6 \div 2$

H $12 \div 2 + 6$

J $12 \div (2 + 6)$

3 Emiline earns \$6.50 for each hour of work as a babysitter. How much will she earn for working 5.5 hours as a babysitter?

A \$12.00

B \$35.75

C \$33.55

D \$30.25

4 The bases of a trapezoid are 8 centimeters and 12 centimeters, and the height is h centimeters. Which equation can be used to represent A , the area of the trapezoid in square centimeters?


F $A = \frac{1}{2}(8 + 12)h$

G $A = \frac{1}{2}(8 \cdot 12)h$

H $A = (8 + 12)h$

J $A = (8 \cdot 12)h$

- 5** Use the ruler provided to measure the dimensions of the triangle to the nearest $\frac{1}{4}$ inch.



Which measurement is closest to the area of the triangle in square inches?

- A** $1\frac{7}{8}$ in.²
- B** $2\frac{1}{4}$ in.²
- C** $\frac{15}{16}$ in.²
- D** $\frac{9}{16}$ in.²
-

- 6** Which expression is equivalent to $w - \frac{1}{4}(4)$?

- F** $w - 0$
- G** $w - 1$
- H** $-\frac{1}{4}w(4)$
- J** $\frac{3}{4}w(4)$

- 7** During a 90-minute school play, the main character was on stage 80% of the time.


What amount of time in minutes was the main character on stage?

- A** 88.9 minutes
 - B** 112.5 minutes
 - C** 80 minutes
 - D** 72 minutes
-

- 8** Which statement about 96 multiplied by $\frac{11}{8}$ is true?

- F** The product is less than $\frac{11}{8}$.
- G** The product is greater than 96.
- H** The product is between $\frac{11}{8}$ and 96.
- J** The product is equal to 96.

- 9 A right triangle and an isosceles triangle are graphed on the coordinate grid. The shaded section represents all the points located inside both triangles.



Which coordinates represent the location of a point inside the shaded section?

- A (- 1.5, 4.5)
- B (1.5, -4.5)
- C (4.5, -1.5)
- D (- 4.5, 1.5)

-
- 10 The wingspan of an adult bald eagle can be 7 feet. What is this wingspan in inches?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

11 Which expression is equivalent to $10 + 5^4$?

A $10 + 5 \cdot 4$

B $(10 + 5)^4$

C $(10 + 5) \cdot 4$

D None of these


- 12** Students at two high schools were asked about their plans after graduation. The table displays the results for 300 students at Henderson High School.

Henderson High School

Plan	Number of Students	Relative Frequency
Work	96	0.32
College	114	0.38
Armed forces	48	0.16
Other	42	0.14

The bar graph displays the results for 300 students at Johnson High School.





Johnson High School



Which statement about the results from Henderson High School and Johnson High School must be true?

- F** The number of students who selected “armed forces” or “other” is greater for Henderson High School than for Johnson High School.
- G** College is associated with the mode for each high school.
- H** The number of students who selected “work” is greater for Johnson High School than for Henderson High School.
- J** There is no mode associated with either high school.

- 13** Which graph best represents the relationship between x and y in the equation $y = 3.5x$?



- 14** At a workplace 153 of the 225 employees attended a meeting. Which statement shows values that are all equivalent to the fraction of employees who attended the meeting?


F $\frac{153}{225} = \frac{17}{25} = 0.68 = 68\%$

G $\frac{225}{153} = \frac{25}{17} = 1.47 = 147\%$

H $\frac{153}{225} = \frac{51}{75} = 0.51 = 51\%$

J $\frac{225}{153} = \frac{75}{51} = 0.75 = 75\%$

- 15** The dot plot shows the vertical jump height for each of 10 athletes.





Which statement is supported by the data in the dot plot?





- A** The number of athletes with a vertical jump height of $33\frac{1}{2}$ inches is less than the number of athletes with a vertical jump height of $37\frac{1}{2}$ inches and 38 inches.
- B** The number of athletes with a vertical jump height of 34 inches is $\frac{1}{4}$ of the total number of athletes.
- C** The least number of athletes had a vertical jump height of 33 inches.
- D** The number of athletes with a vertical jump height of $33\frac{1}{2}$ inches is $\frac{1}{5}$ of the total number of athletes.

- 16** Which situation is best represented by the inequality $\frac{x}{12} \geq 7$?
- F** Emily divided x crayons into 12 boxes, and there were at most 7 crayons in each box.
 - G** Emily separated x books on 12 shelves, and there were more than 7 books on each shelf.
 - H** Emily poured x ounces of juice into 12 cups, and each cup had no less than 7 ounces of juice.
 - J** Emily shared x cookies among 12 people, and each person received less than 7 cookies.

17 The model represents an expression.



Which model represents an equivalent expression?



18 Avery and Mason are both swimming laps in the same swimming pool.

- Avery can swim 3 laps in 2 minutes.
- Mason can swim 5 laps in 4 minutes.


Based on these rates, which statement is NOT true?

- F** Avery can swim 6 laps in 4 minutes.
- G** Mason can swim 2.5 laps in 2 minutes.
- H** Avery can swim 2 laps farther than Mason in 8 minutes.
- J** Mason can swim 0.5 lap farther than Avery in 2 minutes.
-

19 Which expression is equivalent to $6 \div \frac{2}{5}$?

- A** $\frac{1}{6} \cdot \frac{2}{5}$
- B** $6 \cdot \frac{5}{2}$
- C** $\frac{1}{6} \div \frac{2}{5}$
- D** $6 \div \frac{5}{2}$

- 20** The dimensions of a parallelogram are given in centimeters.



What is the area of the parallelogram in square centimeters?

- F** 33 cm^2
- G** 23 cm^2
- H** 27 cm^2
- J** 16 cm^2
-

- 21** Julie had \$237 to spend. She returned a calculator and received a \$128 refund. She then bought a chair for \$62.

How much money in dollars and cents did Julie have to spend after buying the chair?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

22 Which expression is equivalent to $38(251m - 45)$?


F $38 \cdot 251m - 38 \cdot 45$

G $38(206m)$





H $-7(251m)$

J $38 \cdot 251m - 45$

23 Triangle KLM is shown with dimensions given in units.







Which figure best models the area formula for triangle KLM ?



- 24** The list shows the amount of flour in pounds used by a bakery each day for 15 days.

16, 17, 18, 19, 20, 23, 24, 29, 30, 31, 32, 32, 32, 32, 35

Which box plot best displays a summary of these data?



- 25** The table shows the total numbers of calories a person used while exercising.

Calories Used

Time (hours)	0	1	2	3	4
Number of Calories Used	0	267	534	801	1,068

Which list shows only the dependent quantities from the table?

- A** 0, 1, 2, 3, 4
 - B** 0, 1, 267, 2, 534
 - C** 0, 267, 534, 801, 1,068
 - D** None of these
-

- 26** Kelli walks no more than 25 dogs on Mondays. Ms. Lincoln has 5 dogs that Kelli walks. The inequality shown can be used to find x , the number of dogs Kelli can walk on Monday in addition to Ms. Lincoln's dogs.

$$x + 5 \leq 25$$

Which inequality represents all possible values of x ?

- F** $x \geq 20$
- G** $x \leq 20$
- H** $x \geq 30$
- J** $x \leq 30$

- 27** There are 18 floors in a building. Each floor has the same number of offices. Altogether there are 396 offices in the building.

Which equation can be used to find f , the number of offices on each floor of this building?

A $18 - f = 396$

B $18f = 396$

C $\frac{f}{18} = 396$

D $18 + f = 396$

-
- 28** Which statement is true for a credit card but NOT true for a debit card?

F A cardholder must use a personal identification number (PIN) when making purchases.

G A cardholder will have money withdrawn from an associated checking account when making purchases.

H A cardholder will be charged interest on a purchase unless the balance on the card is paid in full at the end of the billing period.

J A cardholder can use an automated teller machine (ATM) to withdraw money.

- 29** Susie paid $\frac{2}{5}$ of the price of her movie ticket. Her parents paid the remaining portion of the movie ticket price.

What decimal is equivalent to the fraction of the price of the movie ticket Susie paid?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

- 30** Taylor and Raimi each earn an hourly wage. Taylor earns \$308 for working 14 hours. Raimi earns \$288 for working 12 hours. Which statement is true?


F Taylor earns more per hour than Raimi.

G Raimi earns more per hour than Taylor.

H Raimi earns \$26.80 per hour.

J Taylor earns \$21.34 per hour.

- 31** Four points are plotted on the number line.



Which point best represents $33\frac{1}{3}\%$ of the distance between 0 and 1?

- A** Point *W*
 - B** Point *X*
 - C** Point *Y*
 - D** Point *Z*
-

- 32** Mr. Estrada's car can travel no more than 510 miles on one full tank of gasoline. After filling up the tank with gasoline, he traveled 194 miles in the car.

Which inequality represents all possible values of m , the number of miles Mr. Estrada can travel in the car with the remaining gasoline in the tank?

- F** $m \geq 484$
- G** $m \geq 316$
- H** $m \leq 484$
- J** $m \leq 316$

- 33** The table shows the prices of 6 different backpacks at a store.

Backpack
Prices

Price (dollars)
14
24
24
36
40
45

What is the median price of the backpacks in dollars and cents?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

-
- 34** Which expression is equivalent to $1,000 + 196$?

F $10^2 + 7 \cdot 28$

G $10^3 + 14^2$

H $100^3 + 7 \cdot 28$

J $100^2 + 14^2$

- 35** A veterinarian examined 32 animals on Thursday. Of the animals she examined, 25% of them were dogs.

How many dogs did the veterinarian examine on Thursday?

- A** 24
- B** 7
- C** 25
- D** 8

-
- 36** The table shows the median annual salaries for two different jobs.

Median Annual Salaries

Job	Median Annual Salary (dollars)
Marketing Manager	115,750
Financial Analyst	76,950

Based on the information in the table, how much more money would a marketing manager earn than a financial analyst over 10 years?

- F** \$38,800
- G** \$1,927,000
- H** \$388,000
- J** \$192,700

- 37** Akeem created a list by correctly putting a group of fractions, percentages, and decimals in order from least to greatest value. Which list could be the one Akeem created?

A 0.21 22% $\frac{1}{4}$ 0.35 38% $\frac{3}{8}$

B 22% 38% 0.21 $\frac{1}{4}$ 0.35 $\frac{3}{8}$

C 22% 38% $\frac{1}{4}$ 0.21 0.35 $\frac{3}{8}$

D 0.21 22% $\frac{1}{4}$ 0.35 $\frac{3}{8}$ 38%

- 38** The stem and leaf plot shows the pressure in pounds per square inch of each bicycle tire in a shop.

Bicycle Tire Pressures

Stem	Leaf
5	0 9 9
6	5
7	2 4 6
8	3 5 7 7 7 8 9
9	1 2 3 4 6 9

5|9 means 59 pounds per square inch.

Which statement is best supported by the data in the stem and leaf plot?

- F** Half of the tire pressures are 75 pounds per square inch or less.
- G** There are more tires with pressures from 90 to 99 pounds per square inch than with pressures from 80 to 89 pounds per square inch.
- H** Three times as many tires have pressures from 50 to 59 pounds per square inch as tires that have a pressure of 65 pounds per square inch.
- J** There are more tires with pressures from 70 to 79 pounds per square inch than with pressures from 50 to 59 pounds per square inch.



Item Number	Reporting Category	Readiness or Supporting	Content Student Expectation	Correct Answer
1	2	Supporting Standard	6.4(A)	C
2	1	Supporting Standard	6.2(E)	F
3	2	Readiness Standard	6.3(E)	B
4	3	Supporting Standard	6.8(C)	F
5	3	Readiness Standard	6.8(D)	C
6	1	Readiness Standard	6.7(D)	G
7	2	Readiness Standard	6.5(B)	D
8	2	Supporting Standard	6.3(B)	G
9	3	Readiness Standard	6.11(A)	D
10	3	Readiness Standard	6.4(H)	84
11	1	Readiness Standard	6.7(A)	D
12	4	Readiness Standard	6.12(D)	G
13	2	Readiness Standard	6.6(C)	A
14	1	Supporting Standard	6.5(C)	F
15	4	Readiness Standard	6.13(A)	D
16	2	Supporting Standard	6.9(C)	H
17	1	Supporting Standard	6.7(C)	A
18	2	Readiness Standard	6.4(B)	J
19	2	Supporting Standard	6.3(A)	B
20	3	Readiness Standard	6.8(D)	H
21	2	Readiness Standard	6.3(D)	303
22	1	Readiness Standard	6.7(D)	F
23	3	Supporting Standard	6.8(B)	B
24	4	Supporting Standard	6.12(A)	F
25	2	Supporting Standard	6.6(A)	C
26	2	Readiness Standard	6.10(A)	G
27	2	Supporting Standard	6.9(A)	B
28	4	Supporting Standard	6.14(B)	H
29	1	Readiness Standard	6.4(G)	0.4
30	2	Readiness Standard	6.4(B)	G
31	1	Supporting Standard	6.4(F)	C
32	2	Readiness Standard	6.10(A)	J
33	4	Readiness Standard	6.12(C)	30
34	1	Readiness Standard	6.7(A)	G
35	2	Readiness Standard	6.5(B)	D
36	4	Supporting Standard	6.14(H)	H
37	1	Readiness Standard	6.2(D)	D
38	4	Readiness Standard	6.13(A)	H

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
1	Option C is correct	<p>To determine the relationship between x and y in each data set, the student should have identified either an additive or a multiplicative relationship for each data set.</p> <p>For Data Set I, the student should have recognized that when each value of x is multiplied by a common factor (number that can be multiplied to get another number) of 4, the result is the corresponding (paired) value of y. The student then should have determined that Data Set I shows a multiplicative relationship in which the value of y is 4 times the value of x and that can be used to find all the values in the table ($0 \times 4 = 0$; $1 \times 4 = 4$; $2 \times 4 = 8$; $3 \times 4 = 12$; $4 \times 4 = 16$).</p> <p>For Data Set II, the student should have recognized that when each value of x is added by a common addend (number that can be added to get another number) of 4, the result is the corresponding (paired) value of y. The student then should have determined that Data Set II shows an additive relationship in which y is 4 more than x and can be used to find all values in the table ($0 + 4 = 4$; $1 + 4 = 5$; $2 + 4 = 6$; $3 + 4 = 7$; $4 + 4 = 8$). This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.</p>
	Option A is incorrect	<p>The student likely determined the additive relationship in Data Set II correctly but used only the second column of values in Data Set I (1 and 4) to determine that the y-value is 3 more than the corresponding x-value and incorrectly identified the relationship as additive (+). The student needs to focus on understanding how to determine the relationships of corresponding values in a table in order to differentiate between additive and multiplicative relationships.</p>
	Option B is incorrect	<p>The student likely determined the multiplicative relationship in Data Set I correctly but used only the last column of values in Data Set II (4 and 8) to determine that the y-value is 2 times the corresponding x-value and incorrectly identified the relationship as multiplicative (\times). The student needs to focus on understanding how to determine the relationships of corresponding values in a table in order to differentiate between additive and multiplicative relationships.</p>
	Option D is incorrect	<p>The student likely reversed the meaning of additive (+) and multiplicative (\times) relationships, using only the values in the last column of each table to determine the relationship. The student needs to focus on understanding the difference between "additive" and "multiplicative" relationships.</p>

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
2	Option F is correct	To determine which expression is equivalent to $\frac{12+6}{2}$, the student should have used the order of operations, or PEMDAS. The student should have completed the operations in this order: (1) operations contained in parentheses or brackets, (2) exponents (numbers raised to a power), (3) multiplication/division from left to right, and (4) addition/subtraction from left to right. The student could have recognized that the sum shown in the numerator needs to be calculated first and therefore enclosed the sum in parentheses. Next, the student could have recognized that a fraction bar indicates that the numerator is to be divided by the denominator. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option G is incorrect	The student likely did not recognize that the sum in the numerator would have to be calculated before dividing the sum by the denominator. The student needs to focus on using the order of operations to determine an equivalent value.
	Option H is incorrect	The student likely recognized that the fraction bar indicates division but interpreted that only the 12 should be divided by the 2. The student needs to focus on using the order of operations to determine an equivalent value.
	Option J is incorrect	The student likely recognized that the sum shown in the numerator needs to be calculated first and therefore enclosed the sum in parentheses, but then the student likely reversed the order of the division. The student needs to focus on using the order of operations to determine an equivalent value.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
3	Option B is correct	To determine how much Emiline will earn for working 5.5 hours as a babysitter, the student could have multiplied \$6.50 by 5.5, which results in the product (answer to a multiplication problem) of \$35.75. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely added \$6.50 and 5.5, resulting in \$12.00. The student needs to focus on recognizing when a situation requires multiplication to solve a problem.
	Option C is incorrect	The student likely used the multiplication algorithm but did not regroup when finding the product. The student needs to focus on understanding how to calculate the product of decimals.
	Option D is incorrect	The student likely solved using partial products but did not multiply all the digits by each other. The student likely multiplied the whole parts of each decimal, $6 \times 5 = 30$, and the fractional parts of each decimal, $0.5 \times 0.5 = 0.25$, and then found the sum, $30 + 0.25 = 30.25$. The student needs to focus on understanding how to calculate the product of decimals.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
4	Option F is correct	To determine which equation represents the area of (amount of space covered by) the trapezoid in square centimeters, the student should have substituted the values into the formula for the area of a trapezoid from the Area section on the STAAR Grade 6 Mathematics Materials within the student's test booklet, $A = \frac{1}{2}(b_1 + b_2)h$, where A represents the area, b_1 represents the length of one base, b_2 represents the length of the second base, and h represents the height (vertical distance from top to bottom). Substituting $b_1 = 8$ and $b_2 = 12$, the student should have determined that the equation $A = \frac{1}{2}(8 + 12)h$ best represents the area of a trapezoid with the given values.
	Option G is incorrect	The student likely multiplied the bases of the trapezoid (8 cm and 12 cm) and then multiplied the result by h , resulting in $A = \frac{1}{2}(8 \cdot 12)h$. The student needs to focus on understanding how to calculate the area of a trapezoid.
	Option H is incorrect	The student likely substituted the values into the formula correctly but did not complete all the steps, omitting the multiplication by $\frac{1}{2}$, resulting in $A = (8 + 12)h$. The student needs to focus on understanding how to calculate the area of a trapezoid.
	Option J is incorrect	The student likely multiplied the bases of the trapezoid (8 cm and 12 cm) and then multiplied the result by the height, h , but omitted the multiplication by $\frac{1}{2}$, resulting in $A = (8 \cdot 12)h$. The student needs to focus on understanding how to calculate the area of a trapezoid.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
5	Option C is correct	To determine the area (amount of space covered by a surface) of the triangle in square inches, the student should have measured the lengths of the base and height of the triangle to the nearest $\frac{1}{4}$ inch. Next, the student should have substituted the values into the formula for the area of a triangle from the Area section on the STAAR Grade 6 Mathematics Materials within the student's test booklet, $A = \frac{1}{2}bh$, where A represents the area, b represents the length of the base of the triangle, and h represents the height (vertical distance from top to bottom). Substituting $b = 1\frac{1}{4}$ and $h = 1\frac{1}{2}$, the student should have determined that $A = \frac{1}{2}\left(1\frac{1}{4}\right)\left(1\frac{1}{2}\right) = \frac{1}{2}\left(\frac{5}{4}\right)\left(\frac{3}{2}\right) = \frac{15}{16}$.
	Option A is incorrect	The student likely multiplied the length of the base $\left(b = 1\frac{1}{4}\right)$ by the height $\left(h = 1\frac{1}{2}\right)$ of the triangle but omitted the multiplication by $\frac{1}{2}$, resulting in $A = \left(1\frac{1}{4}\right)\left(1\frac{1}{2}\right) = \left(\frac{5}{4}\right)\left(\frac{3}{2}\right) = \frac{15}{8} = 1\frac{7}{8}$. The student needs to focus on understanding how to calculate the area of a triangle.
	Option B is incorrect	The student likely multiplied the height by itself, resulting in $A = \left(1\frac{1}{2}\right)\left(1\frac{1}{2}\right) = \left(\frac{3}{2}\right)\left(\frac{3}{2}\right) = \frac{9}{4} = 2\frac{1}{4}$. The student needs to focus on understanding how to calculate the area of a triangle.
	Option D is incorrect	The student likely took half of the height $\left(1\frac{1}{2} \times \frac{1}{2} = \frac{3}{2} \times \frac{1}{2} = \frac{3}{4}\right)$ and then squared that value, resulting in $A = \left(\frac{3}{4}\right)^2 = \frac{3}{4} \times \frac{3}{4} = \frac{9}{16}$. The student needs to focus on understanding how to calculate the area of a triangle.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
6	Option G is correct	To determine which expression is equivalent to $w - \frac{1}{4}(4)$, the student should have multiplied $\frac{1}{4}$ by 4, which results in the product (answer to a multiplication problem) of 1. The student then should have rewritten the expression as $w - 1$.
	Option F is incorrect	The student likely multiplied $-\frac{1}{4}$ by 4 incorrectly. The student needs to focus on recognizing the operation of multiplication in an expression.
	Option H is incorrect	The student likely rearranged the problem to form a multiplication problem. The student needs to focus on recognizing the operation of multiplication in an expression.
	Option J is incorrect	The student likely subtracted $\frac{1}{4}$ from 1 and rearranged the problem to form a multiplication problem. The student needs to focus on recognizing the operation of multiplication in an expression.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
7	Option D is correct	To determine the amount of time in minutes the main character was on stage, the student could have multiplied 90 minutes by 80% (0.80), resulting in 72 minutes. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely divided 80 by 90 minutes, ignoring the percent sign, resulting in $\frac{80}{90} \approx 0.889$. The student then could have multiplied 0.889 by 100, resulting in 88.9 minutes. The student needs to focus on understanding how to find a percent of a whole.
	Option B is incorrect	The student likely divided 90 minutes by 80, ignoring the percent sign, resulting in $\frac{90}{80} = 1.125$. The student then could have multiplied 1.125 by 100, resulting in 112.5 minutes. The student needs to focus on understanding how to find a percent of a whole.
	Option C is incorrect	The student likely confused 80% with 80 minutes. The student needs to focus on understanding how to find a percent of a whole.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
8	Option G is correct	To determine which statement is true, the student could have multiplied 96 and $\frac{11}{8}$, resulting in 132. The resulting number is greater than 96. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option F is incorrect	The student likely did not realize that since $\frac{11}{8} > 1$, the product of 96 and $\frac{11}{8}$ would be greater than 96. The student needs to focus on understanding how multiplying a whole number by a fraction that is greater than 1 affects the product.
	Option H is incorrect	The student likely did not realize that since $\frac{11}{8} > 1$, the product of 96 and $\frac{11}{8}$ would be greater than 96, not between the two numbers. The student needs to focus on understanding how multiplying a whole number by a fraction that is greater than 1 affects the product.
	Option J is incorrect	The student likely did not realize that since $\frac{11}{8} > 1$, the product of 96 and $\frac{11}{8}$ would be greater than 96. The student needs to focus on understanding how multiplying a whole number by a fraction that is greater than 1 affects the product.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
9	Option D is correct	To determine which coordinates represent the location of a point inside the shaded section, the student could have determined by looking at the graph that the point with an ordered pair that is 4.5 units to the left of the origin (0, 0) and 1.5 units above the origin is in the shaded section. Since the point is located 4.5 units to the left of the origin, the value of the x -coordinate (horizontal position from 0) is -4.5 , and since the point is located 1.5 units above the origin, the value of the y -coordinate (vertical position from 0) is 1.5.
	Option A is incorrect	The student likely chose a point represented by an ordered pair with reversed values for the x -coordinate and the y -coordinate and with the opposite signs for the values of the x -coordinate and the y -coordinate (-1.5 instead of 1.5 , 4.5 instead of -4.5), resulting in the point located at $(-1.5, 4.5)$ instead of $(-4.5, 1.5)$. The student needs to focus on understanding how to identify the ordered pair that represents a point on a coordinate grid.
	Option B is incorrect	The student likely chose a point represented by an ordered pair with reversed values for the x -coordinate and the y -coordinate, resulting in the point located at $(1.5, -4.5)$ instead of $(-4.5, 1.5)$. The student needs to focus on understanding how to identify the ordered pair that represents a point on a coordinate grid.
	Option C is incorrect	The student likely chose a point represented by an ordered pair with opposite signs for the x -coordinate (4.5 instead of -4.5) and the y -coordinate (-1.5 instead of 1.5), resulting in the point located at $(4.5, -1.5)$ instead of $(-4.5, 1.5)$. The student needs to focus on understanding how to identify the ordered pair that represents a point on a coordinate grid.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
10	84 and any equivalent values are correct	To determine the wingspan of an adult bald eagle in inches, the student could have converted 7 feet to inches by multiplying 7 by 12 (1 foot = 12 inches), resulting in 84 inches. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
11	Option D is correct	To determine which value is equivalent to $10 + 5^4$, the student should have used the order of operations, or PEMDAS. The student should have completed the operations in this order: (1) operations contained in parentheses or brackets, (2) exponents (numbers raised to a power), (3) multiplication/division from left to right, and (4) addition/subtraction from left to right. First, the student should have determined that $5^4 = 5 \times 5 \times 5 \times 5 = 625$. Then the student should have determined that $10 + 625 = 635$ and concluded that none of these expressions are equivalent.
	Option A is incorrect	The student likely evaluated the expression using the correct order of operations but multiplied the 5 by 4 (instead of determining that $5^4 = 5 \times 5 \times 5 \times 5$), resulting in $10 + 5 \times 4$. The student needs to focus on how to calculate the value of an exponent.
	Option B is incorrect	The student likely evaluated the expression from left to right without using the correct order of operations. The student likely added 10 and 5 instead of evaluating the exponent first, resulting in $(10 + 5)^4$. The student needs to focus on using the correct order of operations to determine equivalent expressions.
	Option C is incorrect	The student likely evaluated the expression from left to right without using the correct order of operations and multiplied by the exponent instead evaluating the exponent, resulting in $(10 + 5) \times 4$. The student needs to focus on using the correct order of operations to determine equivalent expressions and how to calculate an exponent.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
12	Option G is correct	To determine which statement is true about the students' plans after graduation from the two high schools, the student could have determined that the table for Henderson High School indicates that the number of students who chose "College" represents the mode (chosen most often), since it has the highest frequency (number of times an item occurs). Next, since the highest percentage of students at Johnson High School chose "College," the student could have concluded that the number of students who chose "College" at Johnson High School would be the mode. Finally, the student recognized that "College is associated with the mode for each high school" is the true statement.
	Option F is incorrect	The student likely did not recognize that the number of students who selected "armed forces" or "other" would be the same at both schools, since both schools have 300 students and the sum of the relative frequencies at Henderson High School (0.30) is equal to the sum of the percentages at Johnson High School (30%). The student needs to focus on interpreting the information summarized in bar graphs and frequency tables.
	Option H is incorrect	The student likely made an error when determining the heights of the bars in the graph for Johnson High School. The student likely interpreted the heights of the bars as frequencies instead of percentages, thus selecting the statement "The number of students who selected 'work' is greater for Johnson High School than for Henderson High School." The student needs to focus on interpreting the information summarized in bar graphs and frequency tables.
	Option J is incorrect	The student likely made an error when determining the mode for each high school. The student likely reasoned that the value for the mode needs to be the same for each high school, thus selecting the statement "There is no mode associated with either high school." The student needs to focus on interpreting the information summarized in bar graphs and frequency tables.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
13	Option A is correct	To determine which graph best represents the relationship between x and y in the equation $y = 3.5x$, the student could have first determined that when $x = 0$, then $y = 3.5 \times 0 = 0$, which can be represented by the ordered pair $(0, 0)$. The student then could have determined that when $x = 1$, then $y = 3.5 \times 1 = 3.5$, which can be represented by the ordered pair $(1, 3.5)$. The student then could have determined that based on the labels and the locations of the points, this graph shows the relationship. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option B is incorrect	The student likely misunderstood that the equation $y = 3.5x$ means that you multiply the 3.5 by each x -value to obtain the corresponding y -values. Instead, the student likely used $y = 3.5$ for all values. The student needs to focus on understanding how to show a relationship in the form $y = kx$ on a graph.
	Option C is incorrect	The student likely misunderstood that the equation $y = 3.5x$ means that you multiply the 3.5 by each x -value to obtain the corresponding y -values. Instead, the student likely interpreted the equation as an additive relationship, adding 3.5 to each x -value to obtain the corresponding y -values. The student needs to focus on understanding how to show a relationship in the form $y = kx$ on a graph.
	Option D is incorrect	The student likely determined that when $x = 0$, then $y = 3.5 \times 0 = 0$, giving the ordered pair $(0, 0)$. The student then likely determined that when $x = 1$, then $y = 3.5 \times 1 = 3.5$, but reversed the values in the ordered pairs $(3.5, 1)$. The student needs to focus on understanding how to show a relationship in the form $y = kx$ on a graph and how to graph ordered pairs on a coordinate grid.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
14	Option F is correct	To determine which statement shows values that are all equivalent to the fraction of employees who attended the meeting, the student could have simplified the fraction by dividing the numerator (top number of a fraction) and denominator (bottom number of a fraction) by 9, resulting in $\frac{153}{225} = \frac{17}{25}$. Next, the student could have converted $\frac{17}{25}$ to a decimal, 0.68, and then finally, converted the decimal to a percentage, 68%. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option G is incorrect	The student likely reversed the numerator and denominator when simplifying the fraction. The student needs to focus on understanding how to represent the given part of a whole as a fraction.
	Option H is incorrect	The student likely correctly divided the numerator and the denominator by 3, obtaining $\frac{153}{225} = \frac{17}{25}$. Next, the student likely interpreted the numerator of the reduced fraction as the decimal equivalent and corresponding percentage equivalent. The student needs to understand how to represent the given part of a whole as a decimal and percentage.
	Option J is incorrect	The student likely reversed the numerator and denominator and then used the numerator of the reduced fraction to create a decimal and percentage. The student needs to understand how to represent the given part of a whole as a fraction.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
15	Option D is correct	To determine which statement supports the data shown in the dot plot, the student could have noticed that the total number of dots in the dot plot was 10 and that the number of dots for a vertical jump height of $33\frac{1}{2}$ inches was 2. The student then could have simplified the fraction $\frac{2}{10}$, resulting in $\frac{1}{5}$ of the total number of athletes with a vertical jump height of $33\frac{1}{2}$ inches.
	Option A is incorrect	The student likely reasoned that the higher vertical jump heights, $37\frac{1}{2}$ inches and 38 inches, in the display meant the greater number of athletes. The student needs to focus on understanding how to use a dot plot to describe the center, spread, and shape of a data distribution.
	Option B is incorrect	The student likely determined that the number of dots for a vertical jump height of 34 inches was 4. The student then likely ignored the total number of dots and used $\frac{1}{4}$ to describe the total number of athletes. The student needs to focus on understanding how to use a dot plot to describe the center, spread, and shape of a data distribution.
	Option C is incorrect	The student likely reasoned that the least vertical jump height in the dot plot, 33 inches, meant the least number of athletes. The student needs to focus on understanding how to use a dot plot to describe the center, spread, and shape of a data distribution.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
16	Option H is correct	To determine that this situation can be represented by the inequality $\frac{x}{12} \geq 7$, the student could have determined the $\frac{x}{12}$ represents the amount of juice Emily poured into each cup if she started with x ounces of juice. Next, the student could have interpreted that the “ \geq ” symbol can be read as “greater than or equal to” and realized that this is an equivalent way to say “no less than.” Finally, the student could have determined that the inequality $\frac{x}{12} \geq 7$ represents the amount of juice Emily poured into each cup in order to have no less than 7 ounces of juice.
	Option F is incorrect	The student likely did not realize that the words “at most” in this situation would be represented by an inequality that uses the symbol for “less than or equal to.” This situation can be represented by $\frac{x}{12} \leq 7$. The student needs to focus on recognizing situations that require the use of an inequality.
	Option G is incorrect	The student likely did not realize that the words “more than” in this situation would be represented by an inequality that uses the symbol for “greater than.” This situation can be represented by $\frac{x}{12} > 7$. The student needs to focus on recognizing situations that require the use of an inequality.
	Option J is incorrect	The student likely did not realize that the words “less than” in this situation would be represented by an inequality that uses the symbol for “less than.” This situation can be represented by $\frac{x}{12} < 7$. The student needs to focus on recognizing situations that require the use of an inequality.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
17	Option A is correct	To determine which model represents an expression equivalent to the given model, the student could first have identified that the given model can be represented by the expression $-3x + 2x - 2 + 1$ and simplified it to $-x - 1$. Next, the student could have identified that this model had two shaded triangles, one unshaded triangle, and one shaded square, and represented it by the expression $-2x + x - 1$ and simplified it to $-x - 1$. The student then could have determined that the expressions that represent each model are equivalent. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option B is incorrect	The student likely misinterpreted that the two unshaded triangles represented " $-x$ " and the unshaded square represented -1 . The student needs to focus on understanding how to create expressions based on models.
	Option C is incorrect	The student likely interpreted that since the original model has three shaded triangles, the model that can be represented with an equivalent expression also has to contain three shaded triangles. The student needs to focus on understanding how to create expressions based on models.
	Option D is incorrect	The student likely realized that the given model can be represented with the expression $-3x + 2x - 2 + 1$, but likely made a sign error when simplifying the constant terms, obtaining $-x + 1$ instead of $-x - 1$. The student needs to focus on understanding how to create expressions based on models.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
18	Option J is correct	To determine which statement is not true about Avery and Mason swimming laps in the same swimming pool, the student could have divided the number of Mason's laps, 5, by 2, resulting in 2.5 laps. The student then likely subtracted 2.5 from 3, determining that Avery could swim 0.5 lap farther than Mason in 2 minutes, thus making this statement false.
	Option F is incorrect	The student likely correctly determined that Avery's rate of 6 laps in 4 minutes was equivalent to 3 laps in 2 minutes and ignored the NOT in the question. The student needs to focus on understanding how to solve problems involving rates and to focus on attending to the details of the question in problems involving NOT.
	Option G is incorrect	The student likely correctly determined that Mason's rate of 2.5 laps in 2 minutes was equivalent to 5 laps in 4 minutes and ignored the NOT in the question. The student needs to focus on understanding how to solve problems involving rates and to focus on attending to the details of the question in problems involving NOT.
	Option H is incorrect	The student likely ignored the NOT in the question and multiplied the rates for Avery and Mason by a factor that determined the number of laps each person can swim in 8 minutes. The student likely multiplied the number of Avery's laps by a factor of 4, resulting in 12 laps. The student then likely multiplied the number of Mason's laps by a factor of 2, resulting in 10 laps. Finally, the student likely subtracted 10 from 12, concluding that Avery can swim 2 laps farther than Mason in 8 minutes. The student needs to focus on understanding how to solve problems involving rates and to focus on attending to the details of the question in problems involving NOT.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
19	Option B is correct	To determine which expression is equivalent to $6 \div \frac{2}{5}$, the student should have inverted (flipped upside down) the second fraction and changed the operation to multiplication, resulting in $6 \div \frac{2}{5} = 6 \cdot \frac{5}{2}$.
	Option A is incorrect	The student likely inverted the first fraction without inverting the second fraction and changed the operation to multiplication, resulting in $\frac{1}{6} \cdot \frac{2}{5}$. The student needs to focus on how to divide fractions.
	Option C is incorrect	The student likely inverted the first fraction without inverting the second fraction and kept the operation of division, resulting in $\frac{1}{6} \div \frac{2}{5}$. The student needs to focus on how to divide fractions.
	Option D is incorrect	The student likely inverted the second fraction and kept the operation of division, resulting in $6 \div \frac{5}{2}$. The student needs to focus on how to divide fractions.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
20	Option H is correct	To determine the area of the parallelogram in square centimeters, the student should have substituted the values into the formula for the area of a parallelogram from the Area section in the STAAR Grade 6 Mathematics Materials within the student's test booklet, $A = bh$, where A represent the area, b represents the base, and h represents the height (vertical distance from top to bottom). Substituting $b = 6$ cm and $h = 4.5$ cm, the student should have multiplied the 6 and 4.5, resulting in 27 square centimeters.
	Option F is incorrect	The student likely multiplied the side lengths of the parallelogram, 6 cm and 5.5 cm, resulting in 33 square centimeters. The student needs to focus on understanding how to calculate the area of a parallelogram.
	Option G is incorrect	The student likely found the perimeter of the parallelogram instead of the area. The student needs to focus on understanding how to calculate the area of a parallelogram.
	Option J is incorrect	The student likely found the sum of the three given measurements. The student needs to focus on understanding how to calculate the area of a parallelogram.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
21	303 and any equivalent values are correct	To determine the amount of money in dollars and cents Julie had left to spend after buying the chair, the student could have added the returned amount (\$128) to the amount of money Julie had (\$237). Then the student could have subtracted the cost of the chair (\$62). This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
22	Option F is correct	To determine the expression equivalent to $38(251m - 45)$, the student should have applied the distributive property, $a(b + c) = ab + ac$, multiplying 38 by each term within the parentheses: $38 \cdot 251m - 38 \cdot 45$.
	Option G is incorrect	The student likely subtracted 45 from 251, not realizing that the terms are not like terms and therefore cannot be combined (through addition or subtraction). The student needs to focus on understanding how to apply the distributive property to find equivalent expressions.
	Option H is incorrect	The student likely subtracted 45 from 38. The student identified the like terms but disregarded the parentheses, which indicated the need to multiply. The student needs to focus on understanding how to apply the distributive property to find equivalent expressions.
	Option J is incorrect	The student likely distributed 38 to the first term only. The student needs to focus on understanding how to apply the distributive property to find equivalent expressions.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
23	Option B is correct	To determine which figure best models the formula used to find the area of a triangle, the student could have recognized that the base of the parallelogram is equal to the base of the triangle, and that the heights of the figures are also equal. Next, the student could have recognized that the formula for the area of a parallelogram is $A = bh$. The student could then have realized that the shaded region of the parallelogram is a triangle that is congruent to the unshaded region, and therefore concluded that the area of a triangle must be half of the area of a parallelogram with the same measurements for the base and height. Finally, the student could have recognized that the formula for area of a triangle is $A = \frac{1}{2}bh$.
	Option A is incorrect	The student likely misidentified the side length of the parallelogram as the height. The height (vertical distance from top to bottom) of a parallelogram is always perpendicular to the base. The student needs to focus on identifying the attributes of polygons.
	Option C is incorrect	The student likely misidentified the side length of the triangle (10) as the height. The student then used the incorrect height of 10 units as the height of the parallelogram. The student needs to focus on identifying the attributes of polygons.
	Option D is incorrect	The student likely misidentified the side length of the parallelogram as the height (9 units). The height (vertical distance from top to bottom) of a parallelogram is always perpendicular to the base. The student needs to focus on identifying the attributes of polygons.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
24	Option F is correct	To determine which box plot best displays the data, the student could have recognized that the minimum value of the data is 16, and that the maximum value is 35. Next, the student could have determined the quartiles (values dividing a data set into quarters). Because the list has an odd number of values (15), the median (middle number in a set of numbers that is ordered by value) is 29, which is the same as the second quartile (Q2). The student then could have recognized that the first quartile (Q1) is the middle number in the list of the seven numbers to the left of the median (16, 17, 18, 19 [Q1], 20, 23, 24) and that the third quartile (Q3) is the middle number in the list of the seven numbers to the right of the median (30, 31, 32, 32 [Q3], 32, 32, 35). Finally, the student could have recognized that these numbers are represented on the box plot from left to right as follows: The minimum is the dot to the far left of the box plot; the first quartile (Q1) is the second dot on the box plot and the beginning of the "box"; the median (Q2) is third dot on the box plot and is represented by a vertical segment in the interior of the box; the third quartile (Q3) is the fourth dot on the box plot and the end of the "box"; and the maximum is last dot on the box plot.
	Option G is incorrect	The student likely correctly identified the minimum value, the median value, and the maximum value, but likely did not identify the values of the first quartile (Q1) and the third quartile (Q3). The student needs to focus on identifying the first quartile and the third quartile of a data set and recognizing how those values are used to create a box plot.
	Option H is incorrect	The student likely used the mean instead of the median when creating the box plot. The student needs to focus on identifying the median of a data set and recognizing how that value is used to create a box plot.
	Option J is incorrect	The student likely confused the definition of the first quartile (Q1) and chose the second value in the list as the value of the first quartile (Q1). The student needs to focus on identifying the first quartile of a data set and recognizing how that value is used to create a box plot.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
25	Option C is correct	To determine which list represents the dependent quantities from the table, the student could have thought of the table as an input-output table (where the rule is the input value \times 267 = the output value) with inputs of 0, 1, 2, 3, 4, and outputs of 0, 267, 534, 801, and 1,068. The student could have determined that the output values of 0, 267, 534, 801, and 1,068 are the dependent quantities.
	Option A is incorrect	The student likely thought of the input-output table but reversed the meanings of the independent and dependent quantities. The student needs to focus on understanding how independent and dependent quantities are related in a table.
	Option B is incorrect	The student likely confused ordered pairs for independent and dependent quantities. The student needs to focus on how independent and dependent quantities are related to an input-output table.
	Option D is incorrect	The student likely did not associate independent and dependent quantities with an input-output table. The student needs to focus on identifying the cause/effect relationship between independent and dependent quantities as well as their relationship to an input-output table.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
26	Option G is correct	To determine which inequality represents all possible values of x , the number of dogs Kelli can walk on Monday in addition to Ms. Lincoln's dogs, the student should have subtracted 5 from both sides of the inequality, resulting in $x \leq 20$.
	Option F is incorrect	The student likely subtracted 5 from both sides of the inequality but reversed the direction of the inequality symbol, using \geq instead of \leq . The student needs to focus on understanding how to model and solve a one-step inequality.
	Option H is incorrect	The student likely added 5 to both sides of the inequality and reversed the direction of the inequality symbol, using \geq instead of \leq . The student needs to focus on understanding how to model and solve a one-step inequality.
	Option J is incorrect	The student likely added 5 to both sides of the inequality. The student needs to focus on understanding how to model and solve a one-step inequality.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
27	Option B is correct	To determine which equation can be used to find f , the number of offices on each floor of the building, the student should have determined that the product (answer to a multiplication problem) of 18 floors and f is equal to 396 total offices, resulting in $18f = 396$.
	Option A is incorrect	The student likely found the difference (answer to a subtraction problem) of 18 and f instead of finding the product. The student needs to focus on understanding how to write one-step equations to represent conditions in problems.
	Option C is incorrect	The student likely found the quotient (answer to a division problem) of f and 18 instead of finding the product. The student needs to focus on understanding how to write one-step equations to represent conditions in problems.
	Option D is incorrect	The student likely found the sum (answer to an addition problem) of f and 18 instead of finding the product. The student needs to focus on understanding how to write one-step equations to represent conditions in problems.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
28	Option H is correct	To determine which statement is true for a credit card but not for a debit card, the student should have recognized that a cardholder will be charged interest for a purchase made with a credit card unless the balance on the card is paid in full at the end of the billing period and that the amount of a purchase made with a debit card is withdrawn directly from the cardholder's checking account and the cardholder will not be charged interest.
	Option F is incorrect	The student likely concluded that a cardholder must use a personal identification number (PIN) when making purchases using a credit card but not when using a debit card. The student needs to focus on understanding the difference between a credit card and a debit card.
	Option G is incorrect	The student likely concluded that a cardholder would have money withdrawn from an associated checking account when making purchases with a credit card instead of when using a debit card. The student needs to focus on understanding the difference between a credit card and a debit card.
	Option J is incorrect	The student likely did not recognize that a cardholder could withdraw money from an automated teller machine (ATM) using either a credit card or a debit card. The student needs to focus on understanding the difference between a credit card and a debit card.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
29	0.4 and any equivalent values are correct	To determine the decimal equivalent to the fraction of the price that Susie paid for her movie ticket, the student could have divided 2 by 5, resulting in 0.4. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
30	Option G is correct	To determine which statement is true about Taylor's and Raimi's hourly wages, the student should have divided the amounts earned by each person by the number of hours each person worked. For Taylor's hourly wage, the student should have divided \$308 by 14 hours, resulting in \$22 per hour. For Raimi's hourly wage, the student should have divided \$288 by 12 hours, resulting in \$24 per hour. The student could then have concluded that Raimi earns more per hour than Taylor, since $24 > 22$.
	Option F is incorrect	The student likely concluded that Taylor earns more per hour than Raimi because Taylor's overall amount earned (\$308) is more than Raimi's amount earned (\$288). The student needs to focus on understanding how to solve problems involving rates.
	Option H is incorrect	The student likely made a calculation error when dividing Raimi's amount earned by the number of hours worked. The student needs to focus on understanding how to solve problems involving rates.
	Option J is incorrect	The student likely made a calculation error when dividing Taylor's amount earned by the number of hours worked. The student needs to focus on understanding how to solve problems involving rates.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
31	Option C is correct	To determine which point on a number line best represents $33\frac{1}{3}\%$, the student should have determined the least (smallest) and greatest (largest) labels on the number line and then used the tick marks on the number line to determine the intervals (distance between the tick marks) used for the number line. The student should have determined that the least value shown is 0 and the greatest value shown is 1. The student should have also determined that there are 12 tick marks following 0, so the interval for the number line is $\frac{1}{12}$. The student then should have converted $33\frac{1}{3}\%$ to $\frac{1}{3}$, which is equivalent to $\frac{4}{12}$. The student should have used the number line to count $\frac{1}{12}$ for each tick mark to find that point Y (4 tick marks past 0) best represents $33\frac{1}{3}\%$.
	Option A is incorrect	The student likely determined that the point at the first tick mark from 0 (point W) best represented $33\frac{1}{3}\%$ but did not interpret the interval used for the number line correctly. The student needs to focus on understanding how to determine distance on a number line.
	Option B is incorrect	The student likely determined that the point at the second tick mark from 0 (point X) best represented $33\frac{1}{3}\%$ but did not interpret the interval used for the number line correctly. The student needs to focus on understanding how to determine distance on a number line.
	Option D is incorrect	The student likely determined that the point at the sixth tick mark from 0 (point Z) best represented $33\frac{1}{3}\%$ but did not interpret the interval used for the number line correctly. The student needs to focus on understanding how to determine distance on a number line.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
32	Option J is correct	To determine which inequality represents all possible values of m , the number of miles Mr. Estrada can travel in the car with the remaining gasoline in the tank, the student should have recognized that the sum of the miles he traveled after filling up the tank and the number of miles he can travel with the remaining gasoline, $m + 194$, cannot exceed 510 miles. The student could have then determined that the inequality $m + 194 \leq 510$ represents the situation. Lastly, the student then could have subtracted 194 from both sides of the inequality, resulting in $m \leq 316$.
	Option F is incorrect	The student likely made a subtraction error, subtracting 100 from 500 and 10 from 94, and did not realize that this situation would be represented by an inequality that uses the symbol for "less than or equal to" instead of "greater than or equal to." The student needs to focus on understanding how to model and solve a one-step inequality and how to subtract whole numbers.
	Option G is incorrect	The student likely subtracted 194 from both sides of the inequality but did not realize that this situation would be represented by an inequality that uses the symbol for "less than or equal to" instead of "greater than or equal to." The student needs to focus on understanding how to model and solve a one-step inequality.
	Option H is incorrect	The student likely made a subtraction error, subtracting 100 from 500 and 10 from 94. The student needs to focus on understanding how to model and solve a one-step inequality and how to subtract whole numbers.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
33	30 and any equivalent values are correct	To determine the median price of the backpacks in dollars and cents, the student should have recognized that the median (middle number in a set of numbers when the set is ordered by value) of a set of data with an even number of values is halfway between the middle two numbers. The student could then have found the sum of 24 and 36, resulting in 60. The student could then have divided 60 by 2, resulting in 30. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
34	Option G is correct	To determine which expression is equivalent to $1,000 + 196$, the student could first have recognized that 1,000 can be written as the product $10 \times 10 \times 10 = 10^3$. Next, the student could have recognized that $196 = 14 \times 14 = 14^2$. The student could have then concluded that $10^3 + 14^2$ is an expression that is equivalent to $1,000 + 196$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option F is incorrect	The student likely made an error when writing 1,000 as a power of 10, using $1,000 = 10^2$ instead of 10^3 , and then rewrote 196 as the product of 7 and 28. The student needs to focus on rewriting equivalent expressions using whole-number exponents.
	Option H is incorrect	The student likely made an error when writing 1,000 as a power of 10, using $1,000 = 100^3$ instead of 10^3 , and then rewrote 196 as the product of 7 and 28. The student needs to focus on rewriting equivalent expressions using whole-number exponents.
	Option J is incorrect	The student likely made an error when writing 1,000 as a power of 10, using $1,000 = 100^2$ instead of 10^3 , but correctly rewrote 196 as the square of 14. The student needs to focus on rewriting equivalent expressions using whole-number exponents.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
35	Option D is correct	To determine the number of dogs the veterinarian examined on Thursday, the student could have multiplied 32 animals by 25% (or 0.25), resulting in 8 dogs. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely multiplied 32 animals by 25% (or 0.25), resulting in 8 animals, but then subtracted 8 from 32, finding the number of animals the veterinarian examined that were not dogs. The student needs to focus on how to find the part of a whole when given a whole and a percentage.
	Option B is incorrect	The student likely subtracted 25 from 32, resulting in 7 dogs. The student needs to focus on how to find the part of a whole when given a whole and a percentage.
	Option C is incorrect	The student likely used the percentage as the answer. The student needs to focus on how to find the part of a whole when given a whole and a percentage.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
36	Option H is correct	To determine how much more money a marketing manager would earn than a financial analyst over 10 years, the student could have subtracted \$76,950 from \$115,750, resulting in \$38,800. The student then could have multiplied this difference by 10 years, resulting in $\$38,800 \times 10 = \$388,000$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option F is incorrect	The student likely subtracted \$76,950 from \$115,750, resulting in \$38,800, but ignored the time period of 10 years. The student needs to focus on understanding how to calculate and compare different annual salaries over a given time period.
	Option G is incorrect	The student likely added \$115,750 and \$76,950, resulting in \$192,700. The student then likely multiplied the sum by 10 years, resulting in \$1,927,000. The student needs to focus on understanding how to calculate and compare different annual salaries over a given time period.
	Option J is incorrect	The student likely added \$115,750 and \$76,950, resulting in \$192,700, but ignored the time period of 10 years. The student needs to focus on understanding how to calculate and compare different annual salaries over a given time period.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
37	Option D is correct	To determine the list that shows the numbers in order from least (smallest) to greatest (largest) value, the student could have changed the values in the list to the same form of a number, resulting in a list of either all decimals or all fractions. The value of $\frac{1}{4}$ expressed as a decimal is 0.25, the value of $\frac{3}{8}$ expressed as a decimal is 0.375, the value of 22% expressed as a decimal is 0.22, and the value of 38% expressed as a decimal is 0.38. The numbers written in decimal form are listed in order from least to greatest as 0.21, 0.22, 0.25, 0.35, 0.375, and 0.38. The original numbers listed in order from least to greatest are 0.21, 22%, $\frac{1}{4}$, 0.35, $\frac{3}{8}$, and 38%.
	Option A is incorrect	The student likely concluded that $\frac{3}{8}$ (or 0.375) is greater than 38% (or 0.38) since $375 > 38$. The student needs to focus on understanding how to order numbers from least to greatest value.
	Option B is incorrect	The student likely ordered the percentages, 22% and 38%, from least to greatest, but reasoned that percentage values are less than decimal and fraction values. The student needs to focus on understanding how to order numbers from least to greatest value.
	Option C is incorrect	The student likely ordered the percentages, 22% and 38%, from least to greatest, but reasoned that percentage values are less than decimal and fraction values. The student then likely reasoned that $\frac{1}{4}$ is smaller than 0.21. The student needs to focus on understanding how to order numbers from least to greatest value.

2022 STAAR Grade 6 Mathematics Rationales

Item #	Rationale	
38	Option H is correct	To determine which statement is best supported by the stem and leaf plot, the student could have noticed that three tires have pressures ranging from 50 to 59 pounds per square inch and only one tire has a pressure of 65 pounds per square inch, resulting in three times as many tires that have pressures from 50 to 59 pounds per square inch as tires that have a pressure of 65 pounds per square inch, since $1 \times 3 = 3$.
	Option F is incorrect	The student likely concluded that since 7 is the median of the values in the "stem" column and 5 is the median of the digits 0 through 10, half of the tire pressures would be below 75 pounds per square inch. The student needs to focus on understanding how to interpret information displayed in a stem and leaf plot.
	Option G is incorrect	The student likely disregarded the repeated values in the interval from 80 to 89 pounds per square inch. The student needs to focus on understanding how to interpret information displayed in a stem and leaf plot.
	Option J is incorrect	The student likely misunderstood that the leaf of "0" next to the stem of "50" represents the value of 50 pounds per square inch and disregarded this value. The student needs to focus on understanding how to interpret information displayed in a stem and leaf plot.