Pennsylvania PSSA 2021 Grade 4 Math

Reference Materials
Page 2

Exam & Answer Key Materials
Pages 3 - 38

INFORMATION ABOUT MATHEMATICS

Grade 4 Formula Sheet

Formulas and conversions that you may need on this test are found below. You may refer back to this page at any time during the mathematics test.

2021 Grade 4

Standard Conversions

$$1 \text{ yard (yd)} = 3 \text{ feet (ft)}$$

$$1 \text{ pint} = 2 \text{ cups (c)}$$

Metric Conversions

$$1 \text{ kilogram (kg)} = 1,000 \text{ grams (g)}$$

1 liter (L) =
$$1,000$$
 milliliters (mL)

Time Conversions

1 year (yr) = 12 months (mo)

1 year = 52 weeks (wk)

1 year = 365 days


1 week = 7 days

1 day = 24 hours (hr)

1 hour = 60 minutes (min)

1 minute = 60 seconds (sec)

Rectangle



Area = length
$$\times$$
 width

$$A = l \times w$$

Perimeter = length + length + width + width
$$P = l + l + w + w$$



The Pennsylvania System of School Assessment

Mathematics Item and Scoring Sampler



2021* Grade 4

^{*} This is a revised version of the 2017 Item and Scoring Sampler.

INFORMATION ABOUT MATHEMATICS

Mathematics Test Directions

On the following pages are the mathematics questions.

- You may <u>not</u> use a calculator for question 1. You may use a calculator for all other questions on this test.
- You may need a protractor for questions on this test.

Directions for Multiple-Choice Questions

Some questions will ask you to select an answer from among four choices.

For the multiple-choice questions:

- First solve the problem on scratch paper.
- Choose the correct answer and record your choice in the answer booklet.
- If none of the choices matches your answer, go back and check your work for possible errors.
- Only one of the answers provided is the correct response.

Directions for Open-Ended Questions

Some questions will require you to write your response.

For the open-ended questions:

- These questions have more than one part. Be sure to read the directions carefully.
- You cannot receive the highest score for an open-ended question without completing all tasks in the question. For example, if the question asks you to show your work or explain your reasoning, be sure to show your work or explain your reasoning in the space provided.
- If the question does **not** ask you to show your work or explain your reasoning, you may use the space provided, but only those parts of your response that the question specifically asks for will be scored.
- Write your response in the appropriate location within the response box in the answer booklet. Some answers may require graphing, plotting, labeling, drawing, or shading. If you use scratch paper, be sure to transfer your final response and any needed work or reasoning to the answer booklet.

INFORMATION ABOUT MATHEMATICS

General Description of Scoring Guidelines for Mathematics Open-Ended Questions

4—The response demonstrates a *thorough* understanding of the mathematical concepts and procedures required by the task.

The response provides correct answer(s) with clear and complete mathematical procedures shown and a correct explanation, as required by the task. Response may contain a minor "blemish" or omission in work or explanation that does not detract from demonstrating a thorough understanding.

3—The response demonstrates a *general* understanding of the mathematical concepts and procedures required by the task.

The response and explanation (as required by the task) are mostly complete and correct. The response may have minor errors or omissions that do not detract from demonstrating a *general* understanding.

2—The response demonstrates a *partial* understanding of the mathematical concepts and procedures required by the task.

The response is somewhat correct with *partial* understanding of the required mathematical concepts and/or procedures demonstrated and/or explained. The response may contain some work that is incomplete or unclear.

- 1—The response demonstrates a *minimal* understanding of the mathematical concepts and procedures required by the task.
- 0—The response has no correct answer and *insufficient* evidence to demonstrate any understanding of the mathematical concepts and procedures required by the task for that grade level.

Response may show only information copied from the question.

BLK (blank)	.ls blank, is entirely erase	d, or gives a writ	ten refusal to re	spond
OT	.ls off-task			

LOE.....ls in a language other than English

Special Categories within zero reported separately:

IL.....ls illegible

Question 1 in this sampler is to be solved without the use of a calculator.

MULTIPLE-CHOICE ITEMS

- **1.** Add: $6\frac{2}{5} + 3\frac{4}{5}$
 - A. $4\frac{4}{5}$
 - B. $9\frac{1}{5}$
 - C. $10\frac{1}{5}$
 - D. $21\frac{1}{5}$

Item Information		
Alignment	A-F.2.1.3	
Answer Key	С	
Depth of Knowledge	1	
p-value A	4%	
p-value B	37%	
p-value C	57% (correct answer)	
p-value D	2%	
Option Annotations	A. multiplies the whole number by the numerator of each fraction and then adds $\frac{12}{5} + \frac{12}{5}$	
	B. does not add the additional 1 to the whole number when changing $\frac{6}{5}$ to $\frac{1}{5}$	
	C. Correct: converts each mixed number to an improper fraction by	
	multiplying the whole part by the denominator (5) and then adding the product to the numerator to get $\frac{32}{5} + \frac{19}{5} = \frac{51}{5}$, and then converts $\frac{51}{5}$ back to a mixed number by dividing 51 by 5 for the	
	whole part and leaving the remainder as the new numerator OR	
	adds the whole parts and the fractional parts separately to get 9 and	
	$\frac{6}{5}$, converts the $\frac{6}{5}$ to $1\frac{1}{5}$, and then adds 9 to $1\frac{1}{5}$	
	D. solves the problem as $\frac{62}{5} + \frac{34}{5}$ and then incorrectly converts $\frac{96}{5}$ to $21\frac{1}{5}$	

A calculator is permitted for use in solving questions 2–17 in this sampler.

- 2. There are 49,528 people living in a city. What is the value of the 4 in the number of people living in the city?
 - A. two times the two in the tens place
 - B. twenty times the two in the tens place
 - C. two hundred times the two in the tens place
 - D. two thousand times the two in the tens place

Item Information	
Alignment	A-T.1.1.1
	A-T.1.1.2
Answer Key	D
Depth of Knowledge	2
p-value A	15%
p-value B	17%
p-value C	20%
p-value D	48% (correct answer)
Option Annotations	 A. does not consider place value B. uses concept of "10 times the value" but only for 1 place value C. uses concept of "100 times the value" since there are two digits between the 2 and the 4 D. Correct: identifies the value of the 4 as 40,000, identifies the value of the 2 as 20, and recognizes that 40,000 is 2,000 times 20

- **3.** The average distance from Earth to the moon is 238,855 miles. What is this distance rounded to the nearest thousand?
 - A. 200,000
 - B. 238,000
 - C. 238,900
 - D. 239,000

Item Information	
Alignment	A-T.1.1.4
Answer Key	D
Depth of Knowledge	1
p-value A	11%
p-value B	10%
p-value C	12%
p-value D	67% (correct answer)
Option Annotations	 A. rounds to the highest place value B. rounds down (truncates) C. rounds to the nearest hundred D. Correct: looks at the digit to the right of the thousands place, recognizes it as 5 or greater, and rounds the thousands place up from 8 to 9

- **4.** A theater sold \$1,048 worth of tickets on Saturday and \$424 worth of tickets on Sunday. Each ticket cost \$8. How many tickets were sold altogether on Saturday and Sunday?
 - A. 53
 - B. 78
 - C. 131
 - D. 184

Item Information	
Alignment	A-T.2.1.3
	A-T.2.1.1
Answer Key	D
Depth of Knowledge	2
p-value A	7%
p-value B	8%
p-value C	14%
p-value D	71% (correct answer)
Option Annotations	A. divides \$424 by \$8 (determines the number of tickets sold on Sunday)
	B. subtracts \$424 from \$1,048 and then divides the difference by \$8
	C. divides \$1,048 by \$8 (determines the number of tickets sold on Saturday)
	D. Correct: adds \$1,048 to \$424 and then divides the sum by \$8 OR divides \$1,048 by \$8, divides \$424 by \$8, and then adds the quotients

- 5. Cheryl keeps her marbles in two containers. She has between 177 and 203 marbles in one container. She has between 157 and 163 marbles in the other container. Which estimate could be the total number of marbles Cheryl has in both containers?
 - A. 300
 - B. 320
 - C. 360
 - D. 400

Item Information	
Alignment	A-T.2.1.4
Answer Key	С
Depth of Knowledge	2
p-value A	10%
p-value B	20%
p-value C	44% (correct answer)
p-value D	26%
Option Annotations	 A. rounds the highest numbers down to the nearest hundred and then adds 100 to 200 B. rounds the lowest numbers down to the nearest ten and then adds 170 to 150 C. Correct: determines the lowest possible total by adding 177 and 157, determines the greatest possible total by adding 203 and 163, and selects a number between these two sums OR selects an "easy" number between 177 and 203 (e.g., 200), selects an "easy" number between 157 and 163 (e.g., 160), adds these numbers together, and selects a value close to this sum D. rounds both numbers to the nearest hundred and then adds 200 to 200

- 6. On a vocabulary list, $\frac{5}{10}$ of the words are nouns and $\frac{6}{12}$ of the words are verbs. Which pair of statements correctly compares the fraction of the words on the vocabulary list that are nouns to the fraction that are verbs?
 - A. Since 5 < 6, then $\frac{5}{10} < \frac{6}{12}$. So, there are fewer nouns than verbs on the vocabulary list.
 - B. Since $\frac{1}{10} > \frac{1}{12}$, then $\frac{5}{10} > \frac{6}{12}$. So, there are more nouns than verbs on the vocabulary list.
 - C. Since $\frac{5}{10} = \frac{7}{12}$ and 7 > 6, then $\frac{5}{10} > \frac{6}{12}$. So, there are more nouns than verbs on the vocabulary list.
 - D. Since $\frac{5}{10} = \frac{1}{2}$ and $\frac{6}{12} = \frac{1}{2}$, then $\frac{5}{10} = \frac{6}{12}$. So, there are equal numbers of nouns and verbs on the vocabulary list.

Item Information	
Alignment	A-F.1.1
Answer Key	D
Depth of Knowledge	1
p-value A	25%
p-value B	13%
p-value C	8%
p-value D	54% (correct answer)
Option Annotations	A. only compares numerators and does not consider denominators
	B. only compares denominators and does not consider numerators
	C. incorrectly creates an equivalent fraction by adding 2 to both the
	numerator and denominator of $\frac{5}{10}$
	D. Correct: creates equivalent fractions by dividing the numerator
	and denominator of $\frac{5}{10}$ by 5 and by dividing the numerator and
	denominator of $\frac{6}{12}$ by 6

- 7. In September, Mrs. Jones had a full set of pencils. In October, she had $\frac{7}{12}$ of the full set remaining. In November, she gave away $\frac{2}{12}$ of the full set. What fraction of the full set of pencils did Mrs. Jones have remaining at the end of November?
 - A. $\frac{5}{24}$
 - B. $\frac{5}{12}$
 - C. $\frac{5}{6}$
 - D. $\frac{5}{0}$

Item Information	
Alignment	A-F.2.1.1
Answer Key	В
Depth of Knowledge	1
p-value A	6%
p-value B	86% (correct answer)
p-value C	5%
p-value D	3%
Option Annotations	 A. subtracts the numerators but adds the denominators B. Correct: subtracts the numerators while leaving the common denominator C. subtracts the numerators but "reduces" the 12 to 6 by dividing the 12 by 2 D. subtracts the numerators and the denominators

- **8.** Mikalya rode her bike on 4 days last week. She rode her bike a total of $2\frac{2}{3}$ miles. Which equation shows how many miles Mikalya could have ridden her bike each day?
 - A. $\frac{1}{3} + \frac{1}{3} + 1 + 1 = 2\frac{2}{3}$
 - B. $\frac{2}{3} + \frac{2}{3} + 1 + 1 = 2\frac{2}{3}$
 - C. $\frac{1}{3} + \frac{1}{3} + \frac{2}{3} + 1 = 2\frac{2}{3}$
 - D. $\frac{2}{3} + \frac{2}{3} + \frac{2}{3} + 1 = 2\frac{2}{3}$

Item Information	
Alignment	A-F.2.1.2
Answer Key	A
Depth of Knowledge	2
p-value A	79% (correct answer)
p-value B	7%
p-value C	7%
p-value D	7%
Option Annotations	A. Correct: uses $\frac{1}{3} + \frac{1}{3} = \frac{2}{3}$ to get $\frac{2}{3} + 1 + 1 = 2\frac{2}{3}$
	B. adds only one of the $\frac{2}{3}$ fractions to 1 + 1
	C. uses $\frac{1}{3} + \frac{1}{3} = 1$ to get $1 + \frac{2}{3} + 1 = 2\frac{2}{3}$
	D. uses $\frac{2}{3} + \frac{2}{3} = 1$ to get either $\frac{2}{3} + 1 + 1 = 2\frac{2}{3}$ or $1 + \frac{2}{3} + 1 = 2\frac{2}{3}$

- 9. In each box of bananas, $\frac{2}{10}$ of the bananas are already ripe. How many bananas are already ripe in a box of 30 bananas?
 - A. 2
 - B. 6
 - C. 12
 - D. 20

Item Information	
Alignment	A-F.2.1.7
	A-F.2.1.6
Answer Key	В
Depth of Knowledge	2
p-value A	9%
p-value B	50% (correct answer)
p-value C	15%
p-value D	26%
Option Annotations	A. uses only the value of the numerator
	B. Correct: multiplies the numerator by the number of bananas (2 × 30)
	and then divides the product by the denominator (60 ÷ 10) OR
	converts 30 to $\frac{30}{1}$, multiplies $\frac{2}{10}$ by $\frac{30}{1}$ to get $\frac{2 \times 30}{10 \times 1} = \frac{60}{10}$, and then
	converts $\frac{60}{10}$ to 6
	C. adds the numerator to the denominator (2 + 10)
	D. multiplies the numerator by the denominator (2 × 10) OR subtracts
	the denominator from the number of bananas (30 - 10)

19

- **10.** Pauline has two sticks. One is $\frac{4}{10}$ meter long. The other is $\frac{9}{100}$ meter long. Which statement correctly compares the two lengths when written as decimals?
 - A. 0.04 < 0.09
 - B. 0.04 < 0.90
 - C. 0.90 < 0.40
 - D. 0.09 < 0.40

Item Information	
Alignment	A-F.3.1.2
	A-F.3.1.3
Answer Key	D
Depth of Knowledge	1
p-value A	32%
p-value B	17%
p-value C	8%
p-value D	43% (correct answer)
Option Annotations	A. incorrectly converts $\frac{4}{10}$
	B. incorrectly converts both fractions
	C. incorrectly converts $\frac{9}{100}$ and uses the wrong inequality sign for the
	given decimals
	D. Correct: converts $\frac{4}{10}$ to 0.4 and includes a 0 placeholder in the
	hundredths place to get 0.40, converts $\frac{9}{100}$ to 0.09, identifies
	the comparison symbol as "less than," and orders the decimals
	by comparing place values OR creates an equivalent fraction
	of $\frac{4}{10}$ by multiplying the numerator and denominator by 10,
	converts $\frac{40}{100}$ to 0.40, converts $\frac{9}{100}$ to 0.09, identifies the
	comparison symbol as "less than," and orders the decimals by
	comparing place values

- **11.** Jesse has 4 rows of rocks. There are 6 rocks in each row. Which description shows another way Jesse can organize all of his rocks?
 - A. 2 rows with 5 rocks in each row
 - B. 3 rows with 8 rocks in each row
 - C. 5 rows with 5 rocks in each row
 - D. 2 rows with 24 rocks in each row

Item Information	
Alignment	B-O.2.1.1
Answer Key	В
Depth of Knowledge	2
p-value A	8%
p-value B	67% (correct answer)
p-value C	11%
p-value D	14%
Option Annotations	A. incorrectly uses $4 + 6 = 10$ as the total number of rocks and matches with $2 \times 5 = 10$
	B. Correct: determines 4 × 6 = 24 and recognizes that 3 × 8 also equals 24
	 C. incorrectly uses 4 × 6 = 25 as the total number of rocks D. uses the total number of rocks (24) as the number of rocks in each row

12. The shapes below show a pattern.









shape 1

shape 2

shape 3


shape 4

The pattern continues. How many sides will shape 10 have?

- A. 16
- B. 22
- C. 30
- D. 40

Item Information			
Alignment	B-O.3.1		
Answer Key	В		
Depth of Knowledge	2		
p-value A	18%		
p-value B	60% (correct answer)		
p-value C	10%		
p-value D	12%		
Option Annotations	 A. adds 6 to the shape number because 4 + 6 = 10 in shape 4 B. Correct: recognizes that each shape has 2 more sides than the previous shape, so extends the pattern by adding 2 each time OR determines the rule to be "multiply the shape number by 2 and then add 2," so multiplies 10 by 2 and then adds 2 to 20 C. multiplies 3 by the shape number because 2 × 3 = 6 in shape 2 D. multiplies 4 by the shape number because 1 × 4 = 4 in shape 1 		

13. The shape of Nepal's flag is shown below.




Which statement about the shape of Nepal's flag is true?

- A. Angle N is a right angle.
- B. Angle J is an obtuse angle.
- C. Line segment ML and line segment KJ are parallel.
- D. Line segment ML and line segment KL are perpendicular.

Item Information		
Alignment	C-G.1.1.1	
Answer Key	С	
Depth of Knowledge	2	
p-value A	18%	
p-value B	10%	
p-value C	52% (correct answer)	
p-value D	20%	
Option Annotations	 A. incorrectly describes the angle (angle is acute, not right) B. incorrectly describes the angle (angle is acute, not obtuse) C. Correct: identifies that line segments ML and KJ are both horizontal, which means they are parallel D. misidentifies angle KLM as a right angle or does not know that perpendicular line segments should form a right angle 	

14. The shape of a window in Neal's house is shown below.



The opposite sides of the window are parallel. No pair of sides is perpendicular. Which term describes the shape of the window?

- A. parallelogram
- B. rectangle
- C. square
- D. trapezoid

Daniel Information			
Item Information			
Alignment	C-G.1.1.2		
Answer Key	A		
Depth of Knowledge	1		
p-value A	63% (correct answer)		
p-value B	4%		
p-value C	15%		
p-value D	18%		
Option Annotations	A. Correct: identifies a quadrilateral with opposite sides parallel as a parallelogramB. does not associate "perpendicular" with right angles		
	C. thinks parallel sides mean all sides are equal length; does not associate "perpendicular" with right angles		
	D. thinks only one pair of opposite sides are parallel		

15. Erin sorted some shapes based on the number of lines of symmetry each shape has.

Group A	Group B

Which shape belongs in Group B?

A.



В.



C.




D.



Item Information		
Alignment	C-G.1.1.3	
Answer Key	D	
Depth of Knowledge	2	
p-value A	25%	
p-value B	12%	
p-value C	7%	
p-value D	56% (correct answer)	
Option Annotations	A. identifies a shape with only one line of symmetry	
	B. identifies a shape with only one line of symmetry	
	C. identifies a shape with no lines of symmetry	
	D. Correct: recognizes that the shapes in Group B each have 2 lines of	
	symmetry, so identifies a shape with 2 lines of symmetry	

16. On the street map shown below, Elm Street and Oak Street meet at a right angle.



Which equation shows how to find the measure of the angle formed by Maple Street and Oak Street?

- A. $90^{\circ} 50^{\circ} = 40^{\circ}$
- B. $180^{\circ} 50^{\circ} = 130^{\circ}$
- C. $90^{\circ} + 50^{\circ} = 140^{\circ}$
- D. $180^{\circ} + 50^{\circ} = 230^{\circ}$

Item Information			
Alignment	D-M.3.1.2		
Answer Key	A		
Depth of Knowledge	2		
p-value A	63% (correct answer)		
p-value B	14%		
p-value C	17%		
p-value D	6%		
Option Annotations	 A. Correct: recognizes that a right angle is 90° and uses subtraction since the unknown angle and the labeled angle form the right angle B. uses 180° as the sum of the two angles (straight angle) instead of 90° (right angle) C. uses addition instead of subtraction D. uses 180° instead of 90° and uses addition instead of subtraction 		

OPEN-ENDED QUESTION

17. A construction crew is paving a highway.

One morning, the crew starts work at 10 minutes past 6 A.M. and finishes at 20 minutes to noon.

A. How many hours and minutes does the crew work in the morning?

The crew can extend the length of the highway by 200 feet each hour.

B. What is the length, in feet, of the new part of the highway when the crew finishes working in the morning? Show or explain all your work.

Go to the next page to finish question 17.

GOON

17. Continued. Please refer to the previous page for task explanation.

After lunch, the crew will extend the length of the highway by another 300 **yards**. They will start at 1:30 P.M.

C. At what time will they complete the 300 yards?

After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.



Item-Specific Scoring Guideline

#17 Item Information

Alignment	D-M.1	Depth of Knowledge	2	Mean Score	0.74
-----------	-------	-----------------------	---	------------	------

Assessment Anchor this item will be reported under:

M04.D-M.1—Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.

Specific Anchor Descriptor addressed by this item:

M04.D-M.1.1—Solve problems involving length, weight (mass), liquid volume, time, area, and perimeter.

Scoring Guide

Score	In this item, the student
4	Demonstrates a thorough understanding of solving problems involving measurement and conversion of measurements from a larger unit to a smaller unit by correctly solving problems and clearly explaining procedures.
3	Demonstrates a general understanding of solving problems involving measurement and conversion of measurements from a larger unit to a smaller unit by correctly solving problems and clearly explaining procedures with only minor errors or omissions.
2	Demonstrates a partial understanding of solving problems involving measurement and conversion of measurements from a larger unit to a smaller unit by correctly performing a significant portion of the required task.
1	Demonstrates minimal understanding of solving problems involving measurement and conversion of measurements from a larger unit to a smaller unit.
0	The response has no correct answer and insufficient evidence to demonstrate any understanding of the mathematical concepts and procedures as required by the task. Response may show only information copied from the question.

Top-Scoring Student Response and Training Notes

Score	Description	
4	Student earns 4 points.	
3	Student earns 3 points.	
2	Student earns 2 points.	
1	Student earns 1 point. OR Student demonstrates minimal understanding of solving problems involving measurement and conversion of measurements from a larger unit to a smaller unit.	
0	Response is incorrect or contains some correct work that is irrelevant to the skill or concept being measured.	

Top-Scoring Response

Part A (1 point):

1 point for correct answer

What?	Why?
5 hours and 30 minutes	

Part B (2 points):

1 point for correct answer

1 point for complete support

What?	Why?	
1,100 (feet)	Sample Work:	
[Note: Carry over	5 hours and 30 minutes = 5.5 hours $5.5 \times 200 = 1,100$	
any error from Part A]	OR	
	Sample Explanation: The crew can cover 200 feet each hour, so they can cover 100 feet in a half-hour. In 5 hours, they can cover $5 \times 200 = 1,000$ feet. In the other half-hour, they can cover 100 feet. So they cover $1,000 + 100 = 1,100$ feet in all.	

Part C (1 point):

1 point for correct answer

What?	Why?
6:00 (р.м.)	

STUDENT RESPONSE

Response Score: 4 points

17. A construction crew is paving a highway.

One morning, the crew starts work at 10 minutes past 6 A.M. and finishes at 20 minutes to noon.

A. How many hours and minutes does the crew work in the morning?

5 hours and 30 minutes

The student has given the correct answer (5 hours and 30 minutes) by correctly calculating the time difference between 6:10 a.m. and 11:40 a.m. [1 point]

The crew can extend the length of the highway by 200 feet each hour.

B. What is the length, in feet, of the new part of the highway when the crew finishes working in the morning? Show or explain all your work.

$$\frac{100}{200}$$
 $\frac{1,000}{1,100}$

The student has given the correct answer (1,100 feet) with complete support. The student first multiplies 200 (feet) by 5 (hours) to find that the crew completed 1,000 feet in 5 hours. To find how many feet the crew completed in 30 minutes, the student took the number of feet completed in one hour and divided by 2 (200 \div 2 = 100). The student then added 1,000 and 100 to find the complete length of highway completed (1,100 feet). [2 points]

17. *Continued.* Please refer to the previous page for task explanation.

After lunch, the crew will extend the length of the highway by another 300 yards. They will start at 1:30 P.M.

C. At what time will they complete the 300 yards?

They will get done at 6:00


The student has given the correct answer (6:00). The student most likely converted from yards to feet by multiplying 300 by 3 to get 900 feet, divided 900 by 200 (the number of feet the crew can complete each hour) to get 4.5 hours, and then added 4.5 hours to 1:30 p.m. to get a finish time of 6:00. [1 point]

After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.


STUDENT RESPONSE

Response Score: 3 points





PART



STUDENT RESPONSE

Response Score: 2 points

17. A construction crew is paving a highway.

One morning, the crew starts work at 10 minutes past 6 A.M. and finishes at 20 minutes to noon.

A. How many hours and minutes does the crew work in the morning?

The student has given the correct answer (5 hours and 30 mintes) by correctly calculating the time difference between 6:10 a.m. and 11:40 a.m. [1 point]

The crew can extend the length of the highway by 200 feet each hour.

B. What is the length, in feet, of the new part of the highway when the crew finishes working in the morning? Show or explain all your work.

length hours ft. minutes
$$200 \times 5 = 1000 + \frac{1}{2} = 1000 \text{ ft.}$$
 cinswer

The student has given the correct answer (1100 ft.) but the support is incorrect. While the student starts out with calculating the length of the highway completed in 5 hours (200 [lenght] \times 5 [hours] = 1000 [ft.]), the second part of the support given is unclear ($+\frac{1}{2}$ [minutes]). There is no support showing how the student calculated the length for the remaining 30 minutes of work. Students must show correct support for both hours and minutes for credit. The support is both incorrect and written as a run-on equation; either results in no credit for the support. [1 point]

Go to the next page to finish question 17.



17. Continued. Please refer to the previous page for task explanation.

After lunch, the crew will extend the length of the highway by another 300 **yards**. They will start at 1:30 P.M.

C. At what time will they complete the 300 yards?



The student has given an incorrect answer (3:00 p.m.). It is unclear how the student derived this answer since no support (work or explanation) is required. The student may not have converted the 300 yards to feet and then proceeded to divide 300 by 200 to get 1.5 hours and add 1.5 hours to 1:30 p.m. [0 points]

After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.


STOP

STUDENT RESPONSE


MATHEMATICS GRADE 4

Response Score: 1 point

PART A



PART



STUDENT RESPONSE

Response Score: 0 points

17. A construction crew is paving a highway.

One morning, the crew starts work at 10 minutes past 6 A.M. and finishes at 20 minutes to noon.

A. How many hours and minutes does the crew work in the morning?

The student has given an incorrect answer (*They work 6 hours and 10 minutes*) by miscalculating the time difference between 6:10 a.m. and 11:40 a.m. [0 points]

The crew can extend the length of the highway by 200 feet each hour.

B. What is the length, in feet, of the new part of the highway when the crew finishes working in the morning? Show or explain all your work.

The student has given an incorrect answer (1,200 feet) and incorrect support (200 feet \times 6 hours = 1,200 feet). The student has only carried over part of the answer from Part A (6 hours), and without addressing both the hours and minutes from Part A in Part B, no credit is given for the support. [0 points]

Go to the next page to finish question 17.

GO ON

17. Continued. Please refer to the previous page for task explanation.

After lunch, the crew will extend the length of the highway by another 300 yards. They will start at 1:30 P.M.

C. At what time will they complete the 300 yards?

they will complete 300 Yords at 2:10

The student has given an incorrect answer (they will complete 300 Yards at 2:10). It is unclear how the student derived this answer since no support (work or explanation) is required. The student may not have converted the 300 yards to feet and then proceeded to divide 200 by 300 to get $\frac{2}{3}$ hour, convert $\frac{2}{3}$ hour to 40 minutes, and add 40 minutes to 1:30 p.m. [0 points]

After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.



MATHEMATICS—SUMMARY DATA

Multiple-Choice

Sample Number	Alignment	Answer Key	Depth of Knowledge	<i>p</i> -value A	<i>p</i> -value B	<i>p</i> -value C	<i>p</i> -value D
1	A-F.2.1.3	С	1	4%	37%	57%	2%
2	A-T.1.1.1 A-T.1.1.2	D	2	15%	17%	20%	48%
3	A-T.1.1.4	D	1	11%	10%	12%	67%
4	A-T.2.1.3 A-T.2.1.1	D	2	7%	8%	14%	71%
5	A-T.2.1.4	С	2	10%	20%	44%	26%
6	A-F.1.1	D	1	25%	13%	8%	54%
7	A-F.2.1.1	В	1	6%	86%	5%	3%
8	A-F.2.1.2	А	2	79%	7%	7%	7%
9	A-F.2.1.7 A-F.2.1.6	В	2	9%	50%	15%	26%
10	A-F.3.1.2 A-F.3.1.3	D	1	32%	17%	8%	43%
11	B-O.2.1.1	В	2	8%	67%	11%	14%
12	B-O.3.1	В	2	18%	60%	10%	12%
13	C-G.1.1.1	С	2	18%	10%	52%	20%
14	C-G.1.1.2	А	1	63%	4%	15%	18%
15	C-G.1.1.3	D	2	25%	12%	7%	56%
16	D-M.3.1.2	А	2	63%	14%	17%	6%

Open-Ended

Sample Number		Alignment	Points	Depth of Knowledge	Mean Score
	17	D-M.1	4	2	0.74