


The Pennsylvania System of School Assessment

Science Item and Scoring Sampler



2023-2024 Grade 8

SCIENCE TEST DIRECTIONS

Directions:

On the following pages are the Science questions. There are two types of questions.

Multiple-Choice Questions:

Some questions will ask you to select an answer from among four choices. These questions will be found in your test booklet.

For the multiple-choice questions:

- Read each question, and choose the best answer.
- Record your choice in the answer booklet.
- Only one of the answers provided is the correct response.

Open-Ended Questions:

Other questions will require you to write your response. These questions will be found in your answer booklet.

For the open-ended questions:

- Be sure to read the directions carefully.
- If the question asks you to do two tasks, be sure to complete both tasks.
- If the question asks you to compare, be sure to compare. Also, if the question asks you to explain, describe, or identify, be sure to explain, describe, or identify.

General Description of Scoring Guidelines for Science Open-Ended Items

2 Points

- The response demonstrates a *thorough* understanding of the scientific content, concepts, and procedures required by the task(s).
- The response provides a clear, complete, and correct response as required by the task(s).
 The response may contain a minor blemish or omission in work or explanation that does not detract from demonstrating a thorough understanding.

1 Point

- The response demonstrates a *partial* understanding of the scientific content, concepts, and procedures required by the task(s).
- The response is somewhat correct with *partial* understanding of the required scientific content, concepts, and/or procedures demonstrated and/or explained. The response may contain some work that is incomplete or unclear.

0 Points

- The response provides insufficient evidence to demonstrate any understanding of the scientific content, concepts, and procedures as required by the task(s) for that grade level.
- The response may show only information copied or rephrased from the question or insufficient correct information to receive a score of 1.

MULTIPLE-CHOICE QUESTIONS

- 1. Which question could best be investigated using scientific inquiry?
 - A. When do most people plant flower gardens?
 - B. Which color of flowers do people like to grow in their gardens?
 - C. How many flowering plants have become extinct throughout Earth's history?
 - D. How does the amount of sunlight received affect the growth of flowering plants?

Item Information		
Alignment	S8.A.1.1.2	
Answer Key	D	
Depth of Knowledge	2	
p-value A	8%	
p-value B	8%	
p-value C	20%	
p-value D	64% (correct answer)	
Option Annotations	A. People plant gardens at different times around the world. This question is best answered with a survey.	
	B. Color preference is subjective. This question is best answered with a survey.	
	C. This question is best answered through historical research.	
	D. Key: This question is best answered with a scientific hypothesis and investigation.	

- **2.** Which unintended effect could result from overusing chemical pesticides to control insects on agricultural crops?
 - A. crops producing their own chemical pesticides
 - B. insect pests switching to a different food source
 - C. crops requiring more water and nutrients to survive
 - D. insect pests becoming resistant to certain pesticides

Item Information		
Alignment	S8.A.1.2.1	
Answer Key	D	
Depth of Knowledge	2	
p-value A	15%	
p-value B	13%	
p-value C	32%	
p-value D	40% (correct answer)	
Option Annotations	 A. Applying chemical pesticides is unlikely to cause crops to produce their own chemical pesticides. B. An intended goal of using chemical pesticides is to protect plants from insect pests, and insects are unlikely to seek a different food source. C. Crops protected by pesticides are likely to require less water and nutrients because the plants are not stressed by insect pests. D. Key: Studies have shown that insect populations can adapt and become resistant to certain pesticides. 	

- 3. A family adopts a pet dog from the local animal shelter. The family does not know the breed of the dog. To help determine the breed, the family compares the traits of the dog to the traits of known dog breeds. The family concludes that the dog's parents were two different breeds. Which scientific concept did the family **most likely** use to form this conclusion?
 - A. natural selection
 - B. Newton's first law
 - C. Mendelian genetics
 - D. the theory of evolution


Item Information		
Alignment	S8.A.1.2.3	
Answer Key	С	
Depth of Knowledge	2	
p-value A	18%	
p-value B	7%	
p-value C	63% (correct answer)	
p-value D	12%	
Option Annotations	 A. Natural selection favors traits that help an organism survive and does not determine breeds. B. Newton's laws describe rules of physical motion and force. C. Key: The concept of Mendelian genetics describes how the traits of 	
	parents can determine traits in offspring.D. Dog breeds are the result of selective breeding, not evolution.	

- **4.** Fires are common in grassland ecosystems. Dead grasses and small shrubs that accumulate on the ground provide an excellent source of fuel for the fires. Which statement describes how grassland ecosystems benefit from periodic fires?
 - A. Ash left over from fires provides plants with additional nutrients.
 - B. Fires reduce ground cover, which creates new habitats for nonnative organisms.
 - C. The darker color of burned plant material is able to absorb more energy from sunlight.
 - D. The increased temperatures allow soil bacteria populations to remain active during winter.

Item Information		
Alignment	S8.A.1.3.4	
Answer Key	A	
Depth of Knowledge	2	
p-value A	39% (correct answer)	
p-value B	26%	
p-value C	15%	
p-value D	20%	
Option Annotations	 A. Key: Nutrients from the burned matter are stored in the ash, which is used by younger plants to promote regrowth. B. Nonnative organisms can be harmful to a grassland ecosystem. C. Burned plant material will not be able to perform photosynthesis, and any increase in temperature because of its darker color will not be helpful to the environment. D. Temporary increased temperatures from a fire are unlikely to affect soil bacteria populations during the winter months. 	

5. Use the diagram below to answer the question.

Ramp Height Investigation



In a science class, students release the same toy car down four different ramps. Each ramp has the same length but a different height. Which dependent variable could be measured to find out how the ramp height affects the car?

- A. mass of each ramp
- B. length of each ramp
- C. weight of the car when it reaches the bottom of each ramp
- D. distance the car rolls after it reaches the bottom of each ramp

Item Information		
Alignment	S8.A.2.1.3	
Answer Key	D	
Depth of Knowledge	2	
p-value A	9%	
p-value B	21%	
p-value C	12%	
p-value D	58% (correct answer)	
Option Annotations	 A. The mass of the ramp itself will have no effect on how the ramp's height affects the car. B. The length of the ramp is a controlled variable in the experiment. C. The weight of the car will not change based on its position on the ramp and should be kept constant during the investigation. D. Key: The distance the car rolls after reaching the end of the ramp depends on the height of the ramp. 	

6. Use the drawing below to answer the question.

Algae Culture Dish



A researcher hypothesizes that a specific temperature is optimal for the growth of a type of algae. To test this hypothesis, the researcher grew algae in culture dishes each kept at a different temperature. The data collected from which measurements would be needed to support the hypothesis?

- A. the initial and final mass of the algae colony
- B. the initial and final volume of the culture dish
- C. the initial and final surface area of the culture dish
- D. the initial and final temperature of the algae colony

Item Information		
Alignment	S8.A.2.1.5	
Answer Key	A	
Depth of Knowledge	2	
p-value A	42% (correct answer)	
p-value B	16%	
p-value C	13%	
p-value D	29%	
Option Annotations	 A. Key: Measuring the difference between the initial and final masses of the algae would show how much growth occurred. B. The volume of the culture dish would not change during this experiment; it is a controlled variable. C. The surface area of the culture dish would not change during this experiment; it is a controlled variable. D. Temperature is the independent variable and is manipulated in this experiment. 	

- **7.** A student is measuring the volume of a rectangular object. Which two tools could the student use to measure the volume of the object?
 - A. beaker or microscope
 - B. thermometer or stopwatch
 - C. ruler or graduated cylinder
 - D. balance scale or hand lens

Item Information		
Alignment	S8.A.2.2.1	
Answer Key	С	
Depth of Knowledge	1	
p-value A	7%	
p-value B	6%	
p-value C	65% (correct answer)	
p-value D	22%	
Option Annotations	 A. A beaker filled with water could provide an estimated change in volume, but a microscope magnifies the image of an object. B. A thermometer measures temperature, and a stopwatch measures time. Neither can be used to measure volume. C. Key: A ruler could measure the rectangle's three sides, and a graduated cylinder could measure the volume of water displaced by the object. D. A balance scale measures mass, and a hand lens magnifies the image of an object. Neither can be used to measure volume. 	

8. Use the diagram below to answer the question.

Two Genetic Processes

The diagram shows two genetic processes. Which statement **best** describes one of the processes shown?

- A. RNA is the input of process 1.
- B. Protein is the output of process 2.
- C. Process 1 is a feedback mechanism.
- D. Process 2 is a feedback mechanism.

Harris Information		
Item Information		
Alignment	S8.A.3.1.3	
Answer Key	В	
Depth of Knowledge	2	
p-value A	12%	
p-value B	63% (correct answer)	
p-value C	13%	
p-value D	12%	
Option Annotations	 A. RNA is the input of process 2 and the output of process 1. B. Key: The right-facing arrow from RNA to protein indicates that protein is the output of process 2. C. Process 1 consists of an input (DNA) directly affecting an output (RNA). The diagram does not indicate any feedback loop in which the output influences the input. D. Process 2 consists of an input (RNA) directly affecting an output (protein). The diagram does not indicate any feedback loop in which the output influences the input. 	

- 9. Which list correctly shows characteristics of fungi and animals?
 - A. Fungi: have a cell wall, break down dead organisms Animals: have no cell wall, feed on other organisms
 - B. Fungi: have a cell wall, feed on other organisms
 Animals: have a cell wall, make food from sunlight
 - C. Fungi: have no cell wall, make food from sunlight Animals: have a cell wall, feed on other organisms
 - D. Fungi: have no cell wall, make food from sunlight Animals: have no cell wall, break down dead organisms

Item Information		
Alignment	S8.B.1.1.3	
Answer Key	A	
Depth of Knowledge	2	
p-value A	51% (correct answer)	
p-value B	9%	
p-value C	34%	
p-value D	6%	
Option Annotations	 A. Key: Fungi do have cell walls and are decomposers; animal cells lack a cell wall and are consumers. B. Fungi do not eat to consume nutrients; animal cells lack a cell wall and do not perform photosynthesis to get energy. C. Fungi do not perform photosynthesis to get energy; animal cells lack a cell wall. D. Fungi have cell walls but do not perform photosynthesis to get energy; animals consume other organisms and are not decomposers. 	

- **10.** A student observes a large amount of fallen tree leaves on the school grounds. Which solution for cleaning up the leaves would have the **most** positive impact on the environment?
 - A. piling the leaves to burn them
 - B. piling the leaves to compost them
 - C. raking the leaves into plastic bags to store them
 - D. raking the leaves into trucks to transport them to a landfill

Item Information		
Alignment	S8.B.3.3.3	
Answer Key	В	
Depth of Knowledge	2	
p-value A	6%	
p-value B	69% (correct answer)	
p-value C	12%	
p-value D	13%	
Option Annotations	 A. Burning the leaves would add air pollution to the environment. B. Key: Composting the leaves would allow for the natural decomposition of plant matter and would recycle nutrients back to the soil. C. Using plastic bags would introduce new waste that does not easily break down in the environment. D. Using trucks to transport the leaves to a landfill would require burning fossil fuels, which adds pollution to the atmosphere. 	

11. Use the chart below to answer the question.

Examples of Energy Sources


Renewable	Nonrenewable
solar	uranium
wind	coal
geothermal	hydropower

A student made a chart to compare energy sources. Which energy source was **incorrectly** placed in the chart?

- A. coal
- B. uranium
- C. geothermal
- D. hydropower

Item Information		
Alignment	S8.C.2.1.1	
Answer Key	D	
Depth of Knowledge	2	
p-value A	20%	
p-value B	13%	
p-value C	14%	
p-value D	53% (correct answer)	
Option Annotations	 A. Coal is correctly listed as nonrenewable because it cannot be replenished naturally in a short period of time. B. Uranium is correctly listed as nonrenewable because it cannot be replenished naturally in a short period of time. C. Geothermal is correctly listed as renewable because heat energy is constantly generated beneath Earth's crust. D. Key: Hydropower should be listed as a renewable energy source because it relies on the movement of water in the water cycle, which is powered by energy from the Sun. 	

12. Use the diagram below to answer the question.



Polar areas of Earth receive lower levels of direct sunlight than other areas on the planet. Which statement **best** describes how the lower levels of direct sunlight affect the environment in polar areas?

- A. Polar areas have a cold environment and a low diversity of plants and animals.
- B. Polar areas have a warm environment and a high diversity of plants and animals.
- C. Polar areas have a cold environment and a high diversity of plants and animals.
- D. Polar areas have a warm environment and a low diversity of plants and animals.

Item Information			
Alignment	S8.C.2.2.1		
Answer Key	A		
Depth of Knowledge	3		
p-value A	73% (correct answer)		
p-value B	9%		
p-value C	12%		
p-value D	6%		
Option Annotations	 A. Key: Earth's poles receive less solar energy per unit area, resulting in colder temperatures and not enough energy to support high biodiversity. B. Polar areas have cold environments and low biodiversity because they do not receive enough energy from sunlight to support warmer temperatures and a higher diversity of plants and animals. C. Polar areas have low biodiversity because they do not receive enough energy from sunlight to support a higher diversity of plants and animals. D. Polar areas have cold environments because they receive less solar energy per unit area. 		

- 13. Which statement describes the energy of a ball after it is thrown straight up into the air?
 - A. When the ball is about to hit the ground, its kinetic energy is lowest.
 - B. When the ball is about to hit the ground, its potential energy is highest.
 - C. When the ball is at its highest point, its kinetic energy is equal to its potential energy.
 - D. When the ball is at its highest point, its potential energy is highest and its kinetic energy is lowest.

Item Information			
Alignment	S8.C.3.1.2		
Answer Key	D		
Depth of Knowledge	2		
p-value A	10%		
p-value B	18%		
p-value C	20%		
p-value D	52% (correct answer)		
Option Annotations	 A. The ball's kinetic energy will continue to increase as it falls toward the ground. B. The potential energy of the ball decreases as the ball falls to the ground. C. Potential energy and kinetic energy are inversely related. At the highest point, the ball has the most potential energy and the least kinetic energy. D. Key: The ball's potential energy is greatest at its highest point because it has the most stored energy. The ball's kinetic energy is lowest at this point because the ball has not started to move downward yet. 		

- **14.** Sometimes people must clear grassland areas to grow crops. This practice often replaces deep-rooted native plant species with shallow-rooted crop plants. In addition, most crop plants must be harvested and replanted each year, leaving the soil bare for part of the year. Which effect would replacing grassland with farmland **most likely** have on the area?
 - A. increased erosion of soil
 - B. increased nutrients in the soil
 - C. increased diversity of species
 - D. increased water available to plants

Item Information			
Alignment	S8.D.1.2.2		
Answer Key	A		
Depth of Knowledge	3		
p-value A	40% (correct answer)		
p-value B	35%		
p-value C	16%		
p-value D	9%		
Option Annotations	 A. Key: Leaving the soil bare for part of the year allows wind and water to erode the soil more quickly. B. Replacing grassland with farmland is more likely to decrease the amount of nutrients available in the soil. C. Replacing grassland with farmland is more likely to decrease the variety of plant and animal species that live in the area. 		
	D. Replacing grassland with farmland is more likely to decrease the amount of water that is stored in the soil.		

- **15.** Water system X brings fresh water from mountaintops to water system Y. Water system Y is a large basin filled with salt water. What are these two types of water systems?
 - A. water system X: wetland water system Y: river
 - B. water system X: lake water system Y: ocean
 - C. water system X: lake water system Y: stream
 - D. water system X: river water system Y: ocean

S8.D.1.3.3		
D		
2		
8%		
20%		
8%		
64% (correct answer)		
 A. Water system X is not a wetland, because a wetland stores water. Water system Y is not a river, because a river transports fresh water. B. Water system X is not a lake, because a lake is a body of water surrounded by land and does not transport water. C. Water system X is not a lake, because a lake is a body of water surrounded by land and does not transport water. Water system Y is not a stream, because a stream transports fresh water. D. Key: A river transports fresh water from high elevation to low 		


- **16.** A student observes two high tides and two low tides along an ocean shoreline during a fixed 24-hour period. Which combination of factors is **most** responsible for causing this pattern of tides?
 - A. The tides are caused by the rotation of Earth and the gravitational attraction between the Moon and the Sun.
 - B. The tides are caused by the rotation of Earth and the gravitational attraction between Earth and the Moon.
 - C. The tides are caused by the rotation of the Moon and the gravitational attraction between Earth and the Moon.
 - D. The tides are caused by the rotation of the Moon and the gravitational attraction between the Moon and the Sun.

Item Information			
Alignment	S8.D.3.1.1		
Answer Key	В		
Depth of Knowledge	2		
p-value A	24%		
p-value B	42% (correct answer)		
p-value C	25%		
p-value D	9%		
Option Annotations	 A. The gravitational attraction between Earth and the Moon is the primary cause for Earth's tidal patterns. B. Key: The rotation of Earth combined with the gravitational attraction between Earth and the Moon has the most direct impact on Earth's tidal patterns. C. The rotation of the Moon has little effect on Earth's tidal patterns. D. The gravitational attraction between Earth and the Moon is the primary cause for Earth's tidal patterns. The rotation of the Moon has little effect on Earth's tidal patterns. 		

OPEN-ENDED ITEM

17. A student is testing if the mass of a balloon rocket affects how far it travels on a string by attaching metal washers to the balloon. The student measures the initial circumference of the balloon at the beginning of each trial.

Balloon Rocket Investigation



Number of Washers	Circumference of Balloon (cm)	Distance Traveled (cm)
0	50	200
2	50	?
4	50	?
6	50	?

Data

Part A:	Predict the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries.

Part B:	In a second investigation the student uses no washers but changes the balloon's circumference. Predict the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon.

SCORING GUIDE

#17 Item Information

Alignment	S8.A.2.1.1	Depth of Knowledge	3	Mean Score	0.74
-----------	------------	-----------------------	---	------------	------

Item-Specific Scoring Guideline

Score	Description		
The response demonstrates a <i>thorough</i> understanding of how to use evider observations, or a variety of scales (e.g., mass, distance, volume, temperate describe relationships by • predicting the general relationship between the distance the balloon would likely travel and the number of washers it carries AND • predicting the general relationship between the distance the balloon would likely travel and the circumference of the balloon.			
1	The response is clear, complete, and correct. The response demonstrates a partial understanding of how to use evidence, observations, or a variety of scales (e.g., mass, distance, volume, temperature) to describe relationships by • predicting the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries OR • predicting the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon. The response may contain some work that is incomplete or unclear.		
0	The response provides <i>insufficient</i> evidence to demonstrate any understanding of the concept being tested.		

Note: No deductions should be taken for misspelled words or grammatical errors.

Responses that will receive credit (responses are not limited to these examples):

Part A (1 point):

 As the number of washers added to the balloon rocket increases, the distance the balloon rocket travels will decrease. This inverse relationship is likely because adding washers increases the balloon's mass but the force moving the balloon remains the same. The result is the balloon will travel less distance.

Part B (1 point):


- The larger the circumference of the balloon, the greater the distance the balloon rocket will travel. The greater the circumference of the balloon, the more air will exit the balloon as thrust, or a pushing force, to move the balloon a greater distance. This is a direct relationship.
- Inversely, a smaller circumference would have less air to act as a pushing force, resulting in less distance traveled.

STUDENT RESPONSE

Response Score: 2 points

17. A student is testing if the mass of a balloon rocket affects how far it travels on a string by attaching metal washers to the balloon. The student measures the initial circumference of the balloon at the beginning of each trial.

Balloon Rocket Investigation



Number of Washers	Circumference of Balloon (cm)	Distance Traveled (cm)
0	50	200
2	50	?
4	50	?
6	50	?

Data

Part A: Predict the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries.

The Balloons going to cover more distance with less metal washers

Part B: In a second investigation the student uses no washers but changes the balloon's circumference. Predict the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon.

The Balloon rocket would travel longer if the circumference is longer and wider. The Circumference is larger that's the more Air in the Balloon.


The response demonstrates a thorough understanding of how to use evidence, observations, or a variety of scales to describe relationships. In Part A, the response correctly predicts the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries (*The Balloons going to cover more distance with less metal washers*). In Part B, the response correctly predicts the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon (*The Balloon rocket would travel longer if the circumference is longer and wider*). The response is clear, complete, and correct.

STUDENT RESPONSE


Response Score: 1 point



PART A



PART B




The response demonstrates a partial understanding of how to use evidence, observations, or a variety of scales to describe relationships. In Part A, the response correctly predicts the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries (*The balloon rocket would travel less distance with the increased number of washers*). In Part B, the response (*The balloon would travel less distance becasue there would be less air pushing the balloon forward*) provides an incomplete prediction of the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon. The response did not state whether the circumference of the balloon increased or decreased and receives no credit.

STUDENT RESPONSE

Response Score: 0 points

17. A student is testing if the mass of a balloon rocket affects how far it travels on a string by attaching metal washers to the balloon. The student measures the initial circumference of the balloon at the beginning of each trial.

Balloon Rocket Investigation



Number of Washers	Circumference of Balloon (cm)	Distance Traveled (cm)
0	50	200
2	50	?
4	50	?
6	50	?

Data

Part A: Predict the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries.

as the number of washers increase the distance traveled gets larger.

Part B: In a second investigation the student uses no washers but changes the balloon's circumference. Predict the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon.

with no washers the ballon would only

travel 200 cm.

The response provides insufficient evidence to demonstrate any understanding of how to use evidence, observations, or a variety of scales to describe relationships. In Part A, the response (as the number of washers increase the distance traveled gets larger) provides an incorrect prediction of the general relationship between the distance the balloon rocket would likely travel and the number of washers it carries and receives no credit. In Part B, the response (with no washers the balloon would only travel 200 cm) provides an incorrect prediction of the general relationship between the distance the balloon rocket would likely travel and the circumference of the balloon and receives no credit.

OPEN-ENDED ITEM

18. In England before the industrial revolution, peppered moths were mainly white with black speckles, but a small group within the population had a genetic mutation that caused them to appear dark gray. After industrialization, the increase in air pollution caused tree bark to darken. Eventually, the lighter-colored peppered moths became less common than the dark-gray moths.

Part A: Identify one possible advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution.

Part B: Predict what will **most likely** happen to the coloration of peppered moths as pollution control measures increase in England.

AFTER YOU HAVE CHECKED YOUR WORK, CLOSE YOUR ANSWER BOOKLET AND TEST BOOKLET SO YOUR TEACHER WILL KNOW YOU ARE FINISHED.



SCORING GUIDE

#18 Item Information

Alignment	S8.B.2.1.1	Depth of Knowledge	2	Mean Score	0.94
-----------	------------	-----------------------	---	------------	------

Item-Specific Scoring Guideline

Score	Description
2	The response demonstrates a <i>complete</i> understanding of how inherited structures or behaviors help organisms survive and reproduce in different environments by • identifying one advantage the dark-gray peppered moths had over the lighter-colored moths after the industrial revolution AND • predicting what will most likely happen to the coloration of peppered moths as pollution control measures increase in England. The response is clear, complete, and correct.
1	The response demonstrates a partial understanding of how inherited structures or behaviors help organisms survive and reproduce in different environments by • identifying one advantage the dark-gray peppered moths had over the lighter-colored moths after the industrial revolution OR • predicting what will most likely happen to the coloration of peppered moths as pollution control measures increase in England. The response may contain some work that is incomplete or unclear.
0	The response provides <i>insufficient</i> evidence to demonstrate any understanding of the concept being tested.

Note: No deductions should be taken for misspelled words or grammatical errors.

Responses that will receive credit (responses are not limited to these examples):

Part A (1 point):

- camouflage
- ability to hide from predators
- ability to blend in with the surroundings/environment

Part B (1 point):

- The coloration will shift to lighter-colored peppered moths.
- The coloration will shift to moths that are white with black speckles.
- There will be fewer dark-colored or dark-gray peppered moths.


33

STUDENT RESPONSE


Response Score: 2 points



PART A



PART B



This response demonstrates a complete understanding of how inherited structures or behaviors help organisms survive and reproduce in different environments. In Part A, the response correctly identifies one advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution (easier for dark-grey moths to hid from its pretodors [predators]). In Part B, the response correctly predicts what will most likely happen to the coloration of peppered moths as pollution control measures increase in England (there will most likely be less dark-grey moths). The response is clear, complete, and correct.

STUDENT RESPONSE

Response Score: 1 point

18. In England before the industrial revolution, peppered moths were mainly white with black speckles, but a small group within the population had a genetic mutation that caused them to appear dark gray. After industrialization, the increase in air pollution caused tree bark to darken. Eventually, the lighter-colored peppered moths became less common than the dark-gray moths.

Part A: Identify **one** possible advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution.

camoflog.

Part B: Predict what will **most likely** happen to the coloration of peppered moths as pollution control measures increase in England.

They started to move places where they would

be alive longer.

AFTER YOU HAVE CHECKED YOUR WORK, CLOSE YOUR ANSWER BOOKLET AND TEST BOOKLET SO YOUR TEACHER WILL KNOW YOU ARE FINISHED.



This response demonstrates a partial understanding of how inherited structures or behaviors help organisms survive and reproduce in different environments. In Part A, the response correctly identifies one advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution (*camoflag* [camouflage]). In Part B, the response (*They started to move places where they would be alive longer*) is an incorrect prediction of what will most likely happen to the coloration of peppered moths as pollution control measures increase in England and receives no credit.

STUDENT RESPONSE

Response Score: 0 points

18. In England before the industrial revolution, peppered moths were mainly white with black speckles, but a small group within the population had a genetic mutation that caused them to appear dark gray. After industrialization, the increase in air pollution caused tree bark to darken. Eventually, the lighter-colored peppered moths became less common than the dark-gray moths.

Part A: Identify one possible advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution.

Natural Selection.

Part B: Predict what will **most likely** happen to the coloration of peppered moths as pollution control measures increase in England.

They will decrease due to to pollution in the air.

AFTER YOU HAVE CHECKED YOUR WORK, CLOSE YOUR ANSWER BOOKLET AND TEST BOOKLET SO YOUR TEACHER WILL KNOW YOU ARE FINISHED.



This response provides insufficient evidence to demonstrate any understanding of how inherited structures or behaviors help organisms survive and reproduce in different environments. In Part A, the response (*Natural Selection*) is an incorrect advantage dark-gray peppered moths had over the lighter-colored moths after the industrial revolution and receives no credit. In Part B, the response (*They will decrease due to to pollution in the air*) does not clarify which coloration of moths would decrease. It is an unclear prediction of what will most likely happen to the coloration of peppered moths as pollution control measures increase in England and receives no credit.

SAMPLE ITEM SUMMARY

Multiple-Choice

Sample Number	Alignment	Answer Key	Depth of Knowledge	<i>p</i> -value A	<i>p</i> -value B	<i>p</i> -value C	<i>p</i> -value D
1	S8.A.1.1.2	D	2	8	8	20	64
2	S8.A.1.2.1	D	2	15	13	32	40
3	S8.A.1.2.3	С	2	18	7	63	12
4	S8.A.1.3.4	А	2	39	26	15	20
5	S8.A.2.1.3	D	2	9	21	12	58
6	S8.A.2.1.5	А	2	42	16	13	29
7	S8.A.2.2.1	С	1	7	6	65	22
8	S8.A.3.1.3	В	2	12	63	13	12
9	S8.B.1.1.3	Α	2	51	9	34	6
10	S8.B.3.3.3	В	2	6	69	12	13
11	S8.C.2.1.1	D	2	20	13	14	53
12	S8.C.2.2.1	А	3	73	9	12	6
13	S8.C.3.1.2	D	2	10	18	20	52
14	S8.D.1.2.2	А	3	40	35	16	9
15	S8.D.1.3.3	D	2	8	20	8	64
16	S8.D.3.1.1	В	2	24	42	25	9

Open-Ended

Sample Number	Alignment	Points	Depth of Knowledge	Mean Score
17	S8.A.2.1.1	2	3	0.74
18	S8.B.2.1.1	2	2	0.94