

# Pennsylvania PSSA 2022 Grade 7 Math

Reference Materials

Page 2

Exam & Answer Key Materials

Pages 3 - 47

# Grade 7 Formula Sheet


Formulas that you may need on this test are found below.  
 You may refer back to this page at any time during the mathematics test.  
 You may use calculator  $\pi$  or the number 3.14 as an approximation of  $\pi$ .

2022  
Grade 7

## Simple Interest

$$I = Prt$$


## Circle



$$C = 2\pi r$$


$$A = \pi r^2$$

## Triangle




$$A = \frac{1}{2}bh$$

## Square



$$A = s^2$$


## Rectangle



$$A = lw$$


$$P = 2l + 2w$$

## Parallelogram




$$A = bh$$

## Trapezoid



$$A = \frac{1}{2}h(b_1 + b_2)$$


## Rectangular Prism



$$V = lwh$$

$$SA = 2lw + 2lh + 2wh$$

## Polygonal Prism



$$V = Bw, \text{ where } B = \text{area of the base}$$


$$SA = Pw + 2B, \text{ where } P = \text{perimeter of base}$$



**pennsylvania**  
DEPARTMENT OF EDUCATION

# **The Pennsylvania System of School Assessment**

## **Mathematics Item and Scoring Sampler**



**2022–2023  
Grade 7**

**MATHEMATICS TEST DIRECTIONS**

On the following pages are the mathematics questions.

- You may not use a calculator for question 1. You may use a calculator for all other questions on this test.

**Directions for Multiple-Choice Questions**

Some questions will ask you to select an answer from among four choices.

For the multiple-choice questions:

- First solve the problem on scratch paper.
- Choose the correct answer and record your choice in the answer booklet.
- If none of the choices matches your answer, go back and check your work for possible errors.
- Only one of the answers provided is the correct response.

**Directions for Open-Ended Questions**

Some questions will require you to write your response.

For the open-ended questions:

- These questions have more than one part. Be sure to read the directions carefully.
- You cannot receive the highest score for an open-ended question without completing all tasks in the question. For example, if the question asks you to show your work or explain your reasoning, be sure to show your work or explain your reasoning in the space provided.
- If the question does **not** ask you to show your work or explain your reasoning, you may use the space provided, but only those parts of your response that the question specifically asks for will be scored.
- Write your response in the appropriate location within the response box in the answer booklet. Some answers may require graphing, plotting, labeling, drawing, or shading. If you use scratch paper, be sure to transfer your final response and any needed work or reasoning to the answer booklet.

## General Description of Scoring Guidelines for Mathematics Open-Ended Items

### 4— The response demonstrates a *thorough* understanding of the mathematical concepts and procedures required by the task.

The response provides correct answer(s) with clear and complete mathematical procedures shown and a correct explanation, as required by the task. The response may contain a minor “blemish” or omission in work or explanation that does not detract from demonstrating a *thorough* understanding.

### 3— The response demonstrates a *general* understanding of the mathematical concepts and procedures required by the task.

The response and explanation (as required by the task) are mostly complete and correct. The response may have minor errors or omissions that do not detract from demonstrating a *general* understanding.

### 2— The response demonstrates a *partial* understanding of the mathematical concepts and procedures required by the task.

The response is somewhat correct with *partial* understanding of the required mathematical concepts and/or procedures demonstrated and/or explained. The response may contain some work that is incomplete or unclear.

### 1— The response demonstrates a *minimal* understanding of the mathematical concepts and procedures required by the task.

### 0— The response has no correct answer and *insufficient* evidence to demonstrate any understanding of the mathematical concepts and procedures required by the task for that grade level.

The response may show only information copied from the question.

Special Categories within zero reported separately:

BLK (blank).....Is blank, is entirely erased, or gives a written refusal to respond

OT.....Is off-task

LOE.....Is in a language other than English

IL.....Is illegible

Question 1 in this sampler is to be solved without the use of a calculator.

### MULTIPLE-CHOICE ITEMS

1. Add:  $7\frac{5}{6} + 4\frac{1}{3} + 1\frac{3}{5}$

A.  $12\frac{3}{10}$

B.  $12\frac{9}{14}$

C.  $13\frac{23}{30}$

D.  $13\frac{5}{6}$

#### Item Information

Alignment	A-N.1.1.1
Answer Key	C
Depth of Knowledge	1
p-value A	7%
p-value B	35%
p-value C	49% (correct answer)
p-value D	9%

## Item Information

## Option Annotations

- A. finds a correct common denominator but does not apply conversions to the numerators and simplifies  $\frac{9}{30}$  to  $\frac{3}{10}$
- B. adds the whole parts ( $7 + 4 + 1$ ), the numerators ( $5 + 1 + 3$ ), and the denominators ( $6 + 3 + 5$ ) separately
- C. Correct: converts  $7\frac{5}{6}$  to an improper fraction  $\left(7\frac{5}{6} = \frac{7 \times 6 + 5}{6} = \frac{47}{6}\right)$ , converts  $4\frac{1}{3}$  to an improper fraction  $\left(4\frac{1}{3} = \frac{4 \times 3 + 1}{3} = \frac{13}{3}\right)$ , converts  $1\frac{3}{5}$  to an improper fraction  $\left(1\frac{3}{5} = \frac{1 \times 5 + 3}{5} = \frac{8}{5}\right)$ ; finds equivalent fractions using a common denominator of 30  $\left(\frac{47 \times 5}{6 \times 5} = \frac{235}{30}, \frac{13 \times 10}{3 \times 10} = \frac{130}{30}, \text{ and } \frac{8 \times 6}{5 \times 6} = \frac{48}{30}\right)$ , adds the numerators ( $235 + 130 + 48 = 413$ ), and then converts  $\frac{413}{30}$  to a mixed number by dividing 413 by 30, using the quotient as the whole part and the remainder as the numerator OR finds equivalent fractions using a common denominator of 30  $\left(7\frac{5 \times 5}{6 \times 5} = 7\frac{25}{30}, 4\frac{1 \times 10}{3 \times 10} = 4\frac{10}{30}, \text{ and } 1\frac{3 \times 6}{5 \times 6} = 1\frac{18}{30}\right)$ , adds the whole parts and the numerators separately ( $7 + 4 + 1 = 12, 25 + 10 + 18 = 53$ ), and then simplifies  $12\frac{53}{30}$   $\left(12\frac{53}{30} = 12 + \frac{30}{30} + \frac{23}{30} = 12 + 1 + \frac{23}{30} = 13\frac{23}{30}\right)$
- D. uses 6 as the common denominator, correctly converts  $\frac{1}{3}$  to  $\frac{2}{6}$ , but incorrectly converts  $\frac{3}{5}$  to  $\frac{4}{6}$  before correctly converting  $12\frac{11}{6}$  to  $13\frac{5}{6}$

A calculator is permitted for use in solving questions 2–17 in this sampler.

2. Mandy is walking in the woods. She completes 70% of her walk in  $3\frac{1}{2}$  hours. She continues walking at that same rate. How much time, in hours, will Mandy's entire walk take?
- A.  $3\frac{4}{5}$
- B. 5
- C. 6
- D.  $6\frac{1}{2}$

Item Information	
Alignment	A-R.1.1.1
Answer Key	B
Depth of Knowledge	2
p-value A	20%
p-value B	56% (correct answer)
p-value C	12%
p-value D	12%
Option Annotations	<p>A. adds <math>\frac{3}{10}</math> (for 30%) to <math>3\frac{1}{2}</math></p> <p>B. Correct: converts <math>3\frac{1}{2}</math> to an improper fraction <math>\left(3\frac{1}{2} = \frac{3 \times 2 + 1}{2} = \frac{7}{2}\right)</math>, converts 70% to <math>\frac{7}{10}</math>, and then divides <math>\frac{7}{2}</math> by <math>\frac{7}{10}</math> by inverting <math>\frac{7}{10}</math> and multiplying <math>\frac{7}{2}</math> by <math>\frac{10}{7}</math> to get <math>\frac{10}{2}</math>, which simplifies to 5</p> <p>C. multiplies <math>\frac{7}{2}</math> and <math>\frac{7}{10}</math>, rounds the answer to 2.5, and adds it to 3.5</p> <p>D. adds 3 (for 30%) to <math>3\frac{1}{2}</math></p>



3. The table below shows the relationship between the amount of electricity used by a customer in different months and the cost shown on the customer's electric bill.

**Monthly Electric Bills for a Customer**

Month	Amount of Electricity Used (kilowatt-hours)	Cost of Electricity Used (\$)
1	290	27.55
2	350	33.25
3	460	43.70
4	500	47.50

Based on the information shown in the table, which inequality could be used to determine all the numbers of kilowatt-hours ( $x$ ) of electricity a customer could use in a month for the cost to be less than \$65.00?

- A.  $0.095x < 65.00$
- B.  $0.095x > 65.00$
- C.  $0.92x < 65.00$
- D.  $0.92x > 65.00$

Item Information	
Alignment	A-R.1.1.3 B-E.2.2.2
Answer Key	A
Depth of Knowledge	2
p-value A	43% (correct answer)
p-value B	22%
p-value C	24%
p-value D	11%
Option Annotations	<p>A. Correct: determines the rate by dividing the cost of electricity by the amount used for any given month (e.g., <math>33.25 \div 350 = 0.095</math>), uses the rate (0.095) for the coefficient of <math>x</math>, and uses the “less than” symbol (<math>&lt;</math>) for the comparison</p> <p>B. reverses the direction of the inequality</p> <p>C. divides the month 3 kilowatt-hours (460) by the month 4 kilowatt-hours (500) OR divides the month 3 cost (\$43.70) by the month 4 cost (\$47.50)</p> <p>D. divides the month 3 kilowatt-hours (460) by the month 4 kilowatt-hours (500) and reverses the direction of the inequality OR divides the month 3 cost (\$43.70) by the month 4 cost (\$47.50) and reverses the direction of the inequality</p>

4. The table below shows the numbers of pages Lenny can read in certain amounts of time.

**Lenny's Reading Rate**


<b>Time (minutes)</b>	<b>Pages Read</b>
60	108
90	162
135	243

Based on the table, which equation can be used to determine the number of pages ( $p$ ) Lenny can read in  $t$  minutes?

- A.  $p = 1.5t$
- B.  $p = 1.8t$
- C.  $t = 1.5p$
- D.  $t = 1.8p$

Item Information	
Alignment	A-R.1.1.4
Answer Key	B
Depth of Knowledge	2
p-value A	12%
p-value B	53% (correct answer)
p-value C	10%
p-value D	25%
Option Annotations	<p>A. determines the rate either by dividing the second output by the first output (<math>162 \div 108 = 1.5</math>) OR by dividing the second input by the first input (<math>90 \div 60 = 1.5</math>)</p> <p>B. Correct: determines the rate by dividing the number of pages read by the time, in minutes, for any given row of the table (e.g., <math>162 \div 90 = 1.8</math>) and recognizes that the rate (1.8) should be multiplied by the amount of time (<math>t</math>), with the product being equal to the number of pages read (<math>p</math>)</p> <p>C. reverses <math>t</math> and <math>p</math> and determines the rate either by dividing the second output by the first output (<math>162 \div 108 = 1.5</math>) OR by dividing the second input by the first input (<math>90 \div 60 = 1.5</math>)</p> <p>D. reverses <math>t</math> and <math>p</math></p>

5. Erin completes an exercise program at a fitness center. The graph shown below represents the percentage of her exercise program ( $y$ ) Erin has completed when she has exercised for  $x$  minutes.



Based on the graph, what does the value of the  $y$ -coordinate represent when  $x = 15$ ?

- A. Erin has completed 9% of her exercise program.
- B. Erin has completed 25% of her exercise program.
- C. Erin has completed 9 minutes of her exercise program.
- D. Erin has completed 25 minutes of her exercise program.

Item Information	
Alignment	A-R.1.1.5
Answer Key	B
Depth of Knowledge	2
p-value A	10%
p-value B	70% (correct answer)
p-value C	9%
p-value D	11%
Option Annotations	<p>A. identifies the x-coordinate when <math>y = 15</math> but uses the units for the y-axis</p> <p>B. Correct: determines the rate by setting up and simplifying the fraction as “rise” over “run” <math>\left(\frac{100 - 0}{60 - 0} = \frac{100}{60} = \frac{5}{3}\right)</math>, multiplies the rate by 15 to determine the y-value <math>\left(\frac{5}{3} \cdot 15 = 25\right)</math>, and interprets the y-value as the percentage completed</p> <p>C. identifies the meaning of the x-coordinate when <math>y = 15</math></p> <p>D. identifies the correct y-value but pairs it with the units for the x-axis</p>

6. A stone with a triangular face is used in a water fountain. Lennox made a scale drawing of the triangular face. He labels the vertices of his triangle as P, Q, and R. The sides of triangle PQR are described below.

- Side PQ is 12 inches long.
- Side QR is 25% longer than side PQ.
- Side PR is  $\frac{2}{3}$  the length of side QR.

Each inch of Lennox's scale drawing represents  $\frac{1}{2}$  foot of the actual triangular face. What is the perimeter, in feet, of the actual triangular face of the stone?

- A.  $8\frac{1}{2}$
- B.  $18\frac{1}{2}$
- C. 34
- D. 74

Item Information	
Alignment	A-R.1.1.6 C-G.1.1.1
Answer Key	B
Depth of Knowledge	2
p-value A	21%
p-value B	44% (correct answer)
p-value C	20%
p-value D	15%

## Item Information

Option Annotations	<p>A. finds 25% of PQ rather than 125% of PQ</p> <p>B. Correct: determines the length of side QR by multiplying the length of side PQ by 0.25 and then adding this to the length of side PQ (<math>0.25 \cdot 12 + 12 = 3 + 12 = 15</math> inches), determines the length of side PR by multiplying the length of side QR by <math>\frac{2}{3}</math> (<math>\frac{2}{3} \cdot 15 = 10</math> inches), determines the perimeter of the scale drawing by adding the three side lengths (<math>12 + 15 + 10 = 37</math> inches), and then converts the scale drawing perimeter to the actual perimeter by multiplying the scale drawing perimeter by <math>\frac{1}{2}</math> and changing the units from inches to feet (<math>\frac{1}{2} \cdot 37 = 18 \frac{1}{2}</math> feet) OR converts the length of PQ to the actual length by multiplying the length of PQ by <math>\frac{1}{2}</math> and changing the units from inches to feet (<math>\frac{1}{2} \cdot 12 = 6</math> feet), determines the actual length of side QR by multiplying the actual length of side PQ by 0.25 and then adding this to the actual length of side PQ (<math>0.25 \cdot 6 + 6 = 1 \frac{1}{2} + 6 = 7 \frac{1}{2}</math> feet), determines the actual length of side PR by multiplying the actual length of side QR by <math>\frac{2}{3}</math> (<math>\frac{2}{3} \cdot 7 \frac{1}{2} = 5</math> feet), and then determines the perimeter by adding the three side lengths (<math>6 + 7 \frac{1}{2} + 5 = 18 \frac{1}{2}</math> feet)</p> <p>C. finds 25% of PQ and incorrectly applies the scale by dividing by <math>\frac{1}{2}</math></p> <p>D. incorrectly applies the scale by dividing by <math>\frac{1}{2}</math> rather than multiplying by <math>\frac{1}{2}</math></p>
--------------------	---

7. Which expression is equivalent to  $24(807)$ ?

- A.  $20(8) + 4(8) + 20(7) + 4(7)$
- B.  $20(80) + 4(80) + 20(7) + 4(7)$
- C.  $20(800) + 4(800) + 20(7) + 4(7)$
- D.  $20(800) + 4(800) + 20(70) + 4(70)$

Item Information	
Alignment	B-E.1.1
Answer Key	C
Depth of Knowledge	1
p-value A	8%
p-value B	13%
p-value C	71% (correct answer)
p-value D	8%
Option Annotations	<p>A. uses the digits and not the place values</p> <p>B. uses 80 instead of 800</p> <p>C. Correct: identifies <math>24 = 20 + 4</math>, identifies <math>807 = 800 + 7</math>, and then multiplies each term of <math>20 + 4</math> by each term of <math>800 + 7</math> before adding the products</p> <p>D. uses 70 instead of 7</p>



8. Simplify:  $x(2.25 + 1.25 + 0.75)$


- A.  $2.25x + 1$
- B.  $2.25x + 2$
- C.  $3.25x$
- D.  $4.25x$

Item Information	
Alignment	B-E.1.1.1
Answer Key	D
Depth of Knowledge	1
p-value A	4%
p-value B	9%
p-value C	4%
p-value D	83% (correct answer)
Option Annotations	<p>A. does not distribute and adds 1.25 to 0.75 and gets 1</p> <p>B. does not distribute</p> <p>C. does not carry when adding <math>0.75 + 1.25</math></p> <p>D. Correct: adds the three values within the grouping symbols and then multiplies the sum by <math>x</math> OR distributes the <math>x</math> to each term within the grouping symbols and then combines like terms by adding the coefficients</p>

9. A square pyramid is cut into two pieces with a single straight cut. The cut passes through the vertex of the pyramid and is perpendicular to the base. What shape is created by the cross section of the cut?
- A. an isosceles triangle
  - B. a rectangle that is not a square
  - C. a scalene right triangle
  - D. a square

Item Information	
Alignment	C-G.1.1.4
Answer Key	A
Depth of Knowledge	2
p-value A	43% (correct answer)
p-value B	15%
p-value C	26%
p-value D	16%
Option Annotations	<p>A. Correct: recognizes that the cut would pass through the base and either through two lateral faces or through two lateral edges of the pyramid, resulting in a triangle, recognizes that the cut through the two lateral faces (or through the two lateral edges) would result in equal side lengths and identifies a triangle with two equal sides as an isosceles triangle</p> <p>B. identifies the shape of the new base and not the cross section</p> <p>C. identifies the shape of the two triangular faces that were cut and not the cross section</p> <p>D. thinks about a cut parallel to the base and not perpendicular to the base</p>

10. The figure below shows three intersecting lines.




Which statement **best** describes all the possible measures for the angle labeled  $y^\circ$ ?

- A. The measure of the angle is  $x^\circ$ , and it is between  $0^\circ$  and  $70^\circ$ .
- B. The measure of the angle is  $x^\circ$ , and it is between  $110^\circ$  and  $180^\circ$ .
- C. The measure of the angle is  $110^\circ + x^\circ$ , and it is between  $0^\circ$  and  $70^\circ$ .
- D. The measure of the angle is  $110^\circ + x^\circ$ , and it is between  $110^\circ$  and  $180^\circ$ .

Item Information	
Alignment	C-G.2.1
Answer Key	D
Depth of Knowledge	2
p-value A	22%
p-value B	23%
p-value C	20%
p-value D	35% (correct answer)
Option Annotations	<p>A. thinks the angles labeled <math>x^\circ</math> and <math>y^\circ</math> must be the same</p> <p>B. does not realize that the angle labeled <math>x^\circ</math> must be between <math>0^\circ</math> and <math>70^\circ</math></p> <p>C. selects the correct expression but uses the inequality describing all possible values for <math>x</math></p> <p>D. Correct: identifies that the lower portion of the angle labeled <math>y^\circ</math> has a measure of <math>x^\circ</math> since it is opposite the angle labeled <math>x^\circ</math>, identifies that the upper portion of the angle labeled <math>y^\circ</math> has a measure of <math>y^\circ - x^\circ</math>, recognizes that the upper portion of the angle labeled <math>y^\circ</math> and the angle labeled <math>70^\circ</math> are supplementary and sets up the equation <math>70^\circ + y^\circ - x^\circ = 180^\circ</math>, determines the measure of the angle labeled <math>y^\circ</math> by solving the equation for <math>y^\circ</math> to get <math>110^\circ + x^\circ</math>, recognizes that the angle labeled <math>x^\circ</math> must be between <math>0^\circ</math> and <math>70^\circ</math> (since it is part of the angle labeled <math>70^\circ</math>), and uses this information to determine that the measure of the angle labeled <math>y^\circ</math> must be between <math>110^\circ</math> and <math>180^\circ</math> (<math>110^\circ + 0^\circ = 110^\circ</math>, <math>110^\circ + 70^\circ = 180^\circ</math>)</p>

11. A rectangle is shown below.




Which term describes the relationship between angle 1 and angle 2?

- A. alternate exterior angles
- B. corresponding angles
- C. alternate interior angles
- D. vertical angles

Item Information	
Alignment	C-G.2.1.2
Answer Key	C
Depth of Knowledge	1
p-value A	18%
p-value B	23%
p-value C	40% (correct answer)
p-value D	19%
Option Annotations	<p>A. incorrectly identifies the pair of angles</p> <p>B. incorrectly identifies the pair of angles</p> <p>C. Correct: recognizes that opposite sides of a rectangle are parallel, identifies the slanted line segment as a transversal, identifies the two labeled angles as “alternate” since they appear on opposite sides (i.e., “alternate” sides) of the transversal, and identifies the two labeled angles as “interior” since they appear between the two parallel sides of the rectangle (i.e., they appear in the “interior” of the rectangle)</p> <p>D. incorrectly identifies the pair of angles</p>

12. A design for a Do-Not-Disturb sign is made up of a rectangle with a circle cut out.



Paper is used to make the sign. Which measurement is **closest** to the area of the paper surface of the Do-Not-Disturb sign once the circle has been cut out?

- A.  $121 \text{ cm}^2$
- B.  $122 \text{ cm}^2$
- C.  $129 \text{ cm}^2$
- D.  $136 \text{ cm}^2$

Item Information	
Alignment	C-G.2.2
Answer Key	A
Depth of Knowledge	2
p-value A	38% (correct answer)
p-value B	14%
p-value C	14%
p-value D	34%
Option Annotations	<p>A. Correct: determines the area of the rectangle by multiplying the side lengths (<math>17 \cdot 8 = 136 \text{ cm}^2</math>), determines the approximate area of the small circle by multiplying the square of the radius by <math>\pi</math> and rounding to the nearest whole number (<math>2.2^2 \cdot \pi \approx 15 \text{ cm}^2</math>), and then subtracts the approximate area of the circle from the area of the rectangle (<math>136 - 15 = 121 \text{ cm}^2</math>)</p> <p>B. subtracts the circumference of the circle from the area of the rectangle</p> <p>C. does not square the radius</p> <p>D. determines the area of the rectangle only</p>

13. A town has a population of 7,500. The mayor asked two different employees to conduct a survey to determine whether residents of the town are in favor of the construction of a new baseball stadium.
- Denise surveyed 150 randomly selected residents at a recent baseball game.
  - Tamira surveyed 150 randomly selected residents living in different sections of town.

The table below shows the results of the two surveys.

New Baseball Stadium			
	In Favor	Opposed	No Opinion
Denise's Survey	125	20	5
Tamira's Survey	30	105	15

Which statement identifies the more reliable survey and provides a valid conclusion based on that survey?

- A. Denise's survey is more reliable than Tamira's survey, and approximately 6,250 residents of the town would likely be in favor of the construction of a new baseball stadium.
- B. Denise's survey is more reliable than Tamira's survey, and approximately 1,250 residents of the town would likely be opposed to the construction of a new baseball stadium.
- C. Tamira's survey is more reliable than Denise's survey, and approximately 1,500 residents of the town would likely be in favor of the construction of a new baseball stadium.
- D. Tamira's survey is more reliable than Denise's survey, and approximately 6,000 residents of the town would likely be opposed to the construction of a new baseball stadium.

Item Information	
Alignment	D-S.1.1.2
Answer Key	C
Depth of Knowledge	2
p-value A	26%
p-value B	21%
p-value C	33% (correct answer)
p-value D	20%
Option Annotations	<p>A. selects the less reliable survey but makes a valid prediction based on that survey</p> <p>B. selects the less reliable survey and adds the “no opinion” to the opposed</p> <p>C. Correct: identifies Tamira’s survey as the more reliable survey since Tamira collected data from people all across town and not just people who attend a baseball game, determines the percentage of people who would likely be in favor of a new stadium by dividing the number in favor by the total number of people surveyed (<math>30 \div 150 = 0.2</math>), and then multiplies the percentage by the population (<math>0.2 \cdot 7,500 = 1,500</math>)</p> <p>D. selects the more reliable survey but adds the “no opinion” to the opposed</p>



14. Mr. Eliaz randomly selects a student from his algebra class each day. Each student is equally likely to be selected. There is an equal number of male and female students in his class. On Monday, Tuesday, Wednesday, and Thursday of this week, the randomly selected student is a male student. Which statement **best** describes the probability Mr. Eliaz selects a male student on Friday?
- A. The probability Mr. Eliaz selects a male student on Friday is the same as it was on each of the other days.
  - B. The probability Mr. Eliaz selects a male student on Friday is less than it was on other days because he has already selected a male student 4 days in a row.
  - C. The probability Mr. Eliaz selects a male student on Friday is greater than it was on other days because he has already selected a male student 4 days in a row.
  - D. The probability Mr. Eliaz selects a male student on Friday is impossible to determine without knowing how many students are in his class.

Item Information	
Alignment	D-S.3.2
Answer Key	A
Depth of Knowledge	2
p-value A	44% (correct answer)
p-value B	26%
p-value C	12%
p-value D	18%
Option Annotations	<p>A. Correct: recognizes that the probability a male student is selected does not change from day to day since each student is equally likely to be selected on any given day</p> <p>B. considers that the previous results influence Friday's result</p> <p>C. considers that the previous results influence Friday's result</p> <p>D. considers that the actual numbers (rather than the ratio) are needed</p>

15. A nursery sells tulip plants. Each plant has 1 tulip. The tulips come in 4 different colors. The tulip plants available at the nursery are listed below.

- 22 plants with a red tulip
- 30 plants with a pink tulip
- 28 plants with a yellow tulip
- 20 plants with a white tulip

Amy purchases one tulip plant at random. What is the probability that Amy's tulip plant has a tulip that is **not** pink?

A.  $\frac{1}{4}$

B.  $\frac{3}{10}$

C.  $\frac{7}{10}$

D.  $\frac{3}{4}$

Item Information	
Alignment	D-S.3.2.2
Answer Key	C
Depth of Knowledge	2
p-value A	16%
p-value B	21%
p-value C	49% (correct answer)
p-value D	14%
Option Annotations	<p>A. finds the probability it will have pink flowers by noting that pink is 1 of 4 colors</p> <p>B. finds the probability it will have pink flowers</p> <p>C. Correct: determines the probability by writing a fraction with the total number of tulips that are not pink (70) as the numerator and the total number of tulips (100) as the denominator, and then simplifies the fraction OR first determines the probability the tulip is pink by writing a fraction using the number of tulips that are pink (30) as the numerator and the total number of tulips (100) as the denominator, simplifies the fraction <math>\left(\frac{3}{10}\right)</math>, and then determines the probability that the tulip is not pink by subtracting the probability the tulip is pink from 1</p> <p>D. reasons that there are 3 nonpink options out of a total of 4 options</p>

16. The table below shows the number of each color of paper clip in a container.

**Paper Clips in a Container**

<b>Color of Paper Clips</b>	<b>Number of Paper Clips</b>
blue	13
green	4
white	8
yellow	10

A paper clip is randomly selected from the container three times and is replaced each time. What is the **approximate** probability of first selecting a blue paper clip and then 2 green paper clips?

- A. 0.00397
- B. 0.00485
- C. 0.04245
- D. 0.08571

Item Information	
Alignment	D-S.3.2.3
Answer Key	B
Depth of Knowledge	2
p-value A	18%
p-value B	36% (correct answer)
p-value C	24%
p-value D	22%
Option Annotations	<p>A. determines the probability without replacement</p> <p>B. Correct: determines the probability by multiplying the probability of selecting blue by the probability of selecting green twice <math>\left(\frac{13}{35} \cdot \frac{4}{35} \cdot \frac{4}{35}\right)</math>; the denominator does not change because the selected paper clip is replaced each time; since the order matters (first blue, then green twice), only one permutation of the probability is needed</p> <p>C. determines the probability of the first two events (1 blue, then 1 green)</p> <p>D. calculates <math>\frac{3}{35}</math> because 3 paper clips are selected out of 35 paper clips</p>

**OPEN-ENDED QUESTION**

17. Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

- A.** Write an expression that can be used to calculate Dustin's earnings on these two days.

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

- B.** How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

Go to the next page to finish question 17.



**17. Continued.** Please refer to the previous page for task explanation.

Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

- C.** Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.

**After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.**





## Item-Specific Scoring Guideline

### #17 Item Information

<b>Alignment</b>	B-E.2.1.1 B-E.2.2.1	<b>Depth of Knowledge</b>	2	<b>Mean Score</b>	1.30
------------------	------------------------	---------------------------	---	-------------------	------

### Assessment Anchor this item will be reported under:

M07.B-E.2—Solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities.

### Specific Anchor Descriptor addressed by this item:

M07.B-E.2.1—Solve multi-step real-world and mathematical problems posed with positive and negative rational numbers.

M07.B-E.2.2—Use variables to represent quantities in a real-world or mathematical problem and construct simple equations and inequalities to solve problems.

### Scoring Guide

<b>Score</b>	<b>In this item, the student . . .</b>
<b>4</b>	Demonstrates a thorough understanding of how to solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities by correctly solving problems and clearly explaining procedures.
<b>3</b>	Demonstrates a general understanding of how to solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities by correctly solving problems and clearly explaining procedures with only minor errors or omissions.
<b>2</b>	Demonstrates a partial understanding of how to solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities by correctly performing a significant portion of the required task.
<b>1</b>	Demonstrates minimal understanding of how to solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities.
<b>0</b>	The response has no correct answer and insufficient evidence to demonstrate any understanding of the mathematical concepts and procedures as required by the task. The response may show only information copied from the question.

## Top-Scoring Student Response and Training Notes

Score	Description
4	Student earns 4 points.
3	Student earns 3.0–3.5 points.
2	Student earns 2.0–2.5 points.
1	Student earns 0.5–1.5 points.  OR  Student demonstrates minimal understanding of how to solve real-world and mathematical problems using numerical and algebraic expressions, equations, and inequalities.
0	Response is incorrect or contains some correct work that is irrelevant to the skill or concept being measured.

## Top-Scoring Response

### Part A (1 point):

1 point for correct answer

OR  $\frac{1}{2}$  point for a correct equation (e.g., an equation of equivalent correct expressions)

What?	Why?
$x(9.80) + 6(9.80)$  <b>OR</b>  $(x + 6)9.80$  <b>OR equivalent</b>	

### Part B (1 point):

$\frac{1}{2}$  point for correct answer

$\frac{1}{2}$  point for correct and complete support

What?	Why?
(\$) $10.29$	<b>Sample Work:</b>  $9.80 \times 1.05 = 10.29$  <b>OR</b>  <b>Sample Explanation:</b>  Since 5% of 9.80 is 0.49, I added 9.80 and 0.49 and got \$10.29.  <b>OR equivalent</b>

**Part C (2 points):**

1 point for correct answer

1 point for correct description of the error

What?	Why?
\$150.92	<b>Sample Description:</b>  Dustin picked 152.44 because 137.20 is 90% of it.  <b>OR</b>  Dustin divided by 0.9.  <b>OR equivalent</b>

## STUDENT RESPONSE

Response Score: 4 points



## PARTS A and B

Question 17  
Page 1 of 2

Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

**A.** Write an expression that can be used to calculate Dustin's earnings on these two days.

$(6+x) \cdot 9.80$

The student provided a correct expression  $[(6+x) \cdot 9.80]$  that can be used to calculate Dustin's earnings on these two days. This is found by taking the 6 hours Dustin worked on Saturday and adding the  $x$  hours Dustin worked on Thursday to get  $6 + x$ . This part of the expression is put in parentheses and then multiplied by Dustin's hourly pay rate of \$9.80 per hour to get the final correct complete expression of  $(6 + x) \cdot 9.80$ . [1 point]

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

**B.** How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

$9.80 \cdot .05 = .49$   
 $9.80 + .49 = 10.29$   
 \$10.29

The student provided the correct answer (\$10.29) with correct and complete support. The work provided shows first multiplying Dustin's hourly wage by 5% ( $9.80 \cdot .05 = .49$ ) and then adding the .49 to the original hourly wage ( $9.80 + .49 = 10.29$ ) to find how much Jeff earns in an hour. [1 point]

36 / 1000

Review/End Test Pause Flag Options Next

Question 17  
Page 2 of 2

Dustin earns \$9.80 per hour at his job.

Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

**C.** Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.

He used .90 and it has nothing to do with it.  
also he divided. The real amount is \$150.92.

The student provided the correct answer (\$150.92) and a correct description of the error (*he divided*). While showing how to determine the answer is not required for Part C, the student likely multiplied \$137.20 by 10% to get 13.72 and then added \$13.72 to the original \$137.20 to get \$150.92. [2 points]

90 / 1000

Review/End Test Pause Flag Options Back Next

## STUDENT RESPONSE

## Response Score: 3 points

17. Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

- A. Write an expression that can be used to calculate Dustin's earnings on these two days.

$$9.80 \cdot (6 + x)$$

The student provided a correct expression  $[9.80 \cdot (6 + x)]$  that can be used to calculate Dustin's earnings on these two days. This is found by taking the 6 hours Dustin worked on Saturday and adding the  $x$  hours Dustin worked on Thursday to get  $6 + x$ . This part of the expression is put in parentheses and then multiplied by Dustin's hourly pay rate of \$9.80 per hour to get the final correct complete expression of  $9.80 \cdot (6 + x)$ . [1 point]

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

- B. How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

He gets paid \$11.76 an hour.

$$\begin{array}{r} 9.80 + 1.96 \\ 11.76 \end{array}$$

$$0.05 \overline{) 9.80} \begin{array}{r} 1.96 \end{array}$$

The student provided an incorrect answer (\$11.76 an hour) with incorrect support. The work provided shows 9.80 divided by 0.05 (5%) to get 1.96. Additionally, this calculation is incorrect, as  $9.80 \div 0.05 = 196$ , not 1.96. This is an incorrect first step, as 9.80 should be multiplied by 0.05 to find 5% of \$9.80. The student then added the 1.96 to the 9.80 for an incorrect answer of 11.76. [0 points]

Go to the next page to finish question 17.

GO ON 

17. **Continued.** Please refer to the previous page for task explanation.


Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

- C. Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.

He divided  $137.20 \div 0.90$  instead of multiplying  $137.20$  and the  $10\%$ , which gives you  $13.72$ . I added  $137.20$  and  $13.72$  and got  $\$150.92$ . So  $\$150.92$  is the amount Laura got paid.

The student provided the correct answer (\$150.92) and a correct description of the error (He divided  $137.20 \div 0.90$  instead of multiplying  $137.20$  and the  $10\%$ ). [2 points]

After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.





## STUDENT RESPONSE

Response Score: 2 points



## PARTS A and B

Question 17  
Page 1 of 2

Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

**A.** Write an expression that can be used to calculate Dustin's earnings on these two days.

$6+x \cdot 9.80$

The student provided an incorrect expression ( $6 + x \cdot 9.80$ ). Parentheses are needed around the  $6 + x$  portion of the expression, as both values need to be multiplied by the 9.80 for a correct expression. In the expression provided, only the  $x$ -value would be multiplied by the 9.80, resulting in  $9.80x + 6$ , an incorrect expression. [0 points]

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

**B.** How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

$9.80 \cdot .05 = .49$   
 $9.80 + .49 = 10.29$   
 Jeff earn \$10.29 an hour.

The student provided the correct answer (*Jeff earns \$10.29 an hour*) with correct and complete support. The work provided shows first multiplying Dustin's hourly wage by 5% ( $9.80 \cdot .05 = .49$ ) and then adding the .49 to the original hourly wage ( $9.80 + .49 = 10.29$ ) to find how much Jeff earns in an hour. [1 point]

Review/End Test   Pause   Flag   Options   Next

Question 17  
Page 2 of 2

Dustin earns \$9.80 per hour at his job.

Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

**C.** Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.

Dustin should have found out how much Laura earned (\$10.78) and multiplied it by how many hours they worked (14).

Laura earned \$150.92

The student provided the correct answer (*Laura earned \$150.92*) with an incorrect explanation. The student explained what Dustin should have done [*Dustin should have found out how much Laura earned (\$10.78) and multiplied it by how many hours they worked (14)*]. The provided support does not describe the error (Dustin divided) and earns no credit. [1 point]

134 / 1000

Review/End Test Pause Flag Options Back Next

## STUDENT RESPONSE

## Response Score: 1 point

17. Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

- A. Write an expression that can be used to calculate Dustin's earnings on these two days.

$$6x + 2 = 9.80$$

The student provided an incorrect equation ( $6x + 2 = 9.80$ ). The 6 and  $x$  must be multiplied by the 9.80 for a correct expression. [0 points]

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

- B. How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

Dustin = \$9.80 per hour

Jeff = 5% more than Dustin

$$\$9.80 \times 5\% = 0.49$$

$$\begin{array}{r} 9.80 \\ + 0.49 \\ \hline 10.29 \end{array}$$

Jeff earns \$10.29  
in one hour

The student provided the correct answer (Jeff earns \$10.29 in one hour) with correct and complete support. The work provided shows first multiplying Dustin's hourly wage by 5% ( $9.80 \times 5\% = 0.49$ ) and then adding the 0.49 to the original hourly wage ( $9.80 + 0.49 = 10.29$ ) to find how much Jeff earns in an hour. [1 point]

Go to the next page to finish question 17.

GO ON 

17. **Continued.** Please refer to the previous page for task explanation.

Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

- C. Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.


Dustin forgot to add the 10 Percent to his final answer, so the equation should of been

$$137.20 \div 0.90 = 152.44 + 10\%$$

Her actual amount would be 152.54.

The student provided an incorrect answer (152.54) with an incorrect explanation (*Dustin forgot to add the 10 Percent to his final answer, so the equation should of been  $137.20 \div 0.90 = 152.44 + 10\%$* ). The error Dustin made was that he divided, not that he forgot to add the 10% to his answer. [0 points]

**After you have checked your work, close your answer booklet and test booklet so your teacher will know you are finished.**



## STUDENT RESPONSE

Response Score: 0 points



PARTS A and B

Question 17  
Page 1 of 2

Dustin earns \$9.80 per hour at his job.

Last week Dustin worked  $x$  hours on Thursday and 6 hours on Saturday.

**A.** Write an expression that can be used to calculate Dustin's earnings on these two days.

6(9.80x)

The student provided an incorrect expression  $[6(9.80x)]$ . The 6 and  $x$  must be added together and both multiplied by the 9.80 for a correct expression. [0 points]

Dustin's older brother Jeff earns 5% more per hour at his job than Dustin earns.

**B.** How much money, in dollars, does Jeff earn in an hour? Show or explain all your work.

Jeff earn \$9.85 dollars at his his job. If you add  $9.80 + 5\%$  you will get \$9.85.

The student provided an incorrect answer (\$9.85) with incorrect support. The student incorrectly represented the 5% as \$0.05, or 5 cents, and added that amount to Dustin's hourly pay rate of \$9.80 to get an answer of \$9.85. [0 points]

80 / 1000

Review/End Test Pause Flag Options Next

Question 17  
Page 2 of 2

Dustin earns \$9.80 per hour at his job.

Laura earns 10% more per hour than Dustin. This week Dustin and Laura worked the same number of hours. Dustin earned \$137.20. He calculated the amount Laura earned to be \$152.44 because  $137.20 \div 0.90 = 152.44$ .

**C.** Describe the error in Dustin's work. State the actual amount Laura earned this week as part of your description.

Dustin did the math wrong. Laura earns 10% more per hour so that means she earns 0.98 more cents. If Dustin earns \$137.20 then that means Laura earned \$138.18.

The student provided an incorrect answer (\$138.18) with an incorrect explanation. The student claimed that Laura *earn[ed] 0.98 more cents* (10% of \$9.80) per hour. However, as written, "0.98 more cents" would be less than one penny per hour. No support showing how to determine the answer is required, so it is unclear where an error was made. The student may have added \$0.98 (10% of \$9.80) to Dustin's earnings for the week ( $\$137.20 + \$0.98 = \$138.18$ ). [0 points]

159 / 1000

Review/End Test Pause Flag Options Back Next

## MATHEMATICS—SUMMARY DATA

## Multiple-Choice

Sample Number	Alignment	Answer Key	Depth of Knowledge	p-value A	p-value B	p-value C	p-value D
1	A-N.1.1.1	C	1	7%	35%	49%	9%
2	A-R.1.1.1	B	2	20%	56%	12%	12%
3	A-R.1.1.3 B-E.2.2.2	A	2	43%	22%	24%	11%
4	A-R.1.1.4	B	2	12%	53%	10%	25%
5	A-R.1.1.5	B	2	10%	70%	9%	11%
6	A-R.1.1.6 C-G.1.1.1	B	2	21%	44%	20%	15%
7	B-E.1.1	C	1	8%	13%	71%	8%
8	B-E.1.1.1	D	1	4%	9%	4%	83%
9	C-G.1.1.4	A	2	43%	15%	26%	16%
10	C-G.2.1	D	2	22%	23%	20%	35%
11	C-G.2.1.2	C	1	18%	23%	40%	19%
12	C-G.2.2	A	2	38%	14%	14%	34%
13	D-S.1.1.2	C	2	26%	21%	33%	20%
14	D-S.3.2	A	2	44%	26%	12%	18%
15	D-S.3.2.2	C	2	16%	21%	49%	14%
16	D-S.3.2.3	B	2	18%	36%	24%	22%

## Open-Ended

Sample Number	Alignment	Points	Depth of Knowledge	Mean Score
17	B-E.2.1.1 B-E.2.2.1	4	2	1.30