

**ALGEBRA I****Tuesday, June 12, 2018 — 1:15 to 4:15 p.m., only****Student Name** _____**School Name** _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 37 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except for graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator and a straightedge (ruler) must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

High School Math Reference Sheet

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilogram	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

Triangle	$A = \frac{1}{2}bh$
Parallelogram	$A = bh$
Circle	$A = \pi r^2$
Circle	$C = \pi d$ or $C = 2\pi r$
General Prisms	$V = Bh$
Cylinder	$V = \pi r^2 h$
Sphere	$V = \frac{4}{3}\pi r^3$
Cone	$V = \frac{1}{3}\pi r^2 h$
Pyramid	$V = \frac{1}{3}Bh$

Pythagorean Theorem	$a^2 + b^2 = c^2$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Geometric Sequence	$a_n = a_1 r^{n-1}$
Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Radians	1 radian = $\frac{180}{\pi}$ degrees
Degrees	1 degree = $\frac{\pi}{180}$ radians
Exponential Growth/Decay	$A = A_0 e^{k(t-t_0)} + B_0$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for
computations.

1 The solution to $4p + 2 < 2(p + 5)$ is

- | | |
|--------------|-------------|
| (1) $p > -6$ | (3) $p > 4$ |
| (2) $p < -6$ | (4) $p < 4$ |

2 If $k(x) = 2x^2 - 3\sqrt{x}$, then $k(9)$ is

- | | |
|---------|---------|
| (1) 315 | (3) 159 |
| (2) 307 | (4) 153 |

3 The expression $3(x^2 + 2x - 3) - 4(4x^2 - 7x + 5)$ is equivalent to


- | | |
|-------------------------|------------------------|
| (1) $-13x - 22x + 11$ | (3) $19x^2 - 22x + 11$ |
| (2) $-13x^2 + 34x - 29$ | (4) $19x^2 + 34x - 29$ |

4 The zeros of the function $p(x) = x^2 - 2x - 24$ are

- | | |
|------------------|------------------|
| (1) -8 and 3 | (3) -4 and 6 |
| (2) -6 and 4 | (4) -3 and 8 |

Use this space for
computations.

- 5 The box plot below summarizes the data for the average monthly high temperatures in degrees Fahrenheit for Orlando, Florida.



The third quartile is

- (1) 92 (3) 83
(2) 90 (4) 71
- 6 Joy wants to buy strawberries and raspberries to bring to a party. Strawberries cost \$1.60 per pound and raspberries cost \$1.75 per pound. If she only has \$10 to spend on berries, which inequality represents the situation where she buys x pounds of strawberries and y pounds of raspberries?
- (1) $1.60x + 1.75y \leq 10$ (3) $1.75x + 1.60y \leq 10$
(2) $1.60x + 1.75y \geq 10$ (4) $1.75x + 1.60y \geq 10$
- 7 On the main floor of the Kodak Hall at the Eastman Theater, the number of seats per row increases at a constant rate. Steven counts 31 seats in row 3 and 37 seats in row 6. How many seats are there in row 20?
- (1) 65 (3) 69
(2) 67 (4) 71
- 8 Which ordered pair below is *not* a solution to $f(x) = x^2 - 3x + 4$?
- (1) (0,4) (3) (5,14)
(2) (1.5,1.75) (4) (-1,6)

**Use this space for
computations.**

- 9** Students were asked to name their favorite sport from a list of basketball, soccer, or tennis. The results are shown in the table below.

	Basketball	Soccer	Tennis
Girls	42	58	20
Boys	84	41	5

What percentage of the students chose soccer as their favorite sport?

- | | |
|-----------|-----------|
| (1) 39.6% | (3) 50.4% |
| (2) 41.4% | (4) 58.6% |

- 10** The trinomial $x^2 - 14x + 49$ can be expressed as

- (1) $(x - 7)^2$ (3) $(x - 7)(x + 7)$
 (2) $(x + 7)^2$ (4) $(x - 7)(x + 2)$

- 11** A function is defined as $\{(0,1), (2,3), (5,8), (7,2)\}$. Isaac is asked to create one more ordered pair for the function. Which ordered pair can he add to the set to keep it a function?

- | | |
|-----------|-----------|
| (1) (0,2) | (3) (7,0) |
| (2) (5,3) | (4) (1,3) |

- 12** The quadratic equation $x^2 - 6x = 12$ is rewritten in the form $(x + p)^2 = q$, where q is a constant. What is the value of p ?

- | | |
|---------|--------|
| (1) -12 | (3) -3 |
| (2) -9 | (4) 9 |

Use this space for
computations.


13 Which of the quadratic functions below has the *smallest* minimum value?

$$h(x) = x^2 + 2x - 6$$

(1)

$$k(x) = (x + 5)(x + 2)$$

(3)



x	$f(x)$
-1	-2
0	-5
1	-6
2	-5
3	-2

(4)

14 Which situation is *not* a linear function?

- (1) A gym charges a membership fee of \$10.00 down and \$10.00 per month.
- (2) A cab company charges \$2.50 initially and \$3.00 per mile.
- (3) A restaurant employee earns \$12.50 per hour.
- (4) A \$12,000 car depreciates 15% per year.

- 15** The Utica Boilermaker is a 15-kilometer road race. Sara is signed up to run this race and has done the following training runs:

- I. 10 miles
- II. 44,880 feet
- III. 15,560 yards

Which run(s) are at least 15 kilometers?

- (1) I, only
- (2) II, only
- (3) I and III
- (4) II and III

- 16** If $f(x) = x^2 + 2$, which interval describes the range of this function?


- (1) $(-\infty, \infty)$
- (2) $[0, \infty)$
- (3) $[2, \infty)$
- (4) $(-\infty, 2]$

- 17** The amount Mike gets paid weekly can be represented by the expression $2.50a + 290$, where a is the number of cell phone accessories he sells that week. What is the constant term in this expression and what does it represent?

- (1) $2.50a$, the amount he is guaranteed to be paid each week
- (2) $2.50a$, the amount he earns when he sells a accessories
- (3) 290, the amount he is guaranteed to be paid each week
- (4) 290, the amount he earns when he sells a accessories

18 A cubic function is graphed on the set of axes below.

Use this space for
computations.



Which function could represent this graph?

(1) $f(x) = (x - 3)(x - 1)(x + 1)$

(2) $g(x) = (x + 3)(x + 1)(x - 1)$

(3) $h(x) = (x - 3)(x - 1)(x + 3)$

(4) $k(x) = (x + 3)(x + 1)(x - 3)$

Use this space for
computations.

- 19 Mrs. Allard asked her students to identify which of the polynomials below are in standard form and explain why.

I. $15x^4 - 6x + 3x^2 - 1$





II. $12x^3 + 8x + 4$

III. $2x^5 + 8x^2 + 10x$

Which student's response is correct?

- (1) Tyler said I and II because the coefficients are decreasing.
- (2) Susan said only II because all the numbers are decreasing.
- (3) Fred said II and III because the exponents are decreasing.
- (4) Alyssa said II and III because they each have three terms.

- 20 Which graph does *not* represent a function that is always increasing over the entire interval $-2 < x < 2$?



- 21** At an ice cream shop, the profit, $P(c)$, is modeled by the function $P(c) = 0.87c$, where c represents the number of ice cream cones sold. An appropriate domain for this function is

- (1) an integer ≤ 0 (3) a rational number ≤ 0
(2) an integer ≥ 0 (4) a rational number ≥ 0

- 22** How many real-number solutions does $4x^2 + 2x + 5 = 0$ have?

- (1) one (3) zero
(2) two (4) infinitely many

- 23** Students were asked to write a formula for the length of a rectangle by using the formula for its perimeter, $p = 2\ell + 2w$. Three of their responses are shown below.

I. $\ell = \frac{1}{2}p - w$

II. $\ell = \frac{1}{2}(p - 2w)$

III. $\ell = \frac{p - 2w}{2}$

Which responses are correct?

- (1) I and II, only (3) I and III, only
(2) II and III, only (4) I, II, and III


- 24** If $a_n = n(a_{n-1})$ and $a_1 = 1$, what is the value of a_5 ?

- (1) 5 (3) 120
(2) 20 (4) 720
-

Part II

Answer all 8 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

25 Graph $f(x) = \sqrt{x+2}$ over the domain $-2 \leq x \leq 7$.




26 Caleb claims that the ordered pairs shown in the table below are from a nonlinear function.

x	f(x)
0	2
1	4
2	8
3	16

State if Caleb is correct. Explain your reasoning.

27 Solve for x to the *nearest tenth*: $x^2 + x - 5 = 0$.

- 28** The graph of the function $p(x)$ is represented below. On the same set of axes, sketch the function $p(x + 2)$.



29 When an apple is dropped from a tower 256 feet high, the function $h(t) = -16t^2 + 256$ models the height of the apple, in feet, after t seconds. Determine, algebraically, the number of seconds it takes the apple to hit the ground.


30 Solve the equation below algebraically for the exact value of x .

$$6 - \frac{2}{3}(x + 5) = 4x$$

31 Is the product of $\sqrt{16}$ and $\frac{4}{7}$ rational or irrational? Explain your reasoning.

32 On the set of axes below, graph the piecewise function:

$$f(x) = \begin{cases} -\frac{1}{2}x, & x < 2 \\ x, & x \geq 2 \end{cases}$$



Part III

Answer all 4 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

- 33 A population of rabbits in a lab, $p(x)$, can be modeled by the function $p(x) = 20(1.014)^x$, where x represents the number of days since the population was first counted.

Explain what 20 and 1.014 represent in the context of the problem.

Determine, to the *nearest tenth*, the average rate of change from day 50 to day 100.


34 There are two parking garages in Beacon Falls. Garage *A* charges \$7.00 to park for the first 2 hours, and each additional hour costs \$3.00. Garage *B* charges \$3.25 per hour to park.

When a person parks for at least 2 hours, write equations to model the cost of parking for a total of x hours in Garage *A* and Garage *B*.

Determine algebraically the number of hours when the cost of parking at both garages will be the same.

35 On the set of axes below, graph the following system of inequalities:

$$\begin{aligned} 2y + 3x &\leq 14 \\ 4x - y &< 2 \end{aligned}$$



Determine if the point (1,2) is in the solution set. Explain your answer.

- 36** The percentage of students scoring 85 or better on a mathematics final exam and an English final exam during a recent school year for seven schools is shown in the table below.

Percentage of Students Scoring 85 or Better	
Mathematics, x	English, y
27	46
12	28
13	45
10	34
30	56
45	67
20	42

Write the linear regression equation for these data, rounding all values to the *nearest hundredth*.

State the correlation coefficient of the linear regression equation, to the *nearest hundredth*. Explain the meaning of this value in the context of these data.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

37 Dylan has a bank that sorts coins as they are dropped into it. A panel on the front displays the total number of coins inside as well as the total value of these coins. The panel shows 90 coins with a value of \$17.55 inside of the bank.

If Dylan only collects dimes and quarters, write a system of equations in two variables or an equation in one variable that could be used to model this situation.

Using your equation or system of equations, algebraically determine the number of quarters Dylan has in his bank.

Question 37 is continued on the next page.

Question 37 continued

Dylan's mom told him that she would replace each one of his dimes with a quarter. If he uses all of his coins, determine if Dylan would then have enough money to buy a game priced at \$20.98 if he must also pay an 8% sales tax. Justify your answer.

If the student’s responses for the multiple-choice questions are being hand scored prior to being scanned, the scorer must be careful not to make any marks on the answer sheet except to record the scores in the designated score boxes. Marks elsewhere on the answer sheet will interfere with the accuracy of the scanning.

Part I

Allow a total of 48 credits, 2 credits for each of the following.

(1) 4	(9) 1	(17) 3
(2) 4	(10) 1	(18) 2
(3) 2	(11) 4	(19) 3
(4) 3	(12) 3	(20) 3
(5) 2	(13) 2	(21) 2
(6) 1	(14) 4	(22) 3
(7) 1	(15) 1	(23) 4
(8) 4	(16) 3	(24) 3

Updated information regarding the rating of this examination may be posted on the New York State Education Department’s web site during the rating period. Check this web site at: <http://www.p12.nysed.gov/assessment/> and select the link “Scoring Information” for any recently posted information regarding this examination. This site should be checked before the rating process for this examination begins and several times throughout the Regents Examination period.

The Department is providing supplemental scoring guidance, the “Model Response Set,” for the Regents Examination in Algebra I. This guidance is recommended to be part of the scorer training. Schools are encouraged to incorporate the Model Response Sets into the scorer training or to use them as additional information during scoring. While not reflective of all scenarios, the model responses selected for the Model Response Set illustrate how less common student responses to constructed-response questions may be scored. The Model Response Set will be available on the Department’s web site at <http://www.nysedregents.org/algebraone/>.

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) **[2]** A correct graph is drawn over the given domain.

[1] Appropriate work is shown, but one graphing error is made, such as extending beyond the domain.

or

[1] Appropriate work is shown, but one conceptual error is made.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(26) **[2]** A correct explanation indicating a positive response is written.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Yes, but the explanation is incomplete.

[0] Yes, but no explanation or an incorrect explanation is written.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(27) **[2]** 1.8 and -2.8 , and correct work is shown.

[1] Appropriate work is shown, but one computational, rounding, or graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 1.8 and -2.8 , but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(28) [2] A correct graph is drawn.

[1] Appropriate work is shown, but one graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(29) [2] 4, and correct algebraic work is shown.

[1] Appropriate work is shown, but one computational or factoring error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 4, but a method other than algebraic is used.

or

[1] 4, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(30) [2] $\frac{8}{14}$ or $\overline{0.571428}$, or an equivalent fraction, and correct work is shown.

[1] Appropriate work is shown, but one computational or rounding error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $\frac{8}{14}$, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(31) [2] Rational is stated, and a correct explanation is written.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $2\frac{2}{7}$ or equivalent and rational are written, but no explanation or an incorrect explanation is written.

[0] Rational, but no explanation or an incorrect explanation is written.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(32) [2] A correct graph is drawn.

[1] Appropriate work is shown, but one graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(33) [4] Correct explanations are written, 0.8, and correct work is shown.

[3] Appropriate work is shown, but one computational or rounding error is made.

or

[3] Appropriate work is shown, but one explanation is missing or incorrect.

[2] Correct explanations are written, but no further correct work is shown.

or

[2] Appropriate work is shown to find 0.8, but no further correct work is shown.

[1] One correct explanation is written, but no further correct work is shown.

or

[1] 0.8 is stated, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(34) [4] Correct equations are written, and 4, and correct algebraic work is shown.

[3] Appropriate work is shown, but one computational error is made.

or

[3] Appropriate work is shown, but a method other than algebraic is used to determine 4.

or

[3] Correct equations are written and 4 is stated, but no work is shown.

[2] Appropriate work is shown, but two or more computational errors are made.

or

[2] Correct equations are written, but no further correct work is shown.

[1] One correct equation is written, but no further correct work is shown.

or

[1] 4, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(35) [4] The system of inequalities is graphed correctly and at least one is labeled, and a correct explanation indicating a negative response is written.

[3] Appropriate work is shown, but one computational, graphing, or labeling error is made.

or

[3] Appropriate work is shown, but the explanation is incomplete.

[2] Appropriate work is shown, but two or more computational, graphing, or labeling errors are made.

or

[2] The system of inequalities is graphed correctly and at least one is labeled, but no further correct work is shown.

or

[2] The system of inequalities is graphed correctly and at least one is labeled, and “no” is stated, but the explanation is missing or incorrect.

or

[2] A correct explanation indicating a negative response is written, but no further correct work is shown.

[1] One inequality is graphed correctly, but no further correct work is shown.

or

[1] $2y + 3x = 14$ and $4x - y = 2$ are graphed correctly and at least one is labeled, but no further correct work is shown.

[0] “No,” but no further correct work is shown.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(36) [4] $y = 0.96x + 23.95$, 0.92, and a correct explanation in context is written.

[3] Appropriate work is shown, but one computational or rounding error is made.

or

[3] Appropriate work is shown, but the expression $0.96x + 23.95$ is written.

or

[3] Appropriate work is shown, but the explanation is missing or incorrect.

or

[3] An incorrect linear regression equation is written, but a correlation coefficient is stated and explained appropriately.

[2] Appropriate work is shown, but two or more computational or rounding errors are made.

or

[2] $y = 0.96x + 23.95$ is written, but no further correct work is shown.

[1] The expression $0.96x + 23.95$ is written, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (37) [6] $d + q = 90$, $.10d + .25q = 17.55$ or an equivalent system, or an equation in one variable, 57, and correct algebraic work is shown, and a correct justification indicating that Dylan won't have enough money is written.

[5] Appropriate work is shown, but one computational error is made.

or

[5] Appropriate work is shown, but the justification is incomplete or incorrect.

or

[5] Appropriate work is shown, but a method other than algebraic is used to determine 57.

[4] Appropriate work is shown, but two or more computational errors are made.

or

[4] Appropriate work is shown to find 57, but no further correct work is shown.

[3] A correct system of equations and 57 are written, but no work is shown.

[2] A correct justification indicating that Dylan won't have enough money is written, but no further correct work is shown.

or

[2] A correct system of equations or an equation in one variable is written, but no further correct work is shown.

[1] One correct equation in two variables is written, but no further correct work is shown.

or

[1] 57, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Map to the Core Learning Standards
Algebra I
June 2018

Question	Type	Credits	Cluster
1	Multiple Choice	2	A-REI.B
2	Multiple Choice	2	F-IF.A
3	Multiple Choice	2	A-APR.A
4	Multiple Choice	2	A-SSE.B
5	Multiple Choice	2	S-ID.A
6	Multiple Choice	2	A-CED.A
7	Multiple Choice	2	F-BF.A
8	Multiple Choice	2	A-REI.D
9	Multiple Choice	2	S-ID.B
10	Multiple Choice	2	A-SSE.A
11	Multiple Choice	2	F-IF.A
12	Multiple Choice	2	A-REI.B
13	Multiple Choice	2	F-IF.C
14	Multiple Choice	2	F-LE.A
15	Multiple Choice	2	N-Q.A
16	Multiple Choice	2	F-IF.A
17	Multiple Choice	2	A-SSE.A
18	Multiple Choice	2	A-APR.B
19	Multiple Choice	2	A-SSE.A
20	Multiple Choice	2	F-IF.C

21	Multiple Choice	2	F-IF.B
22	Multiple Choice	2	A-REI.B
23	Multiple Choice	2	A-CED.A
24	Multiple Choice	2	F-IF.A
25	Constructed Response	2	F-IF.C
26	Constructed Response	2	F-LE.A
27	Constructed Response	2	A-REI.B
28	Constructed Response	2	F-BF.B
29	Constructed Response	2	A-SSE.B
30	Constructed Response	2	A-REI.B
31	Constructed Response	2	N-RN.B
32	Constructed Response	2	F-IF.C
33	Constructed Response	4	F-IF.B
34	Constructed Response	4	A-REI.D
35	Constructed Response	4	A-REI.D
36	Constructed Response	4	S-ID.C
37	Constructed Response	6	A-CED.A