

Python, Anaconda, and Virtual Environments

Morgan McCarty

22 February 2023

1 Installing Python and/or Anaconda

1.1 Download and Install

<https://www.anaconda.com/products/distribution>

Download corresponding version of Anaconda for your operating system.

Follow the instructions using recommended settings

1.2 Adding to Path

This step will vary significantly for each OS

1.2.1 What is Path?

Path is an environmental variable which allows programs to be run from the command line/terminal without being directly accessed in the current folder (or without a directory being provided). This means that any program or folder of programs added to Path will function with just their command entered into any terminal.

1.2.2 Benefits of Adding Programs to Path

here are many benefits to doing this - notably you can execute programs with considerably less setup and it makes detection of system commands (built by those programs) much easier

1.2.3 Risks of Adding Programs to Path

There are system commands that, if overridden, can severely mess up your computer if they can no longer be executed (this is mainly an issue on Windows, thankfully this is easily reversible)

1.3 MacOS or Linux

Anaconda should add itself to PATH during setup

1.4 Windows

If you installed Anaconda for only the current user, Anaconda will have an option to add itself to PATH during setup. Anaconda recommends against being added to PATH and can function entirely through the Anaconda Prompt (and/or Anaconda Powershell Prompt), but configuring for the command line is possible (and makes some use cases easier).

1. Find the folder to which Anaconda was installed and copy the file directory name to the `<install location>/bin/activate`
2. Open the environmental variables settings menu and click the edit button. Find the Path variable.
3. Add a new entry and paste the copied directory name.
4. Reboot the command prompt/powershell and run “conda -V” to check if it installed correctly.
5. This should also add Python to path so running “python -V” or “python3 -V” should work as well now

2 Creating Virtual Environment

2.1 What is a Virtual Environment?

Virtual Environments allow quick and easy changes to the installed packages and Python version to enable concise project management.

2.2 Virtual Environment w/ Python

Python natively adds quick management of virtual environments using the command “venv”. This should work for any library added by PyPI (Python Package Index - anything you install using “pip”), but recently many libraries exist under Conda libraries.

<https://docs.python.org/3/library/venv.html>

2.3 Virtual Environments with Anaconda

Conda, once installed, has its own Virtual Environment tools which are completely compatible with any PyPI library.

You may be familiar with the “conda activate base” command that is run whenever Visual Studio opens into a Conda-based Python environment. (This activates the base Conda environment.)

2.3.1 The Base Environment

The base environment is the environment which is created when Anaconda is installed. This environment contains the Python version and packages which were installed with Anaconda.

This environment can be modified, but it is recommended to create a new environment for each project.

2.3.2 Creating an Environment

1. First open a terminal/command prompt (Powershell on Windows)
2. The command “conda create -n environment” will create an environment named “environment” with the same packages as “base” (including Python version)
3. This environment can then be activated by using “conda activate environment” and exited with “conda deactivate” (Note: you can deactivate the base Conda environment as well if you wish to be inside the system installed Python.)
4. Once inside an environment you can use “conda install <package-name>” or “pip install <package-name>” and this will only be installed inside of that environment (which reduces potential conflicts).

<https://conda.io/projects/conda/en/latest/user-guide/tasks/manage-environments.html>

2.3.3 Creating an Environment with a File

Using the “-f <file-name>” command argument you can create environments from a file which contains the necessary info. Often these environment files will be provided from complex packages which have specific install instructions.

E.g. for Psychopy: an environment file is provided to help create a virtual environment tailored to Psychopy. Run “conda env create -n <environment-name>-f psychopy-env.yml” to create this environment

2.4 A Note on Containers

Containers (e.g. Docker - <https://www.docker.com>) allow further abstraction down to the OS level beyond what virtual environments do. These are very useful for creating environments with completely different programs or with a programs set up in a way that is identical to someone else’s set up.

3 Connecting Virtual Environment to VS Code

3.1 What is an Interpreter?

An Interpreter is a program which takes code and executes it without compiling (line by line execution). This is how Python functions.

3.2 How do You Change the Interpreter?

In Visual Studio Code, the Python Interpreter can be changed by selecting the “Python: Select Interpreter” option in the Command Palette (Opened with “Command + Shift + P” on MacOS and “Control + Shift + P” on Windows/Linux)

After selecting “Python: Select Interpreter”, choose the Interpreter which have your environment name in parentheses. This will be the Anaconda virtual environment you created and will allow you to use any packages which you’ve installed.