

) + h

CS 49 Section

Week 4

Surajit A Bose



Agenda

- Logistics and check-ins
- Review of lecture concepts
 - Variables
 - Casting variables
 - Console, input() and print()
- **Problems**
 - Tiny Mad Libs
 - Squaring a number









Polls

lls +

- Please fill out the anonymous Zoom poll about the time this class takes, including watching videos, reading the textbook, and working through the problems!
- Please keep an eye out for another anonymous Google survey asking how section can be more useful for you.





Quick Check-in

+ 4

Let's quickly go round the room! Pick any one of the following to complete the sentence: As the weeks go by, this class is getting:

- easier, because ...
- more difficult, because
- more fun, because ...
- more stressful, because ...



How to get hold of me / get help+

4

- The <u>section forum</u>, 24 hr turnaround
- Email: bosesurajit@fhda.edu, 24 hr turnaround
- Office hours:
 - On campus: Tuesdays 12:00 noon to 1:30 pm, room 4218 in the STEM center. Entry is from room 4213
 - By appointment on Zoom
- Other resources:
 - Contact Lane via Canvas
 - Online or in-person tutoring via the STEM center (Room 4213)







Lecture Review: Variables

Variables

- + 32
- A named place in memory that holds a value of a particular type
- A variable is a location in memory
- Name, value, and type are the three key characteristics of a variable
 - The variable is or has a name. The variable name is an identifier or tag that specifies the memory location
 - The variable has or holds a value, such as 8.04, -93, or "steve@apple.com"
 - The value is of or has a type, such as float, int, or str
- Let's explore each of name, value, and type in the next few slides



Variables: Names

- A named place in memory that holds a value of a particular type
- Names:
 - Are case-sensitive: cumulative_GPA vs cumulative_gpa
 - Must begin with a letter or underscore
 - Must not be a reserved word such as for or def
 - Should not replicate names for built-in functions like print()
 - Should be in snake_case if more than one word long
 - Should be short but descriptive
- "Must" indicates what is enforced by Python
- "Should" indicates best practices





Variables: Names

- Which of the following variable names meet the specified standards?
 - Must begin with a letter or underscore¹
 - Must not be a reserved word such as for or def¹
 - Should not replicate names for built-in functions like print()²
 - Should be in snake_case if more than one word long³
 - Should be short but descriptive³
- ¹illegal in Python to violate this; ²legal but highly inadvisable;
 - ³recommended by convention

result 101_dalmatians num_students pass input numStudents longitude y total main 1atitude





Variables: Names

- + 7
- Which of the following variable names meet the specified standards?
 - Must begin with a letter or underscore
 - Must not be a reserved word such as for or def
 - Should not replicate names for built-in functions like print()
 - Should be in snake_case if more than one word long
 - Should be short but descriptive
- red: illegal in Python to violate this, purple: legal but highly inadvisable,
 : legal but against convention, green: legal

```
result 101_dalmatians num_students pass input longitude total main 1atitude
```



Variables: Value

- + 4
- A named place in memory that holds a value of a particular type
- Value:
 - Assigned with the equals sign, e.g. answer = 42
 - Can be the result of an expression, e.g.gpa = qual_points / num_credits
 - The right hand side of the equals sign is **evaluated**, then the result is placed into the variable on the left hand side
 - This means we can have commands likebalance = balance + interest



Variables: Type

- + 3
- A named place in memory that holds a value of a particular type
- Primitive types:
 - o **int**, for numbers without a decimal point ("How many?"), e.g. -3
 - o **float**, for numbers with a decimal point ("How much?"), e.g. 3.14159
 - o **str**, for text characters including letters, numerals, punctuation, etc.
 - bool, for two specific values True and False
- What are the types of the following values? Some types might not be determinable from just the information given. And remember Karel!

```
35 qual_points / credits "front_is_clear()" 0.0
front_is_clear() '8 + 11' wage_rate * hours_worked
```





Variables: Type

- + 3
- A named place in memory that holds a value of a particular type
- Primitive types:
 - o **int**, for numbers without a decimal point ("How many?"), e.g. -3
 - o **float**, for numbers with a decimal point ("How much?"), e.g. 3.14159
 - o **str**, for text characters including letters, numerals, punctuation, etc.
 - bool, for two specific values True and False
- What are the types of the following values? red: string, green: int,
 purple: float, magenta: bool, : indeterminate

```
35 qual_points / credits "front_is_clear()" 0.0
front_is_clear() '8 + 11'
```





Lecture Review: Type Casting

Type casting

- A value of one type can be changed into a value of another type
- This is called type casting
- What would the results be of the following cast operations?

```
int_val = 3
float_val = float(int_val)
str_val = str(int_val)
str_float_val = str(float_val)
int_val_2 = int(str_float_val)
e = 2.7183
int_e = int(e)
```



4

Type casting

- A value of one type can be changed into a value of another type
- This is called type casting
- What would the results be of the following cast operations?

```
int_val = 3
float_val = float(int_val)  # result: 3.0
str_val = str(int_val)  # result: '3'
str_float_val = str(float_val)  # result: '3.0'
int_val_2 = int(str_float_val)  # result: error!

e = 2.7183
int_e = int(e)  # result: 2
```

4



Lecture Review: Console I/O

The console, aka the terminal +

Terminal





The console, aka the terminal

- Where a Python program displays its output (via the print() function)
- Where the program gets its user input (via the input() function)
- Console input and output is always in the form of strings
 - Anything printed to the console must be a string
 - Any variable must be cast into the appropriate type before outputting it, e.g., an int must be cast into its str representation
 - Anything brought into the program from the console will be a string
 - Any variable from console input must be cast into the appropriate type such as int or float before it can be used in the program





Printing to the console: old style +

Two somewhat outmoded ways of printing to the console (i.e., of constructing a string to send to the screen):

- String concatenation, need to cast variables to **str** and include spaces print('I have ' + str(num_classes) + ' classes this quarter')
- Commas, will automatically cast variables and add spaces print('I have', num classes, 'classes this quarter')

These are fine, but the cool kids have moved on to ...





Printing to the console: f-strings.

4

... **format strings**, aka f-strings.

```
print(f'I have {num_classes} classes this quarter')
```

- Put the letter **f** before the open quotation mark
- Put all variable names in braces
- Python will cast all variables to string

These are all ways of constructing a new string by putting together various elements such as smaller strings or variables cast to string.







Let's use all that to solve this week's problem!

Section problem 1: Tiny Mad Libs

https://codeinplace.stanford.edu/foothill-cs49/ide/a/tinymadlibs

Tiny Mad Libs

+ 4

Write a program which prompts the user for an adjective, then a noun, then a verb, and then prints a fun sentence with those words!

Mad Libs is a word game where players are prompted for one word at a time, and the words are eventually filled into the blanks of a word template to make an entertaining story! We've provided you with the beginning of a sentence (the sentence_start variable) which will end in a user-inputted adjective, noun, and then verb.

Here's a sample run (user input is in bold italics):

Please type an adjective and press enter. tiny

Please type a noun and press enter. *plant*

Please type a verb and press enter. fly

CS49 is fun. I learned to program and used Python to make my tiny plant fly!



Section problem 2: Square Number

https://codeinplace.stanford.edu/foothill-cs49/ide/a/squarenum

Square Number

+ 42

Ask the user for a number and print its square (the product of the number times itself).

Here's a sample run of the program (user input is in bold italics):

Type a number to see its square: 4

4.0 squared is 16.0



That's all, folks!

Next up: Expressions!